

Herschel/SPIRE

MULLARD SPACE SCIENCE LABORATORY  
UNIVERSITY COLLEGE LONDON Author: C BROCKLEY-BLATT

SPIRE – STRUCTURE DECLARED MATERIALS LIST

Document Number: MSSL/SPIRE/PA002.06 May 2004

Distribution:

Spire Project Office	B Winter	<input type="checkbox"/>
ESA PX	A Heske	<input type="checkbox"/>
	J Bruston	<input type="checkbox"/>
	J Rautakoski	<input type="checkbox"/>
RAL	B Swinyard	<input type="checkbox"/>
	K King	<input type="checkbox"/>
	J Delderfield	<input type="checkbox"/>
	J Long (Project Office)	<input type="checkbox"/>
	E Clark	<input type="checkbox"/>
Mullard Space Science Laboratory	A Smith	<input type="checkbox"/>
	J Coker	<input type="checkbox"/>
	C Brockley-Blatt	<input type="checkbox"/>
	A Dibbens	<input type="checkbox"/>
		<input type="checkbox"/>
ATC	C Cunningham	<input type="checkbox"/>
	I Pain	<input type="checkbox"/>
	T Paul	<input type="checkbox"/>
Cardiff	M Griffin	<input type="checkbox"/>
	P Hargrave	<input type="checkbox"/>
JPL	J Bock	<input type="checkbox"/>
	J Lilienthal	<input type="checkbox"/>
CEA Herschel Project	L Duband	<input type="checkbox"/>
	Herschel.Planck@esa.int	<input type="checkbox"/>

Author: 

Checked: 

Approved: 

Date: 8 July 2004

Date: 8 JUL 04

Date:

**Herschel/SPIRE**

MULLARD SPACE SCIENCE LABORATORY  
 UNIVERSITY COLLEGE LONDON Author: C BROCKLEY-BLATT

---

SPIRE – STRUCTURE DECLARED MATERIALS LIST

Document Number: MSSL/SPIRE/PA002.06 May 2004

**Distribution:**

Spire Project Office	B Winter	<input type="checkbox"/>
ESA PX	A Heske	<input type="checkbox"/>
	J Bruston	<input type="checkbox"/>
	J Rautakoski	<input type="checkbox"/>
RAL	B Swinyard	<input type="checkbox"/>
	K King	<input type="checkbox"/>
	J Delderfield	<input type="checkbox"/>
	J Long (Project Office)	<input type="checkbox"/>
	E Clark	<input type="checkbox"/>
Mullard Space Science Laboratory	A Smith	<input type="checkbox"/>
	J Coker	<input type="checkbox"/>
	C Brockley-Blatt	<input type="checkbox"/>
	A Dibbens	<input type="checkbox"/>
		<input type="checkbox"/>
ATC	C Cunningham	<input type="checkbox"/>
	I Pain	<input type="checkbox"/>
	T Paul	<input type="checkbox"/>
Cardiff	M Griffin	<input type="checkbox"/>
	P Hargrave	<input type="checkbox"/>
JPL	J Bock	<input type="checkbox"/>
	J Lilienthal	<input type="checkbox"/>
CEA Herschel Project	L Duband	<input type="checkbox"/>
	Herschel.Planck@esa.int	<input type="checkbox"/>

**Author:** **Date:**

**Checked:** **Date:**

**Approved:** **Date:**

**Change Record**

<b>ISSUE</b>	<b>Date</b>	<b>Brief description of change</b>
0.1	September 2001	New document
1.0	November 2001	Issued and Updated
1.1	10 July 2002	Updated to reflect new design changes
2	22 November 2002	Updated to reflect comments from RAL
3	February 2003	Updated to include Silver Solder
4	March 2003	Updated to remove material that is not used
5	August 2003	Updated to include Torlon
6	May 2004	Updated to include 99.999% pure Copper, Super Invar, Carbon fibre and resin, added Project and ESA sign off columns

## CONTENTS

<b>1. INTRODUCTION .....</b>	<b>5</b>
<b>2. REFERENCES .....</b>	<b>5</b>
<b>2.1 Normative References.....</b>	<b>5</b>
<b>3. QUALITY LEVELS .....</b>	<b>5</b>
<b>4. TABLE DESCRIPTION FOR THE DECLARED MATERIALS .....</b>	<b>5</b>
<b>4.1 Categories .....</b>	<b>5</b>
<b>4.2 Column Description .....</b>	<b>6</b>
<b>4.3 Abbreviations .....</b>	<b>6</b>

## 1. INTRODUCTION

This document identifies the material types that will be used in the SPIRE structure. The data is based on mature designs and is practically complete.

## 2. REFERENCES

### 2.1 Normative References

NR1	MSSL/SPIRE/PA001	Product Assurance Plan
NR2	ECSS-Q-70A	Materials Mechanical Parts and Processes
NR3	ESA PSS-01-700	The Technical Reporting and Approval Procedure for Materials and Processes

## 3. QUALITY LEVELS

Material selection shall be as described in NR1, paras 8.1 and 8.2.

## 4. TABLE DESCRIPTION FOR THE DECLARED MATERIALS

The format of the materials table is as described in NR3.

### 4.1 Categories

The following list identifies all the categories of materials:-

1. Aluminium and Aluminium Alloys
2. Copper and Copper Alloys
3. Nickel and Nickel Alloys
4. Titanium and Titanium Alloys
5. Steels
6. Stainless Steels
7. Filler Metals and Solders
8. Miscellaneous Metallic Materials
9. Optical Materials
10. Adhesives, Coatings and Varnishes
11. Adhesive tapes
12. Paints, Primers and Inks
13. Lubricants
14. Potting Compounds, Sealants, Foams
15. Reinforced Plastics
16. Rubbers and Elastomers
17. Thermoplastics
18. Thermoset Plastics
19. Wires and Cables
20. Miscellaneous Non-metallic Materials

**4.2 Column Description**

1. Item number
2. Commercial Identification
3. Nature and Type of Product
4. Procurement Information
5. Summary of Processing Parameters
6. Use and Location
7. Environmental Code
8. Size Code
9. Approval Status
10. Project Sign Off
11. ESA Sign Off
12. ESA Comments

**NOTES:**

Column 7: Environmental Code

Radiation (R)		Ambiance (A)	Temperature (T)
G = Geostationary	S = Outside shadow	V = Vacuum	1 = 0 to 100K
L = Low orbit	L = Outside light	H = Hermetic	2 = 101 to 200K
B = Radiation belts		M = Manned	3 = 210 to 300K
I = Interplanetary		E = Elevated pressure	etc

Column 8: Size code

AREA	A (cm <sup>2</sup> )	0 = 0<1
VOLUME	V (cm <sup>3</sup> )	1 = 1<10
MASS	W (g)	2 = 10<100
		3 = 100<1000
		etc

**4.3 Abbreviations**

N/A = Not applicable

TBA= To be advised

<b>Issue No 6</b>		<b><u>DECLARED MATERIALS LIST</u></b>							<b>MSSL/SPIRE/PA002</b>				
<b>PROJECT:</b> Herschel/SPIRE <b>EXPERIMENT:</b> <b>EXPERIMENTER:</b> MULLARD SPACE SCIENCE LABORATORY (MSSL)  <b>PREPARED BY:</b> C Brockley-Blatt													
<b>CATEGORY: 1. Aluminium and Aluminium Alloys</b>													
Itm No	Commercial Identification	Chemical Nature Type of Product Form & Condition	Procurement Info., Supplier Spec. Issue	Summary of Processing Parameters	Use & Location	Environmental Code			Size Code	Approval Status	Project Sign Off	ESA Sign Off	ESA Comments
						R	A	T					
1.	Aluminium alloy 6082	6082-T6 Commercial product Extrusion/plate & rod	J Smith & Sons London UK BS 1470/1474	Alocrom 1200	Optical Bench, Mirror mounts, detector boxes, filter mounts, covers, MGSE	B	V	3/4	W4	ESA & NASA			

<u>Issue No</u> 6		<u>DECLARED MATERIALS LIST</u>							MSSL/SPIRE/PA002				
<p><b>PROJECT:</b> Herschel/SPIRE  <b>EXPERIMENT:</b>  <b>EXPERIMENTER:</b> MULLARD SPACE SCIENCE LABORATORY (MSSL)</p> <p><b>PREPARED BY:</b> C Brockley-Blatt</p>													
<b>CATEGORY: 2. Copper and copper alloys</b>													
<b>Itm No</b>	<b>Commercial Identification</b>	<b>Chemical Nature Type of Product Form &amp; Condition</b>	<b>Procurement Info., Supplier Spec. Issue</b>	<b>Summary of Processing Parameters</b>	<b>Use &amp; Location</b>	<b>Environmental Code</b> R A			<b>Size Code</b>	<b>Approval Status</b>	<b>Project Sign Off</b>	<b>ESA Sign Off</b>	<b>ESA Comments</b>
1.	Oxygen Free High Conductivity Copper	BS 3839 C103	J Smith & Sons London UK BS 1470/1474	N/A	Thermal Straps, Thermal Busbar	B	V	3/4	W1	ESA & NASA			
2.	99.999% Pure Copper	99.999% Pure	Electronic Space Products International, 1050 Benson way, Ashland, OR 97520 USA	N/A	Thermal Straps, Thermal Busbar	B	V	3/4	W1	ESA & NASA			



<b>Issue No</b> 6		<b><u>DECLARED MATERIALS LIST</u></b>						<b>MSSL/SPIRE/PA002</b>					
<p><b>PROJECT:</b> Herschel/SPIRE  <b>EXPERIMENT:</b>  <b>EXPERIMENTER:</b> MULLARD SPACE SCIENCE LABORATORY (MSSL)</p> <p><b>PREPARED BY:</b> C Brockley-Blatt</p>													
<b>CATEGORY: 3. Nickel and Nickel alloys</b>													
Itm No	Commercial Identification	Chemical Nature Type of Product Form & Condition	Procurement Info., Supplier Spec. Issue	Summary of Processing Parameters	Use & Location	Environmental Code			Size Code	Approval Status	Project Sign Off	ESA Sign Off	ESA Comments
						R	A	T					
1.	Super Invar	Maraging T 350	Mahler Limited SuperAlloys Edward Street Sheffield S3 7GD (supplied to B3 Technologies)	N/A	FPU A – Frames and Main mounting cone, Detector box supports	B	V	3/4	W3				

<u>Issue No</u> 6		<u>DECLARED MATERIALS LIST</u>							MSSL/SPIRE/PA002				
<p><b>PROJECT:</b> Herschel/SPIRE</p> <p><b>EXPERIMENT:</b></p> <p><b>EXPERIMENTER:</b> MULLARD SPACE SCIENCE LABORATORY (MSSL)</p> <p><b>PREPARED BY:</b> C Brockley-Blatt</p>													
<b>CATEGORY: 6. Stainless steels</b>													
<b>Item No</b>	<b>Commercial Identification</b>	<b>Chemical Nature Type of Product Form &amp; Condition</b>	<b>Procurement Info., Supplier Spec. Issue</b>	<b>Summary of Processing Parameters</b>	<b>Use &amp; Location</b>	<b>Environmental Code</b> R A T			<b>Size Code</b>	<b>Approval Status</b>	<b>Project Sign Off</b>	<b>ESA Sign Off</b>	<b>ESA Comments</b>
1.	Stainless steel AISI 321	Commercial product AISI 321 S12/S20	Various BS 1449	N/A	Instrument supports,  Detector box supports	B	V	3/4	W2	ESA & NASA			

<b>Issue No 6</b>		<b><u>DECLARED MATERIALS LIST</u></b>							<b>MSSL/SPIRE/PA002</b>				
<b>PROJECT:</b> Herschel/SPIRE <b>EXPERIMENT:</b> <b>EXPERIMENTER:</b> MULLARD SPACE SCIENCE LABORATORY (MSSL)  <b>PREPARED BY:</b> C Brockley-Blatt													
<b>CATEGORY: 7. Filler metals and solders</b>													
Itm No	Commercial Identification	Chemical Nature Type of Product Form & Condition	Procurement Info., Supplier Spec. Issue	Summary of Processing Parameters	Use & Location	Environmental Code			Size Code	Approval Status	Project Sign Off	ESA Sign Off	ESA Comments
						R	A	T					
1.	Silver Solder	55% Silver 45% made from Copper, Zinc, Tin			Thermal Busbar	B	V	3/4	W1	ESA & NASA			

<b>Issue No 6</b>		<b><u>DECLARED MATERIALS LIST</u></b>							<b>MSSL/SPIRE/PA002</b>				
<b>PROJECT:</b> Herschel/SPIRE <b>EXPERIMENT:</b> <b>EXPERIMENTER:</b> MULLARD SPACE SCIENCE LABORATORY (MSSL)  <b>PREPARED BY:</b> C Brockley-Blatt													
<b>CATEGORY: 10. Adhesives, coatings and varnishes</b>													
<b>Itm No</b>	<b>Commercial Identification</b>	<b>Chemical Nature Type of Product Form &amp; Condition</b>	<b>Procurement Info., Supplier Spec. Issue</b>	<b>Summary of Processing Parameters</b>	<b>Use &amp; Location</b>	<b>Environmental Code R A T</b>			<b>Size Code</b>	<b>Approval Status</b>	<b>Project Sign Off</b>	<b>ESA Sign Off</b>	<b>ESA Comments</b>
1.	Stycast 2850FT Black	Commercial product 2 part, epoxy adhesive for cyrogenics			Secure harness mounting points, FPU Mounts, Detector box mounts	B	V	3/4	W1	ESA & NASA			
2.	Gold Plate	British Telecom spec. M468A and MIL spec G45204B type 1C			Thermal interfaces	B	V	1	W1				

<b>Issue No 6</b>		<b><u>DECLARED MATERIALS LIST</u></b>							<b>MSSL/SPIRE/PA002</b>				
<b>PROJECT:</b> Herschel/SPIRE <b>EXPERIMENT:</b> <b>EXPERIMENTER:</b> MULLARD SPACE SCIENCE LABORATORY (MSSL)  <b>PREPARED BY:</b> C Brockley-Blatt													
<b>CATEGORY: 12. Paints, primers and inks</b>													
Itm No	Commercial Identification	Chemical Nature Type of Product Form & Condition	Procurement Info., Supplier Spec. Issue	Summary of Processing Parameters	Use & Location	Environmental Code			Size Code	Approval Status	Project Sign Off	ESA Sign Off	ESA Comments
						R	A	T					
3.	Alocrom 1200	Chromating Commercial product	MSSL	N/A	Optical bench, mounts, covers, detector boxes, MGSE	B	V	3/4	A3	ESA & NASA			

<b>Issue No 6</b>		<b><u>DECLARED MATERIALS LIST</u></b>						<b>MSSL/SPIRE/PA002</b>					
<b>PROJECT:</b> Herschel/SPIRE <b>EXPERIMENT:</b> <b>EXPERIMENTER:</b> MULLARD SPACE SCIENCE LABORATORY (MSSL)  <b>PREPARED BY:</b> C Brockley-Blatt													
<b>CATEGORY: 15. Reinforced Plastics</b>													
<b>Itm No</b>	<b>Commercial Identification</b>	<b>Chemical Nature Type of Product Form &amp; Condition</b>	<b>Procurement Info., Supplier Spec. Issue</b>	<b>Summary of Processing Parameters</b>	<b>Use &amp; Location</b>	<b>Environmental Code R A T</b>			<b>Size Code</b>	<b>Approval Status</b>	<b>Project Sign Off</b>	<b>ESA Sign Off</b>	<b>ESA Comments</b>
1.	Carbon Fibre PrePreg	M55J6K/RS-3 Unidirectional Prepreg	YLA Incorporated 2970 Bay Cista Court Bencia California 94510 (supplied to B3 Technologies)		FPU and detector box mounts	B	V	3/4					

<u>Issue No</u> 6		<u>DECLARED MATERIALS LIST</u>							MSSL/SPIRE/PA002				
<p><b>PROJECT:</b> Herschel/SPIRE  <b>EXPERIMENT:</b>  <b>EXPERIMENTER:</b> MULLARD SPACE SCIENCE LABORATORY (MSSL)</p> <p><b>PREPARED BY:</b> C Brockley-Blatt</p>													
<b>CATEGORY: 18. Thermoset plastics</b>													
<b>Itm No</b>	<b>Commercial Identification</b>	<b>Chemical Nature Type of Product Form &amp; Condition</b>	<b>Procurement Info., Supplier Spec. Issue</b>	<b>Summary of Processing Parameters</b>	<b>Use &amp; Location</b>	<b>Environmental Code R A T</b>			<b>Size Code</b>	<b>Approval Status</b>	<b>Project Sign Off</b>	<b>ESA Sign Off</b>	<b>ESA Comments</b>
1.	Vespel SP 1	Polyimide Commercial product Unfilled base resin Bar	Du Pont USA Vespel SP 1	N/A	Thermal insulation	B	V	3/4	W2	ESA & NASA			
2.	Kapton	Polyimide tape Y966 acrylic adhesive coated. Commercial product	Du Pont USA (HPC Stevenage, UK)	N/A	Electrical insulation	B	V	3/4	W1	ESA & NASA			
3.	Torlon	Polyimide-imide Grade 4203 Electrical Grade Commercial product Unfilled base resin Bar	(supply from Buck and Hickman)	N/A	Electrical Isolation	B	V	3/4	W2				

<b>Issue No 6</b>		<b><u>DECLARED MATERIALS LIST</u></b>							<b>MSSL/SPIRE/PA002</b>				
<b>PROJECT:</b> Herschel/SPIRE <b>EXPERIMENT:</b> <b>EXPERIMENTER:</b> MULLARD SPACE SCIENCE LABORATORY (MSSL)  <b>PREPARED BY:</b> C Brockley-Blatt													
<b>CATEGORY: 19. Wires and cables</b>													
Itm No	Commercial Identification	Chemical Nature Type of Product Form & Condition	Procurement Info., Supplier Spec. Issue	Summary of Processing Parameters	Use & Location	Environmental Code			Size Code	Approval Status	Project Sign Off	ESA Sign Off	ESA Comments
						R	A	T					
1	167 Tex Kevlar 29 cable	Part number AR305767. Polyaramid	Goodfellow Cambridge LTD, Huntingdon, PE29 6WR	N/A	300mkl Strap System Supports	B	V	3/4	W1				



<u>Issue No</u> 6		<u>DECLARED MATERIALS LIST</u>							MSSL/SPIRE/PA002				
<p><b>PROJECT:</b> Herschel/SPIRE  <b>EXPERIMENT:</b>  <b>EXPERIMENTER:</b> MULLARD SPACE SCIENCE LABORATORY (MSSL)</p> <p><b>PREPARED BY:</b> C Brockley-Blatt</p>													
<b>CATEGORY: 20. Miscellaneous non-metallic materials</b>													
<u>Itm No</u>	<u>Commercial Identification</u>	<u>Chemical Nature Type of Product Form &amp; Condition</u>	<u>Procurement Info., Supplier Spec. Issue</u>	<u>Summary of Processing Parameters</u>	<u>Use &amp; Location</u>	<u>Environmental Code</u> R A T			<u>Size Code</u>	<u>Approval Status</u>	<u>Project Sign Off</u>	<u>ESA Sign Off</u>	<u>ESA Comments</u>
1.	Barden patented matl. Bartemp Bearings	Teflon coated glass fibres impregnated with MoS <sub>2</sub>	Barden Corp Plymouth Devon UK	N/A	MGSE	B	V	3/4	W1				
2.	Duroid material	Duroid	SNFA Bearings, Glos. UK	N/A	MGSE	B	V	3/4	W1	ESA & NASA			
3.	Gudebrod 450X	Lacing cord	Gudebrod Inc US	N/A	Harness tie downs	B	V	3/4	W1				