

SUBJECT: SPIRE Peak-up Mode Requirements

PREPARED BY: K.J. King

DOCUMENT No:SPIRE-RAL-PRJ-001969ISSUE:Issue 1.1Date:1

17th May 2006

APPROVED BY:

Date:


Instrument Scientist Bruce Swinyard

OBS Technical Responsible Sergio Molinari

IFSI Project Manager Renato Orfei

N





SPIRE SPIRE Peak-up Mode Requirements

Distribution

RAL

Bruce Swinyard Sunil Sidher Judy Long

IFSI

Renato Orfei Sergio Molinari S. Liu



SPIRE SPIRE Peak-up Mode Requirements

 Ref:
 SPIRE-RAL-PRJ-001969

 Issue:
 Issue 1.1

 Date:
 17th May 2006

 Page:
 4 of 15

Change Record

ISSUE Draft 1 Issue 1.0

Issue 1.1

DATE 23rd March 3rd November 2005 17th May 2006 **Changes** First issue for comments First Release Update to TC parameters to Peak-up TC and generated TM packets



Ref: SPIRE-RAL-PRJ-001969 Issue: Issue 1.1 17th May 2006 Date: 5 of 15 Page:

SPIRE SPIRE Peak-up Mode Requirements

TABLE OF CONTENTS

INTRODUCTION	7
Scope	7
2 DOCUMENTS	7
1.2.1 Applicable Documents	7
1.2.2 Reference Documents	7
PEAK-UP PROCEDURE	
PEAK-UP OPERATION	10
VISITED POSITIONS	10
2 DATA AT EACH POSITION	10
PEAK-UP CALCULATION	12
ENDIX	14
FORMAT OF PEAK-UP EVENT PACKET TO BE GENERATED BY SPIRE	14
ABSOLUTE VALUE CONVENTION:	14
2 FORMAT OF SPIRE PACKET PARAMETERS:	14
	SCOPE DOCUMENTS

FIGURES

TABLES



 Ref:
 SPIRE-RAL-PRJ-001969

 Issue:
 Issue 1.1

 Date:
 17th May 2006

 Page:
 6 of 15

Glossary

SPIRE Spectral and Photometric Imaging Receiver



1. INTRODUCTION

1.1 Scope

The feasibility and implementation of a peak up mode for SPIRE has been discussed in RD01. This document describes the operational implementation of such a mode in terms of the instrument commanding and on-board processing required.

1.2 Documents

1.2.1 Applicable Documents

AD01	IID Part A (SCI-PT-IIDA-04624), Issue 3.3
AD02	SPIRE Data ICD (SPIRE-RAL-PRJ-001078), Issue 2.0

1.2.2 Reference Documents

RD01 Peakup mode implementation and simulation (SPIRE-RAL-NOT-001968), Issue 1.0, 22nd March 2004



SPIRE SPIRE Peak-up Mode Requirements

2. PEAK-UP PROCEDURE

RD01 proposes that the position of the peak of a source may be found by obtaining samples of the source signal in positions forming a cross in the CHOP and JIGGLE directions. In order to determine the source signal the BSM will be chopped at each position and detector data taken at both on and off source positions. The OBS has the task of taking the data generated and calculating the offset from the current pointing position to the position of maximum signal. This offset is then used either to issue an event to trigger an update of the telescope pointing or to set an offset for the BSM centre position (the former is the current nominal action).

Note: RD01 assumes that he source is 'well behaved' -i.e. the source is significantly larger than any change in background signal across the scanned area and that there are no significant instrument changes (e.g thermal drifts) that affect the sensitivity of the central pixel during the observation.

As a general rule the OBS does not look into the science data that it receives from the DRCU and just formats and packages it into telemetry packets to be sent to the ground. In this case, however, it is necessary for the OBS to deal with the science data contents. To do this the OBS must be in control of the data collection so that it is aware of what data is taken and when the data will arrive in the data stream from the DRCU. This will be done by implementing the peak-up operation as a single PERFORM_PEAKUP command executed by the OBS, and passing the necessary information as arguments of the command (these arguments cannot be defined a priori as they may depend on the source).

PKP-PRO-010: The OBS shall provide a single PERFORM_PEAKUP telecommand for implementation of the peak-up operation. *This will be implemented as a TC*(8,4) *command with FunctionID* = 0xC0 and ActivityID = 0x40..

The format of the PERFORM_PEAKUP command to the OBS is detailed in AD02. The list of arguments to the command are reproduced here to allow easier understanding of the following procedure:

- 1. DCUDATAMODE defines the DCU data frame type to be generated
- 2. PIXEL location of pixel to be used in the DCU data frame
- 3. STARTCHOPPOSN minimum chop position value
- 4. CHOPPOSNINCR increment in BSM chop position value between observations on the chop axis
- 5. NCHOPPOSNS number of positions on chop axis to observe
- 6. STARTJIGGPOSN minimum jiggle position value
- 7. JIGGPOSNINCR increment in BSM jiggle position value between observations on the jiggle axis
- 8. NJIGGPOSNS number of positions on jiggle axis to observe
- 9. CHOPOFFSET offset in chop axis to 'off-source' position when chopping
- 10. JIGGOFFSET offset in jiggle axis to 'off-source' position when chopping
- 11. NCHOPCYCLES
- 12. CHOPCYCLEPERIOD
- 13. NBSMFRAMES number of BSM frames generated at each chop position
- 14. NDCUFRAMES number of DCU frames generated at each chop position
- 15. DCUFRAMESDELAY time delay before sampling DCU data at each chop position
- 16. CHOPSCALE converts distance between each observing position on the chop axis to output units
- 17. JIGGSCALE converts distance between each observing position on the jiggle axis to output units
- 18. OUTPUT determines if a S/C or BSM offset is required (0 = S/C, 1 = BSM)

Note: Output units on both axes are fixed at 1/100 arcsecs for S/C offsetting

During an observation, the Peak-up procedure will, therefore, consist of the following:

- 1. Stop the DCU and MCU science data generation (The OBS will not need data from the SCU so it is not necessary to stop this data stream)
- 2. Flush the DCU and MCU FIFO (This clears all detector data from the DPU buffers)
- 3. Set the DCU Sampling frequency
- 4. Set the BSM sample frequency



- SPIRE SPIRE Peak-up Mode Requirements
- 5. Send a (PERFORM _PEAKUP) command to the instrument to start the Peak-up operation the result is either a TM event packet causing the telescope to move to the correct position or an update to the BSM centre position.
- 6. Wait (TBD) seconds for the operation to be completed

The observation may then be continued – note the BSM Offsets should be set back to zero at the end of the observation.

Performing the procedure in this way puts constraints on the parameters of the PERFORM_PEAKUP command and the OBS should check that these constraints are met before starting the peak-up operation and if any check fails the OBS should issue an event

PKP-PRO-020: The OBS shall check that the following constraints on the Peak-up command arguments are met:

- The combination of the number of positions in one axis of the observed cross and the scaling factor shall not generate an offset exceeding the maximum allowed (10 arcsec). i.e int(NCHOPPOSNS/2) * CHOPSCALE must be less than 1000 and int(NJIGGPOSNS/2) * JIGGSCALE must be less than 1000.
- 2. NCHOPPOSNS and NJIGGPOSNS shall be odd numbers

PKP-PRO-030: In the event that a constraint check fails the OBS shall issue a command execution error, TM(1,8) and abort the operation

PKP-PRO-040: As a result of the PERFORM_PEAKUP command, it shall be possible for the OBS to generate a TM(5,1, EventID=0x0504) event indicating the offset to be applied to the telescope pointing

The format of the TM(5,1) event packet (Peak-Up Report) to be issued by the Peak-up command is detailed in both AD02 and the appendix.

PKP-PRO-050: As a result of the PERFORM_PEAKUP command, it shall be possible for the OBS to set the offset for the BSM centre position.

This offset will be used by all subsequent BSM operations.

PKP-PRO-060: It shall be possible for a Command List to read the BSM Offset positions

PKP-PRO-070: The OBS shall issue an Event Packet, TM(5,1), if it is unable to determine the offset from the peak-up operation.



3. PEAK-UP OPERATION

3.1 Visited Positions

Following RD01, the Peak-up operation has to take data at positions corresponding to a cross, in the Chop and Jiggle directions, centred on the position corresponding to the central pixel lying on the source position. For example for a 9×9 cross the following pattern will be covered:

8400					J9				
8300					J8				
8200					J7				
8100					J6				
8000	C1	C2	C3	C4	C5 J5	C6	C7	C8	C9
7900					J4				
7800					J3				
7700					J2				
7600					J1				
	1000	2000	3000	4000	5000	6000	7000	8000	9000

The positions to be sampled are defined by the following parameters to the Peak-up command

- STARTCHOPPOSN
- CHOPPOSNINCR
- NCHOPPOSNS (N_{chop})
- STARTJIGGPOSN
- JIGGPOSNINCR
- NJIGGPOSNS (N_{jigg)}

For example the operation shown above would be described by STARTCHOPPOSN = 1000

CHOPPOSNINCR = 1000 NCHOPPOSNS = 9 STARTJIGGPOSN = 7600 JIGGPPOSNINCR = 100 NJIGGPOSNS = 9

The order in which the positions are visited is not specified

3.2 Data at each position

The data taking at each position will be done using the CHOP Command List. This takes the following parameters:

1. Chop on-source position - determined in section 3.1



- SPIRE SPIRE Peak-up Mode Requirements
- 2. Jiggle on-source position determined in section 3.1
- 3. Chop off-source position = Chop on-source position + CHOPOFFSET
- 4. Jiggle off-source position = Jiggle on-source position + JIGGOFFSET
- 5. Number of Chop Cycles $(N_{cycles}) = NCHOPCYCLES$
- 6. Period of Chop cycle = CHOPCYCLEPERIOD
- 7. DCU Frame Type = DCUDATAMODE
- 8. No of DCU frames per Chop position (N_{DCU}) = NDCUFRAMES
- 9. Delay from chop movement to start of DCU frames = DCUFRAMESDELAY
- 10. No of BSM fames per Chop position = NBSMFRAMES

Each execution of the CHOP Command List will generate N_{DCU} DCU frames on-source followed by N_{DCU} DCU frames off-source, repeated N_{cycles} times. These will be collected into the DCU FIFO.

Each frame contains a single sample for each pixel in the DCU array being sampled. The value of the argument PIXEL gives the offset in (16 bit) words into the frame from the start of the frame (including the Block Length and Frame ID). For example if the PSW array is being sampled the first detector sample is at PIXEL=2.

The OBS may therefore extract the value from each frame for the pixel of interest.



SPIRE SPIRE Peak-up Mode Requirements

4. PEAK-UP CALCULATION

PKP-CAL-010: The OBS is then required to execute the following algorithm to obtain the position of maximum signal in the Chop and Jiggle directions (**ChopIndex** and **JiggleIndex**):

- 1. Set **JiggleSignal** = 0
- 2. Set **JiggleIndex** = 0
- 3. Set BSM Offset values to 0
- 4. Set sample = 0
- 5. For j = 0 to NJIGGPOSNS
 - a. Flush DCU FIFO
 - b. **ChopPosn =** STARTCHOPPOSN + (int($N_{chop}/2$) * CHOPPOSNINCR)
 - c. **JigglePosn =** STARTJIGGPOSN + (j * JIGGPPOSNINCR)
 - d. Execute CHOP(**ChopPosn**, **JigglePosn**, **ChopPosn** + CHOPOFFSET , **JigglePosn** + JIGGOFFSET, **N**_{cycles}, CHOPCYCLEPERIOD, DCUDATAMODE, NDCUFRAMES, DCUFRAMESDELAY, NBSMFRAMES)
 - e. For N_{cycles}
 - i. For N_{DCU} frames
 - 1. Add the value for pixel PIXEL to **sample**
 - ii. For N_{DCU} frames
 - 1. Subtract the value for pixel PIXEL from **sample**
 - f. If sample is greater than JiggleSignal
 - i. JiggleSignal = sample
 - ii. **JiggleIndex** = j
- 6. Set **ChopSignal** = 0
- 7. Set **ChopIndex** = $\mathbf{0}$
- 8. Set **sample** = 0
- 9. For c = 0 to NCHOPPOSNS
 - a. Flush DCU FIFO
 - b. JigglePosn = STARTJIGGPOSN + $(int(N_{jigg}/2) * JIGGPOSNINCR)$
 - c. **ChopPosn =** STARTCHOPPOSN + (c * CHOPPOSNINCR)
 - d. Execute CHOP(**ChopPosn**, **JigglePosn**, **ChopPosn** + CHOPOFFSET , **JigglePosn** + JIGGOFFSET, **N**_{cycles}, CHOPCYCLEPERIOD, DCUDATAMODE, NDCUFRAMES, DCUFRAMESDELAY, NBSMFRAMES)
 - e. For N_{cycles}
 - i. For N_{DCU} frames
 - 1. Add the value for pixel PIXEL to **sample**
 - ii. For N_{DCU} frames
 - 1. Subtract the value for pixel PIXEL from **sample**
 - iii. If **sample** is greater than **ChopSignal**
 - 1. ChopSignal = sample
 - 2. ChopIndex = c
- 10. Flush DCU FIFO
- 11. If OUTPUT = 0
 - a. ThetaY = $(int(N_{chop}/2) ChopIndex) * CHOPSCALE$
 - b. ThetaZ = $(int(N_{jigg}/2) JiggIndex) * JIGGSCALE$
 - c. If (abs(ThetaY) < 1000) and (abs(ThetaZ) < 1000) // check offsets are less than 10 arcsecs
 i. Issue TM(5,1) S/C Offset event
 - d. Else
 - i. Issue TM(1,8) Peak-up failure
- 12. Else
- a. **BSMChopOffset** = (int($N_{chop}/2$) ChopIndex) * CHOPPOSNINCR
- b. **BSMJiggOffset** = (int($N_{jigg}/2$) **JiggIndex**) * JIGGPOSNINCR
- c. Store BSMChopOffset in BSM Chop Offset Value
- d. Store **BSMJiggOffset** in BSM Jiggle Offset Value



PKP-CAL-020: The OBS will issue an TM(5,1) event packet to notify the telescope of the movement required The contents of the event packet are defined in the Appendix. The format of the event packet is:

0 0 0 0 1 APID1						
1 1 Count						
Length =31						
0000000000000101						
000000100000000000						
TIME						
1 11/12						
EVENTID = 0x0504						
SID = 0x5101						
OBSID						
BBID						
EVENTCOUNT						
INSTRID						
THETAY						
THETAZ						
Checksum						

Parameter	Comment
EVENTID	0x0504
SID	0x5101
OBSID	Observation ID
BBID	Building Block ID
EVENTCOUNT	Sequential counter for TM(5,1) events
INSTRID	Instrument ID = $0x0002$
THETAY	Rotation angle about Y axis (= ThetaY)
THETAZ	Rotation angle about Z axis (= ThetaZ)



SPIRE SPIRE Peak-up Mode Requirements

 Ref:
 SPIRE-RAL-PRJ-001969

 Issue:
 Issue 1.1

 Date:
 17th May 2006

 Page:
 14 of 15

APPENDIX

1. FORMAT OF PEAK-UP EVENT PACKET TO BE GENERATED BY SPIRE

This definition comes from IID Part A (section 5.12.5)

SPIRE uses an event packet (service TC(5,2)) to command the spacecraft a new pointing target based on:

- the previous inertial target (inertial pointing only)
- two μ -rotation angles (<10 arcsec) derived from the peak-up packet

In order to have a consistency between the spacecraft and the instruments, and to have the same interface for both HIFI and SPIRE, the following interface is defined:

The event packet shall contain the following parameters:


- the relevant instrument (HIFI or SPIRE), coded on 16 bits (HIFI: 1, SPIRE: 2)
- the μ -rotation angle θ_{Y} , coded on 16 bits (see format below)
- the μ -rotation angle θ_Z , coded on 16 bits (see format below)

The normal to the focal plane is X, positively oriented as for the satellite X axis.

Sign convention:

The commanded μ -rotation angles correspond to the desired translation of the image inside the instrument focal plane frame. Note that with this convention, θ_Y (resp. θ_Z) does not represent the rotation around Y (resp. Z).

The signs shall follow this convention:



1.1 Absolute value convention:

The absolute value of both μ -rotation angles shall be given as 16-bit signed integers. In accordance with the PS-ICD:

- bit 0 shall be the most significant bit
- bit 15 shall be the least significant bit

Bit 0 shall be used as the sign bit (0 for plus, 1 for minus)

1.2 Format of SPIRE packet parameters:

SPIRE identifier	µ-rotation angle Y	μ-rotation angle Z
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0	M L	M



SPIRE SPIRE Peak-up Mode Requirements

Additional information required from instruments:

Some data are needed by the spacecraft to transform the peak-up parameters into attitude angles. They may be reprocessed by the ground after in-flight calibration.

The following set shall be provided for each instrument.

- $\mathbf{Y}_{\mathbf{FP}} = 3$ components of $\mathbf{Y}_{\text{focal plane}}$ in satellite frame
- $\mathbf{Z_{FP}} = 3$ components of $\mathbf{Z}_{\text{focal plane}}$ in satellite frame
- $\mathbf{k}_{\mathbf{Y}}$ = value of low significant bit used for μ -rotation angle Y, to transform integer $\theta_{\mathbf{Y}}$ into radians. Angle [in rad] = k × integer.
- $\mathbf{k}_{\mathbf{Z}}$ = value of low significant bit used for μ -rotation angle Z, to transform integer θ_{Z} into radians. Angle [in rad] = k × integer.