

R O S E T T A
FLIGHT REPORTS
of RPC-MAG

RO-IGEP-TR-0010

Issue: 4 Revision: 0

January 25, 2010

Report of the
COMMISSIONING PART 3
Time period: September 06. - 10., 2004

Andrea Diedrich
Karl-Heinz Glassmeier
Ingo Richter

Institut für Geophysik und extraterrestrische Physik
Technische Universität Braunschweig
Mendelssohnstraße 3, 38106 Braunschweig
Germany

R O S E T T A	Document: RO-IGEP-TR-0010
	Issue: 4
	Revision: 0
IGEP	Date: January 25, 2010
Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Page: I

Contents

1 Summary	1
2 September 06, 2004:	1
2.1 Actions	1
2.2 Plots of Calibrated Data using the new Temperature Model	2
2.3 Plots of ROSETTA's Reaction Wheels Speeds	10
2.4 Plots of Reaction Wheel and LAP Disturbance corrected Data	14
3 September 07, 2004:	16
3.1 Actions	16
3.2 Plots of Calibrated Data using the new Temperature Model	16
3.3 Plots of ROSETTA's Reaction Wheels Speeds	29
3.4 Plots of Reaction Wheel and LAP Disturbance corrected Data	34
4 September 08, 2004:	37
4.1 Actions	37
4.2 Plots of Calibrated Data using the new Temperature Model	37
4.3 Plots of ROSETTA's Reaction Wheels Speeds	54
4.4 Plots of Reaction Wheel and LAP Disturbance corrected Data	61
4.5 Plots of ROMAP	64
5 September 09, 2004:	68
5.1 Actions	68
5.2 Plots of Calibrated Data using the new Temperature Model	68
5.3 Plots of ROSETTA's Reaction Wheels Speeds	86
5.4 Plots of Reaction Wheel and LAP Disturbance corrected Data	93
5.5 Plots of ROMAP	95
6 September 10, 2004:	99
6.1 Actions	99
6.2 Plots of Calibrated Data using the new Temperature Model	99
6.3 Plots of ROSETTA's Reaction Wheels Speeds	112
6.4 Plots of Reaction Wheel and LAP Disturbance corrected Data	116

ROSETTA	Document: RO-IGEP-TR-0010
	Issue: 4
	Revision: 0
IGEP	Date: January 25, 2010
Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Page: 1

1 Summary

The third commissioning phase for RPC-MAG was executed in the time period September 06. – 10., 2004. All the performed steps were successful. MAG worked as expected.

The next sections give a brief description of the executed activities and show the obtained data. Housekeeping data (Temperature of the OB & IB sensor, Filter Stages A & B, Filter configuration register, Reference voltage, negative and positive 5V supply voltage, and the coarse HK sampled magnetic field data of the OB sensor) are presented as well as magnetic field science data of the OB and IB sensor in the activated modes. Magnetic field data are plotted in instrument coordinates if not otherwise stated. They are calibrated according to the results of the ground calibration and the results of the new created temperature model using the flight data from March until September. Sensitivity, Misalignment, and Temperature effects are taken into account. The s/c residual field is not subtracted.

The dynamic spectra show some clear lines which are varying with the time. A detailed investigation showed, that these lines have their origin in the reaction wheels of the ROSETTA S/C. As they are rotating with different speeds they generate different disturbance frequencies. The signatures of the reaction wheels are folded down in the measurement range of the magnetometers. A detailed investigation of this phenomenon is given in RO-IGEP-TR0012.

From time to time there are also horizontal lines in the dynamic spectrum to be seen. These lines represent constant frequencies and are caused by the LAP instrument. This behavior was investigated and proofed during the PC10 campaign in November 2010. See RO-IGEP-TR0030 for further details.

Additionally to the RPC-MAG instrument the LANDER Magnetometer was switch on from 2004-09-08T04:20 until 2004-09-09T24:00. Data and spectra will be shown.

2 September 06, 2004:

2.1 Actions

MAG was switched on immediately after PIU and set to HK mode at 19:17. All commands passed smoothly and the instrument followed in the expected way.

R O S E T T A	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 2

Time	Stage A, Stage B, Filter cfg	Stage 1, Stage 2, Stage3	Mode
20:02 – 20:18	1 2 0	1 2 0	SID2
22:19 – 24:00	0 0 0	0 0 0	SID3

2.2 Plots of Calibrated Data using the new Temperature Model




Figure 1: File: RPCMAG040906T1917_CLA_HK_P0000_2400




Figure 2: File: RPCMAG040906T1917_CLA_HK_B.P0000_2400




Figure 3: File: RPCMAG040906T2219_CLB_OB_M3_T0000_2400_002




Figure 4: File: RPCMAG040906T2219_CLB_IB_M3_T0000_2400_002




Figure 5: File: RPCMAG040906_CLG_OB_A1_T0000_2400_002




Figure 6: File: RPCMAG040906_CLG_IB_A1_T0000_2400_002




Figure 7: File: RPCMAG040906_CLC_OB_M3_DS0_10000_002

<h1 style="margin: 0;">R O S E T T A</h1>	Document: RO-IGEP-TR-0010 Issue: 4 Revision: 0
<h2 style="margin: 0;">IGEP</h2>	Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig Date: January 25, 2010 Page: 10

2.3 Plots of ROSETTA's Reaction Wheels Speeds

The following plots show the time series of the revolutions of the 4 reaction wheels. Two kinds of data are shown:

- The original reaction wheel data as they are stored in the DDS.
- The theoretical response of the wheels impact seen by an instrument sampling with different frequencies. Here the response in the at 20 Hz and 1 Hz sampling frequency is plotted.

A comparison with the dynamic spectra of the MAG data gives an impressive accordance between the reaction wheel frequencies and the spectral lines observed in the dynamic MAG spectra.




Figure 8: File: wheels_Hz2004-09-06T00-00




Figure 9: File: wheels_1Hz_Sampling2004-09-06T00-00




Figure 10: File: wheels_20Hz_Sampling2004-09-06T00-00

ROSETTA	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 14

2.4 Plots of Reaction Wheel and LAP Disturbance corrected Data

The following plots show the dynamic spectra of the LEVEL_H data. These data have been purged from ROSETTAs reaction wheel disturbance and also from the disturbance of the LAP instrument. Plots are only shown for the primary sensor.




Figure 11: File: RPCMAG040906_CLH_OB_M3_DS0_10000_002

<h1 style="margin: 0;">R O S E T T A</h1>	Document: RO-IGEP-TR-0010 Issue: 4 Revision: 0
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Date: January 25, 2010 Page: 16

3 September 07, 2004:

3.1 Actions

Time	Stage A, Stage B, Filter cfg	Stage 1, Stage 2, Stage3	Mode
00:00 – 00:44	0 0 0	0 0 0	SID3
12:26 – 14:19	2 0 0	2 0 0	SID4
14:19 – 24:00	0 0 0	0 0 0	SID3

3.2 Plots of Calibrated Data using the new Temperature Model




Figure 12: File: RPCMAG040907T0000_CLA_HK_P0000_2400




Figure 13: File: RPCMAG040907T0000_CLA_HK_B_P0000_2400




Figure 14: File: RPCMAG040907T0000_CLB_OB_M3_T0000_2400_002




Figure 15: File: RPCMAG040907T1226_CLB_OB_M4_T0000_2400_002




Figure 16: File: RPCMAG040907T0000_CLB_IB_M3_T0000_2400_002




Figure 17: File: RPCMAG040907T1226_CLB_IB_M4_T0000_2400_002




Figure 18: File: RPCMAG040907_CLF_OB_A1_T0000_2400_002




Figure 19: File: RPCMAG040907_CLF_IB_A1_T0000_2400_002




Figure 20: File: RPCMAG040907_CLG_OB_A1_T0000_2400_002




Figure 21: File: RPCMAG040907_CLG_IB_A1_T0000_2400_002




Figure 22: File: RPCMAG040907_CLC_OB_M3_DS0_10000_002




Figure 23: File: RPCMAG040907T1226_CLC_OB_M4_DS0.10000_002

R O S E T T A	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 29

3.3 Plots of ROSETTA's Reaction Wheels Speeds

The following plots show the time series of the revolutions of the 4 reaction wheels. Two kinds of data are shown:

- The original reaction wheel data as they are stored in the DDS.
- The theoretical response of the wheels impact seen by an instrument sampling with different frequencies. Here the response in the at 20 Hz and 1 Hz sampling frequency is plotted.

A comparison with the dynamic spectra of the MAG data gives an impressive accordance between the reaction wheel frequencies and the spectral lines observed in the dynamic MAG spectra.




Figure 24: File: wheels_Hz2004-09-07T00-00




Figure 25: File: wheels_1Hz_Sampling2004-09-07T00-00




Figure 26: File: wheels_20Hz_Sampling2004-09-07T00-00




Figure 27: File: wheels_1Hz_Sampling2004-09-07T14-15

ROSETTA	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 34

3.4 Plots of Reaction Wheel and LAP Disturbance corrected Data

The following plots show the dynamic spectra of the LEVEL_H data. These data have been purged from ROSETTAs reaction wheel disturbance and also from the disturbance of the LAP instrument. Plots are only shown for the primary sensor.




Figure 28: File: RPCMAG040907_CLH_OB_M3_DS0_10000_002




Figure 29: File: RPCMAG040907_CLH_OB_M4_DS0_10000_002

R O S E T T A	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 37

4 September 08, 2004:

4.1 Actions

Time	Stage A, Stage B, Filter cfg	Stage 1, Stage 2, Stage3	Mode
00:00 – 00:44	0 0 0	0 0 0	SID3
03:58 – 14:54	0 0 0	0 0 0	SID3
14:54 – 17:48	2 0 0	2 0 0	SID4
17:48 – 19:07	0 0 0	0 0 0	SID3
19:07 – 22:02	1 2 0	1 2 0	SID2
22:03 – 23:56	0 0 0	0 0 0	SID3
23:56 – 24:00	2 0 0	2 0 0	SID4

4.2 Plots of Calibrated Data using the new Temperature Model




Figure 30: File: RPCMAG040908T0000_CLA_HK_B_P0000_2400




Figure 31: File: RPCMAG040908T1454_CLB_OB_M4_T0000_2400_002




Figure 32: File: RPCMAG040908T0000_CLB_OB_M3_T0000_2400_002




Figure 33: File: RPCMAG040908T1907_CLB_OB_M2_T0000_2400_002




Figure 34: File: RPCMAG040908T0000_CLB_IB_M3_T0000_2400_002




Figure 35: File: RPCMAG040908T1907_CLB_IB_M2_T0000_2400_002




Figure 36: File: RPCMAG040908_CLF_OB_A1_T0000_2400_002




Figure 37: File: RPCMAG040908_CLF_IB_A1_T0000_2400_002




Figure 38: File: RPCMAG040908_CLG_OB_A1_T0000_2400_002




Figure 39: File: RPCMAG040908_CLG_IB_A1_T0000_2400_002




Figure 40: File: RPCMAG040908_CLF_OB_A1_PS1_500_002




Figure 41: File: RPCMAG040908_CLF_IB_A1_PS1_500_002




Figure 42: File: RPCMAG040908T0000_CLC_OB_M3_DS0.10000_002




Figure 43: File: RPCMAG040908T1454_CLC_OB_M4_DS0_10000_002




Figure 44: File: RPCMAG040908T1907_CLC_OB_M2_DS0_500_002




Figure 45: File: RPCMAG040908T0000_CLC_IB_M3_DS0_500_002

R O S E T T A	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 54

4.3 Plots of ROSETTA's Reaction Wheels Speeds

The following plots show the time series of the revolutions of the 4 reaction wheels. Two kinds of data are shown:

- The original reaction wheel data as they are stored in the DDS.
- The theoretical response of the wheels impact seen by an instrument sampling with different frequencies. Here the response in the at 20 Hz and 1 Hz sampling frequency is plotted.

A comparison with the dynamic spectra of the MAG data gives an impressive accordance between the reaction wheel frequencies and the spectral lines observed in the dynamic MAG spectra.




Figure 46: File: wheels_Hz2004-09-08T00-00




Figure 47: File: wheels_1Hz_Sampling2004-09-08T00-00




Figure 48: File: wheels_20Hz_Sampling2004-09-08T00-00




Figure 49: File: wheels_20Hz_Sampling2004-09-08T04-00




Figure 50: File: wheels_1Hz_Sampling2004-09-08T04-15




Figure 51: File: wheels_1Hz_Sampling2004-09-08T04-00

R O S E T T A	Document: RO-IGEP-TR-0010 Issue: 4
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Revision: 0 Date: January 25, 2010 Page: 61

4.4 Plots of Reaction Wheel and LAP Disturbance corrected Data

The following plots show the dynamic spectra of the LEVEL_H data. These data have been purged from ROSETTAs reaction wheel disturbance and also from the disturbance of the LAP instrument. Plots are only shown for the primary sensor.




Figure 52: File: RPCMAG040908_CLH_OB_M3_DS0_10000_002




Figure 53: File: RPCMAG040908_CLH_OB_M4_DS0_10000_002

ROSETTA	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 64

4.5 Plots of ROMAP

REMARK:

The Temperature panel in the ROMAP Time series plots does not contain only dummy data.




Figure 54: File: ROMAP040908_CLF_RO_A1_T0000_2400_UNK




Figure 55: File: ROMAP040908_CLF_RO_A1_DS1_500_UNK




Figure 56: File: ROMAP040908_CLF_RO_A1_PS1_500_UNK

<h1 style="margin: 0;">R O S E T T A</h1>	Document: RO-IGEP-TR-0010 Issue: 4 Revision: 0
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Date: January 25, 2010 Page: 68

5 September 09, 2004:

5.1 Actions

Time	Stage A, Stage B, Filter cfg	Stage 1, Stage 2, Stage3	Mode
00:00 – 09:37	2 0 0	2 0 0	SID4
09:38 – 23:59	0 0 0	0 0 0	SID3

5.2 Plots of Calibrated Data using the new Temperature Model




Figure 57: File: RPCMAG040909T0000_CLA_HK_P0000_2400




Figure 58: File: RPCMAG040909T0000_CLA_HK_B_P0000_2400




Figure 59: File: RPCMAG040909T0000_CLB_OB_M4_T0000_2400_002




Figure 60: File: RPCMAG040909T0938_CLB_OB_M3_T0000_2400_002




Figure 61: File: RPCMAG040909T0000_CLB_IB_M4_T0000_2400_002




Figure 62: File: RPCMAG040909T0938_CLB_IB_M3_T0000_2400_002




Figure 63: File: RPCMAG040909T0000_CLC_OB_M4_T0000_2400_002




Figure 64: File: RPCMAG040909T0938_CLC_OB_M3_T0000_2400_002




Figure 65: File: RPCMAG040909T0000_CLC_IB_M4_T0000_2400_002




Figure 66: File: RPCMAG040909T0938_CLC_IB_M3_T0000_2400_002




Figure 67: File: RPCMAG040909_CLF_OB_A1.T0000_2400_002




Figure 68: File: RPCMAG040909_CLF_IB_A1_T0000_2400_002




Figure 69: File: RPCMAG040909_CLG_OB_A1_T0000_2400_002




Figure 70: File: RPCMAG040909_CLG_IB_A1_T0000_2400_002




Figure 71: File: RPCMAG040909T0938_CLC_IB_M3_DS0_500_002




Figure 72: File: RPCMAG040909T0938_CLC_OB_M3_DS0.10000_002




Figure 73: File: RPCMAG040909T0000_CLC_OB_M4_DS0_10000_002

R O S E T T A	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 86

5.3 Plots of ROSETTA's Reaction Wheels Speeds

The following plots show the time series of the revolutions of the 4 reaction wheels. Two kinds of data are shown:

- The original reaction wheel data as they are stored in the DDS.
- The theoretical response of the wheels impact seen by an instrument sampling with different frequencies. Here the response in the at 20 Hz, 5 Hz and 1 Hz sampling frequency is plotted.

A comparison with the dynamic spectra of the MAG data gives an impressive accordance between the reaction wheel frequencies and the spectral lines observed in the dynamic MAG spectra.




Figure 74: File: wheels_Hz2004-09-09T00-00




Figure 75: File: wheels_1Hz_Sampling2004-09-09T00-00




Figure 76: File: wheels_20Hz_Sampling2004-09-09T00-00




Figure 77: File: wheels_5Hz_Sampling2004-09-09T00-00




Figure 78: File: wheels_1Hz_Sampling2004-09-09T10-00




Figure 79: File: wheels_20Hz_Sampling2004-09-09T10-00

R O S E T T A	Document: RO-IGEP-TR-0010 Issue: 4
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Revision: 0 Date: January 25, 2010 Page: 93

5.4 Plots of Reaction Wheel and LAP Disturbance corrected Data

The following plots show the dynamic spectra of the LEVEL_H data. These data have been purged from ROSETTAs reaction wheel disturbance and also from the disturbance of the LAP instrument. Plots are only shown for the primary sensor.




Figure 80: File: RPCMAG040909T0938_CLH_OB_M3_DS0.10000_002

R O S E T T A	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 95

5.5 Plots of ROMAP

REMARK:

The Temperature panel in the ROMAP Time series plots does not contain only dummy data.




Figure 81: File: ROMAP040909_CLF_RO_A1_T0000_2400_UNK




Figure 82: File: ROMAP040909_CLF_RO_A1_DS1.500_UNK




Figure 83: File: ROMAP040909_CLF_RO_A1_PS1_500_UNK

R O S E T T A	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 99

6 September 10, 2004:

6.1 Actions

Time	Stage A, Stage B, Filter cfg	Stage 1, Stage 2, Stage3	Mode
00:00 – 01:21	0 0 0	0 0 0	SID3
01:21 – 01:31	1 2 0	1 2 0	SID2

6.2 Plots of Calibrated Data using the new Temperature Model




Figure 84: File: RPCMAG040910T0000_CLA_HK_P0000_2400




Figure 85: File: RPCMAG040910T0000_CLA_HK_B_P0000_2400




Figure 86: File: RPCMAG040910T0000_CLB_OB_M3_T0000_2400_002




Figure 87: File: RPCMAG040910T0000_CLB_IB_M3_T0000_2400_002




Figure 88: File: RPCMAG040910T0000_CLC_OB_M3_T0000_2400_002




Figure 89: File: RPCMAG040910T0000_CLC_IB_M3_T0000_2400_002




Figure 90: File: RPCMAG040910_CLF_OB_A1_T0000_2400_002




Figure 91: File: RPCMAG040910_CLF_IB_A1_T0000_2400_002




Figure 92: File: RPCMAG040910_CLG_OB_A1_T0000_2400_002




Figure 93: File: RPCMAG040910_CLG_IB_A1_T0000_2400_002




Figure 94: File: RPCMAG040910T0000_CLC_OB_M3_DS0.10000_002




Figure 95: File: RPCMAG040910T0000_CLC_IB_M3_DS0_500_002

R O S E T T A	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 112

6.3 Plots of ROSETTA's Reaction Wheels Speeds

The following plots show the time series of the revolutions of the 4 reaction wheels. Two kinds of data are shown:

- The original reaction wheel data as they are stored in the DDS.
- The theoretical response of the wheels impact seen by an instrument sampling with different frequencies. Here the response in the at 20 Hz and 1 Hz sampling frequency is plotted.




Figure 96: File: wheels_Hz2004-09-10T00-00




Figure 97: File: wheels_1Hz_Sampling2004-09-10T00-00




Figure 98: File: wheels_20Hz_Sampling2004-09-10T00-00

ROSETTA	Document: RO-IGEP-TR-0010
IGEP Institut für Geophysik u. extraterr. Physik Technische Universität Braunschweig	Issue: 4
	Revision: 0
	Date: January 25, 2010
	Page: 116

6.4 Plots of Reaction Wheel and LAP Disturbance corrected Data

The following plots show the dynamic spectra of the LEVEL_H data. These data have been purged from ROSETTAs reaction wheel disturbance and also from the disturbance of the LAP instrument. Plots are only shown for the primary sensor.




Figure 99: File: RPCMAG040910T0000_CLH_OB_M3_DS0_10000_002