

Perform dumps from SSMMB
 File: H_COP_DHS_0610.xls
 Author: S. Manganelli



Procedure Summary

Objectives

This procedure has to be run during Commissioning to test the packet stores on SSMMB.

Summary of Constraints

Nominally we should be at 1.5 Mbit/s in downlink rate when we dump SSMM stores.

Spacecraft Configuration

Start of Procedure

Type Pre-condition Here

End of Procedure

Type Post-condition Here

Reference File(s)

Input Command Sequences

Output Command Sequences

Referenced Displays

ANDs GRDs SLDs


Configuration Control Information

DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
26/02/09	2.1	1	Created	cmevi-hp	
25/03/09	2.2	2	Modified procedure refence	S. Manganelli	

Perform dumps from SSMMB
File: H_COP_DHS_0610.xls
Author: S. Manganelli



Procedure Flowchart Overview



Perform dumps from SSMMB
 File: H_COP_DHS_0610.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
Beginning of Procedure					
	HCD0610	<i>TC Seq. Name : HCD0610 (CDMS SSMMB dumps)</i> <i>TimeTag Type:</i> <i>Sub Schedule ID:</i> <input type="checkbox"/>			
1		Dump stores from SSMMB.			
		H_FCP_DHS_1014 Dump of CEL and SSMM packet stores			
		In procedure H_FCP_DHS_1014 go directly to step 8.4 (no need to dump the CELs for this test, so the TCs from step 7 to step 8.3 included must be removed from the stack).			
		End of Sequence			
End of Procedure					