

Procedure Summary

Objectives

The objective of this procedure is to stipulate which procedures are require for the Spectrometer Functional Tests.

Summary of Constraints

The saved stack files should have been generated prior to the DTCP and sent to the HSC/ICC as defined in the procedure $\rm H_GSP_MCS_MSTK.$

5 OBS_ID values are required from the HSC.

Spacecraft Configuration

Start of Procedure

n/a

End of Procedure

n/a

Reference File(s)

Input Command Sequences

Output Command Sequences

Referenced Displays

ANDS GRDs SLDs


Configuration Control Information

DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
20/04/09	2.3	1	Created	L.Lucas-hp	
04/05/09	2.4	1.01	Validation : Upated flowchart to indicate CFT9	L.Lucas-hp	

Spectrometer Cold Functional Tests File: H_COP_SPI_CFT9.xls Author: L.Lucas-hp




Procedure Flowchart Overview



Cesa

HERSCHEL

PLANCK





Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch
		High Rate TM is required.		
		If High Rate is not available, consult with SOM.		
		Upon confirmation from SOM, run the following procedure to enable High Rate TM.		
		PROCEDURE :		
		H_FCP_TTC_TUHR [HFTTUHR]		
2.2		Verify Real Time Science is Available.		
		Real Time Science data is required. Check the NCTRS		
		for VC1.		
		If VC1 is not available, consult with SOM.		
		Upon confirmation from SOM, run the following procedure to enable RTS.		
		PROCEDURE :		
		H_FCP_DHS_1013A [HFD1013A]		
2				Next Step:
3		Spectrometer Functional Tests		4
		Note:		
		The five procedures defined below should be brought together into the TBC saved stack file prior to the		
		DTCP:		
		yyyymmdd_nnnn_H_SAVED_xxvv		
		This file is then called up and executed on the manual		
		stack during the DTCP.		
3.1		Activity procedures		
		Run the following five, 5 procedures.		
3.1.1		Spectrometer BDAs Switch On PRIME		
		PROCEDURE: H_COP_SPI_DCSN [HCSDCSN]		
		Fp:		
		OBS_ID		
3.1.2		Spectrometer BDAs Integrity Check PRIME		
		PROCEDURE: H_COP_SPI_DSIC [HCSDSIC]		
		FP:		
		OBS_ID		





Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch
3.1.3		Spectrometer BDAs Noise Check PRIME		
		PROCEDURE:		
		H_COP_SPI_SPNO [HCSSPNO]		
		FP: OBS_ID		
3.1.4				
3.1.4		Spectrometer BDAs Vss Test PRIME		
		PROCEDURE: H_COP_SPI_SPVT [HCSSPVT]		
		FP:		
		OBS_ID		
3.1.5		Spectrometer BDAs Switch OFF PRIME		
		PROCEDURE: H_COP_SPI_SPOF [HCSSPOF]		
		FP:		
		OBS_ID		
4		Real Time Science No Longer Required?		Next Step: 5
-				5
		Real Time Science data is no longer required for this test for SPIRE.		
4.1		Verify Real Time Science is Still Required		
		Verify if RTS is still required (generally).		
		Consult with SOM.		
		If it is still required, do nothing.		
		If REal Time Science is not still required.		
		Upon confirmation from SOM, if RTS is no longer required generally and should be disabled, run the following procedure to disable RTS.		
		PROCEDURE:		
		H_FCP_DHS_1013B [HFD1013B]		
5		High Rate TM No longer Required?		Next Step: END
		· · · · · · · · · · · · · · · · · · ·		
5.1		Verify High Rate TM is Still Required.		



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	
		Verify if High Rate TM is still required (generally).			
		Consult with SOM.			
		If it is still required, do nothing.			
		If High Rate is not still required.			
		Upon confirmation from SOM, run the following procedure to changefrom High Rate to medium rate TM.			
		PROCEDURE: H FCP TTC TUMR [HFTTUMR]			
End of Procedure					