

SMEC Functional Tests, part 2 A.
File: H_COP_SPI_CT10.xls
Author: L.Lucas-hp

Procedure Summary

Objectives

The objective of this procedure is to stipulate which procedures are required for the SMEC Functional tests, part A.

Summary of Constraints

The saved stack files should have been generated prior to the DTCP and sent to the HSC/ICC as defined in the procedure $\rm H_GSP_MCS_MSTK.$

4 OBS_ID values are required from the HSC.

Spacecraft Configuration

Start of Procedure

n/a

End of Procedure

n/a

Reference File(s)

Input Command Sequences

Output Command Sequences

Referenced Displays

ANDS GRDS SLDS


Configuration Control Information

DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
21/04/09	2.3	1	Created	L.Lucas-hp	
04/05/09	2.4	1.01	Validation : Update flowchart	L.Lucas-hp	

SMEC Functional Tests, part 2 A.
File: H_COP_SPI_CT10.xls
Author: L.Lucas-hp




Procedure Flowchart Overview



Cesa

HERSCHEL

PLANCK





Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branc	
		High Rate TM is required.		/ Drane	
		Verify High Bit Rate			
		TME_BITRATE DEMRF160	= 1.5 Mbps	AND=ZAZ7J999	
		If High Rate is not available, consult with SOM.			
		Upon confirmation from SOM, run the following			
		procedure to enable High Rate TM.			
		PROCEDURE:			
		H_FCP_TTC_TUHR [HFTTUHR]			
2 2					
2.2		Verify Real Time Science is Available.			
		Real Time Science data is required. Check the NCTRS			
		for VC1.			
		If VC1 is not available, consult with SOM.			
		Upon confirmation from SOM, run the following			
		procedure to enable RTS.			
		PROCEDURE:			
		H_FCP_DHS_1013A [HFD1013A]			
				Next Step:	
3		SMEC Functional Tests, part 2 A		4	
		Note:			
		The procedures defined below should be brought			
		together into the following saved stack file prior to			
		the DTCP:			
		yyyymmdd_nnnn_H_SAVED_xxvv			
		This file is then called up and executed on the manual			
		stack during the DTCP.			
2 1					
3.1		Activity procedures			
		Run the following four, 4 procedures.			
3.1.1		SMEC Encoder and LVDT check			
		PROCEDURE :			
		H_COP_SPI_SMLP [HCSSMLP]			
		FP:			
		OBS_ID			
3.1.2		SMEC Encoder levels Check PRIME			





Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch
		PROCEDURE: H_COP_SPI_SMEP [HCSSMEP]		
		FD:		
		OBS_ID		
3.1.3		SMEC Open Loop Position Check PRIME		
5.1.5		SMEC Open LOOP POSICION CHECK FRIME		
		PROCEDURE: H_COP_SPI_SMPP [HCSSMPP]		
		FD:		
		OBS_ID		
3.1.4		SMEC Open Loop Scan Check PRIME		
		PROCEDURE: H_COP_SPI_SMOS [HCSSMOS]		
		FP:		
		OBS_ID		
				Next Step:
4		Real Time Science No Longer Required?		5
		Real Time Science data is no longer required for this		
		test for SPIRE.		
4.1		Verify Real Time Science is Still Required		
		Verify if RTS is still required (generally).		
		Consult with SOM.		
		If it is still required, do nothing.		
		If REal Time Science is not still required.		
		Upon confirmation from SOM, if RTS is no longer		
		required generally and should be disabled, run the following procedure to disable RTS.		
		PROCEDURE:		
		H_FCP_DHS_1013B [HFD1013B]		
				Next Step:
5		High Rate TM No longer Required?		END
5.1		Verify High Rate TM is Still Required.		
5.1		verniy nigh kale im is Still kequirea.		
İ	I	I	I	I I



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	
		Verify if High Rate TM is still required (generally).			
		Consult with SOM.			
		If it is still required, do nothing.			
		If High Rate is not still required.			
		Upon confirmation from SOM, run the following procedure to changefrom High Rate to medium rate TM.			
		PROCEDURE: H_FCP_TTC_TUMR [HFTTUMR]			
End of Procedure					