

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Procedure Summary

Objectives

This procedure is simply a container for the editable version of the uplink default FCCT commands. It shall be used if some FCCT parameter has to be edited, and becomes the running config control file for FCCT.
 There are two sequences:
 HFDFCCTC is for the launch pad values
 HFDFCCTL is for flight values.

Summary of Constraints

The related MOT entry may have to be disabled to avoid immediate reaction. Up to the SOE to decide.

Spacecraft Configuration

Start of Procedure

Any

End of Procedure

Certain FCCT parameters possibly modified

Reference File(s)

Input Command Sequences

Output Command Sequences

HFDFCCTC
 HFDFCCTL

Referenced Displays

ANDs GRDs SLDs


Configuration Control Information

DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
22/02/09		1	Created	S. Manganelli	
24/02/09		2	Editorial	S. Manganelli	
25/02/09	2.1	3	Forced manual dispatch	S. Manganelli	
24/03/09	2.2	4	Rebuilt for OBSW 3_8_2	S. Manganelli	
22/04/09	2.3	5	Improved front page description and flow chart IF condition. Procedure TCs still to be updated.	S. Manganelli	
05/05/09	2.4	6	OBSW 3_10	S. Manganelli	

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli




Procedure Flowchart Overview



Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli




Procedure Flowchart Overview



Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli




Procedure Flowchart Overview



Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Procedure Flowchart Overview



Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch
Beginning of Procedure				
TC Seq. Name : HFDFCCTX (Dummy) TimeTag Type: Sub Schedule ID: <input type="checkbox"/>				
1		Choose Flight or Launchpad values		Next Step: Flight 53 Launchpad 2
TC Seq. Name : HFDFCCTC (FCCT edit ground def) TimeTag Type: N Sub Schedule ID: <input type="checkbox"/>				
2		Ground FCCT XPND1_RX_Power ChkId_17		Next Step: 3
	ET= UT=	FCCT_XPND1_RX_Power Command Parameter(s) : CCorrParValUInt XH133993 CCorrParValUInt XH133993 CCorrParValUInt XH133993 CCorrParValUInt XH133993 TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : FCCT_XPND1_RX_Power CrCorrChkPar TC(8,4,116,17) Id=ChkId_17	XCC01993	
3		Ground FCCT XPND2_RX_Power ChkId_18		Next Step: 4
	ET= UT=	FCCT_XPND2_RX_Power Command Parameter(s) : CCorrParValUInt XH133993 CCorrParValUInt XH133993 CCorrParValUInt XH133993 CCorrParValUInt XH133993 TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : FCCT_XPND2_RX_Power CrCorrChkPar TC(8,4,116,17) Id=ChkId_18	XCC02993	

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
4		Ground FCCT XPND2_HPS1_HCS2 ChkId_20		Next Step: 5																		
	ET= UT=	<p style="text-align: center;">FCCT_XPND2_HPS1_HCS2</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">-12 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-12 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-12 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_XPND2_HPS1_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_20</p>	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC30993	
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
5		Ground FCCT FCVA1B_HPS1_HCS3 ChkId_21		Next Step: 6																		
	ET= UT=	<p style="text-align: center;">FCCT_FCVA1B_HPS1_HCS3</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVA1B_HPS1_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_21</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC31993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
6		Ground FCCT FCVC2B_HPS1_HCS4 ChkId_22		Next Step: 7																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_FCVC2B_HPS1_HCS4</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVC2B_HPS1_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_22</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC32993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
7		Ground FCCT RCS pipe2_HPS1_HCS5 ChkId_23		Next Step: 8																		
	ET= UT=	<p>FCCT_RCS pipe2_HPS1_HCS5</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RCS pipe2_HPS1_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_23</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC33993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
8		Ground FCCT XPND1_HPS1_HCS6 ChkId_24		Next Step: 9																		
	ET= UT=	<p>FCCT_XPND1_HPS1_HCS6</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-12 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-12 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-12 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC34993	
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_XPND1_HPS1_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_24																				
9		Ground FCCT FCVC1B_HPS2_HCS2 ChkId_26		Next Step: 10																		
	ET= UT=	<p style="text-align: center;">FCCT_FCVC1B_HPS2_HCS2</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVC1B_HPS2_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_26</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC35993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
10		Ground FCCT FCVA2B_HPS2_HCS3 ChkId_27		Next Step: 11																		
	ET= UT=	<p style="text-align: center;">FCCT_FCVA2B_HPS2_HCS3</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVA2B_HPS2_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_27</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC36993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
11		Ground FCCT FCVC4B_HPS2_HCS4 ChkId_28		Next Step: 12																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_FCVC4B_HPS2_HCS4</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVC4B_HPS2_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_28</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC37993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
12		Ground FCCT DPU-SPU_HPS2_HCS5 ChkId_29		Next Step: 13																		
	ET= UT=	<p>FCCT_DPU-SPU_HPS2_HCS5</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-25 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>47 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-25 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-17 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>47 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_DPU-SPU_HPS2_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_29</p>	CCorrParValFlt	XH134993	-25 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-25 <dec> (Def)	CCorrParValFlt	XH134993	-17 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	XCC38993	
CCorrParValFlt	XH134993	-25 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-25 <dec> (Def)																				
CCorrParValFlt	XH134993	-17 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				
13		Ground FCCT FPBOLC_HPS3_HCS1 ChkId_31		Next Step: 14																		
	ET= UT=	<p>FCCT_FPBOLC_HPS3_HCS1</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-21 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>47 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-21 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-17 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>47 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	-21 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-21 <dec> (Def)	CCorrParValFlt	XH134993	-17 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	XCC39993	
CCorrParValFlt	XH134993	-21 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-21 <dec> (Def)																				
CCorrParValFlt	XH134993	-17 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_FPBOC_HPS3_HCS1 CrCorrChkPar TC(8,4,116,17) Id=ChkId_31																				
14		Ground FCCT CRS_1_HPS3_HCS2 ChkId_32		Next Step: 15																		
	ET= UT=	<p style="text-align: center;">FCCT_CRS_1_HPS3_HCS2</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_CRS_1_HPS3_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_32</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC3A993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
15		Ground FCCT FPDECMC_HPS3_HCS3 ChkId_33		Next Step: 16																		
	ET= UT=	<p style="text-align: center;">FCCT_FPDECMC_HPS3_HCS3</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">-22 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>47 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-22 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-17 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>47 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FPDECMC_HPS3_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_33</p>	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	-17 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	XCC3B993	
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	-17 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				
16		Ground FCCT RCS pipe1_HPS3_HCS4 ChkId_34		Next Step: 17																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p style="text-align: center;">FCCT_RCS pipel_HPS3_HCS4</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RCS pipel_HPS3_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_34</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC3C993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
17		Ground FCCT CCU_HPS3_HCS5 ChkId_35		Next Step: 18																		
	ET= UT=	<p style="text-align: center;">FCCT_CCU_HPS3_HCS5</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>3 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>42 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>3 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>3 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>42 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_CCU_HPS3_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_35</p>	CCorrParValFlt	XH134993	3 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	3 <dec> (Def)	CCorrParValFlt	XH134993	3 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	XCC3D993	
CCorrParValFlt	XH134993	3 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	3 <dec> (Def)																				
CCorrParValFlt	XH134993	3 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				
18		Ground FCCT GYRO_HPS3_HCS6 ChkId_36		Next Step: 19																		
	ET= UT=	<p style="text-align: center;">FCCT_GYRO_HPS3_HCS6</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>65 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>65 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	65 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	65 <dec> (Def)	XCC3E993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	65 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	65 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_GYRO_HPS3_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_36																				
19		Ground FCCT FHWOV_HPS4_HCS2 ChkId_38		Next Step: 20																		
	ET= UT=	<p style="text-align: center;">FCCT_FHWOV_HPS4_HCS2</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-20 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>30 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-20 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>2 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>30 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHWOV_HPS4_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_38</p>	CCorrParValFlt	XH134993	-20 <dec> (Def)	CCorrParValFlt	XH134993	30 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-20 <dec> (Def)	CCorrParValFlt	XH134993	2 <dec> (Def)	CCorrParValFlt	XH134993	30 <dec> (Def)	XCC3F993	
CCorrParValFlt	XH134993	-20 <dec> (Def)																				
CCorrParValFlt	XH134993	30 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-20 <dec> (Def)																				
CCorrParValFlt	XH134993	2 <dec> (Def)																				
CCorrParValFlt	XH134993	30 <dec> (Def)																				
20		Ground FCCT RCS pipe6_HPS4_HCS3 ChkId_39		Next Step: 21																		
	ET= UT=	<p style="text-align: center;">FCCT_RCS pipe6_HPS4_HCS3</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RCS pipe6_HPS4_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_39</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC3G993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
21		Ground FCCT FCVA1A_HPS4_HCS4 ChkId_40		Next Step: 22																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_FCVA1A_HPS4_HCS4</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVA1A_HPS4_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_40</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC3H993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
22		Ground FCCT FCV C2A_HPS4_HCS5 ChkId_41		Next Step: 23																		
	ET= UT=	<p>FCCT_FCV C2A_HPS4_HCS5</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCV C2A_HPS4_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_41</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC3J993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
23		Ground FCCT RCS pipe7_HPS4_HCS6 ChkId_42		Next Step: 24																		
	ET= UT=	<p>FCCT_RCS pipe7_HPS4_HCS6</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC3K993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_RCS pipe7_HPS4_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_42																				
24		Ground FCCT CRS_2_HPS5_HCS1 ChkId_43		Next Step: 25																		
	ET= UT=	<p style="text-align: center;">FCCT_CRS_2_HPS5_HCS1</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_CRS_2_HPS5_HCS1 CrCorrChkPar TC(8,4,116,17) Id=ChkId_43</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC3L993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
25		Ground FCCT FHHRH_HPS5_HCS2 ChkId_44		Next Step: 26																		
	ET= UT=	<p style="text-align: center;">FCCT_FHHRH_HPS5_HCS2</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-22 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>40 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-22 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>40 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHHRH_HPS5_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_44</p>	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	XCC3M993	
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
26		Ground FCCT FHWEVICU_HPS5_HCS3 ChkId_45		Next Step: 27																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_FHWEVICU_HPS5_HCS3</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-22 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>32 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-22 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>32 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHWEVICU_HPS5_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_45</p>	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	32 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	32 <dec> (Def)	XCC3N993	
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	32 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	32 <dec> (Def)																				
27		Ground FCCT FCVC3B_HPS5_HCS4 ChkId_46		Next Step: 28																		
	ET= UT=	<p>FCCT_FCVC3B_HPS5_HCS4</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVC3B_HPS5_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_46</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC3P993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
28		Ground FCCT RCS pipe8_HPS5_HCS5 ChkId_47		Next Step: 29																		
	ET= UT=	<p>FCCT_RCS pipe8_HPS5_HCS5</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC3R993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_RCS pipe8_HPS5_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_47																				
29		Ground FCCT PTLFLV12_HPS5_HCS6 ChkId_48		Next Step: 30																		
	ET= UT=	<p style="text-align: center;">FCCT_PTLFLV12_HPS5_HCS6</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_PTLFLV12_HPS5_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_48</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC3S993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
30		Ground FCCT RWL4_HPS6_HCS2 ChkId_50		Next Step: 31																		
	ET= UT=	<p style="text-align: center;">FCCT_RWL4_HPS6_HCS2</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">-6 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>57 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-6 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-2 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>57 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RWL4_HPS6_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_50</p>	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	XCC3T993	
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
31		Ground FCCT RWL1_HPS6_HCS3 ChkId_51		Next Step: 32																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_RWL1_HPS6_HCS3</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RWL1_HPS6_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_51</p>	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	XCC3U993	
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
32		Ground FCCT RWL3_HPS6_HCS4 ChkId_52		Next Step: 33																		
	ET= UT=	<p>FCCT_RWL3_HPS6_HCS4</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RWL3_HPS6_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_52</p>	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	XCC3V993	
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
33		Ground FCCT FHIFV_HPS6_HCS5 ChkId_53		Next Step: 34																		
	ET= UT=	<p>FCCT_FHIFV_HPS6_HCS5</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-12 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>42 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-12 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-12 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>42 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	XCC3W993	
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_FHIFV_HPS6_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_53																				
34		Ground FCCT RWL2_HPS6_HCS6 ChkId_54		Next Step: 35																		
	ET= UT=	<p style="text-align: center;">FCCT_RWL2_HPS6_HCS6</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">-6 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>57 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-6 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-2 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>57 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RWL2_HPS6_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_54</p>	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	XCC3X993	
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
35		Ground FCCT STRs_HPS7_HCS1 ChkId_55		Next Step: 36																		
	ET= UT=	<p style="text-align: center;">FCCT_STRs_HPS7_HCS1</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">-10 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>40 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-10 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-3 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>40 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_STRs_HPS7_HCS1 CrCorrChkPar TC(8,4,116,17) Id=ChkId_55</p>	CCorrParValFlt	XH134993	-10 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-10 <dec> (Def)	CCorrParValFlt	XH134993	-3 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	XCC3Y993	
CCorrParValFlt	XH134993	-10 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-10 <dec> (Def)																				
CCorrParValFlt	XH134993	-3 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
36		Ground FCCT BATTERY_HPS7_HCS2 ChkId_56		Next Step: 37																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_BATTERY_HPS7_HCS2</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>37 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>37 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_BATTERY_HPS7_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_56</p>	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	37 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	37 <dec> (Def)	XCC3Z993	
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	37 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	37 <dec> (Def)																				
37		Ground FCCT FHWOH_HPS7_HCS3 ChkId_57		Next Step: 38																		
	ET= UT=	<p>FCCT_FHWOH_HPS7_HCS3</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-15 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>30 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-15 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>1 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>30 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHWOH_HPS7_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_57</p>	CCorrParValFlt	XH134993	-15 <dec> (Def)	CCorrParValFlt	XH134993	30 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-15 <dec> (Def)	CCorrParValFlt	XH134993	1 <dec> (Def)	CCorrParValFlt	XH134993	30 <dec> (Def)	XCC40993	
CCorrParValFlt	XH134993	-15 <dec> (Def)																				
CCorrParValFlt	XH134993	30 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-15 <dec> (Def)																				
CCorrParValFlt	XH134993	1 <dec> (Def)																				
CCorrParValFlt	XH134993	30 <dec> (Def)																				
38		Ground FCCT FHWEH_HPS7_HCS4 ChkId_58		Next Step: 39																		
	ET= UT=	<p>FCCT_FHWEH_HPS7_HCS4</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-7 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>32 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-7 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>32 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	-7 <dec> (Def)	CCorrParValFlt	XH134993	32 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-7 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	32 <dec> (Def)	XCC41993	
CCorrParValFlt	XH134993	-7 <dec> (Def)																				
CCorrParValFlt	XH134993	32 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-7 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	32 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_FHWEH_HPS7_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_58																				
39		Ground FCCT FCV C1A_HPS7_HCS5 ChkId_59		Next Step: 40																		
	ET= UT=	<p style="text-align: center;">FCCT_FCV C1A_HPS7_HCS5</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCV C1A_HPS7_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_59</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC42993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
40		Ground FCCT FCV A2A_HPS7_HCS6 ChkId_60		Next Step: 41																		
	ET= UT=	<p style="text-align: center;">FCCT_FCV A2A_HPS7_HCS6</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCV A2A_HPS7_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_60</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC43993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
41		Ground FCCT FHHRV_HPS8_HCS1 ChkId_61		Next Step: 42																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_FHHRV_HPS8_HCS1</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-25 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>40 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-25 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>40 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHHRV_HPS8_HCS1 CrCorrChkPar TC(8,4,116,17) Id=ChkId_61</p>	CCorrParValFlt	XH134993	-25 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-25 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	XCC44993	
CCorrParValFlt	XH134993	-25 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-25 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
42		Ground FCCT FCV C3A_HPS8_HCS2 ChkId_62		Next Step: 43																		
	ET= UT=	<p>FCCT_FCV C3A_HPS8_HCS2</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCV C3A_HPS8_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_62</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC45993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
43		Ground FCCT RCS pipe3_HPS8_HCS3 ChkId_63		Next Step: 44																		
	ET= UT=	<p>FCCT_RCS pipe3_HPS8_HCS3</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC46993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_RCS pipe3_HPS8_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_63																				
44		Ground FCCT STR2_PRBF_HPS8_HCS4 ChkId_64		Next Step: 45																		
	ET= UT=	<p style="text-align: center;">FCCT_STR2_PRBF_HPS8_HCS4</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-23.5 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>40 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-23.5 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>40 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_STR2_PRBF_HPS8_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_64</p>	CCorrParValFlt	XH134993	-23.5 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-23.5 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	XCC47993	
CCorrParValFlt	XH134993	-23.5 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-23.5 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
45		Ground FCCT RCS pipe5_HPS8_HCS5 ChkId_65		Next Step: 46																		
	ET= UT=	<p style="text-align: center;">FCCT_RCS pipe5_HPS8_HCS5</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RCS pipe5_HPS8_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_65</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCC48993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
46		Ground FCCT FHLCU_HPS8_HCS6 ChkId_66		Next Step: 47																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_FHLCU_HPS8_HCS6</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-20 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>42 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-20 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>42 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHLCU_HPS8_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_66</p>	CCorrParValFlt	XH134993	-20 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-20 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	XCC49993	
CCorrParValFlt	XH134993	-20 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-20 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				
47		Ground FCCT Tank-Y_HPS9_HCS2 ChkId_68		Next Step: 48																		
	ET= UT=	<p>FCCT_Tank-Y_HPS9_HCS2</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>40 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>40 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_Tank-Y_HPS9_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_68</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	XCC4A993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
48		Ground FCCT FCV C4A_HPS9_HCS3 ChkId_69		Next Step: 49																		
	ET= UT=	<p>FCCT_FCV C4A_HPS9_HCS3</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCC4B993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_FCV C4A_HPS9_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_69																				
49		Ground FCCT FHLSU_HPS9_HCS4 ChkId_70		Next Step: 50																		
	ET= UT=	<p style="text-align: center;">FCCT_FHLSU_HPS9_HCS4</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-13 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>37 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-13 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>37 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHLSU_HPS9_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_70</p>	CCorrParValFlt	XH134993	-13 <dec> (Def)	CCorrParValFlt	XH134993	37 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-13 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	37 <dec> (Def)	XCC4C993	
CCorrParValFlt	XH134993	-13 <dec> (Def)																				
CCorrParValFlt	XH134993	37 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-13 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	37 <dec> (Def)																				
50		Ground FCCT STR1_PRBF_HPS9_HCS5 ChkId_71		Next Step: 51																		
	ET= UT=	<p style="text-align: center;">FCCT_STR1_PRBF_HPS9_HCS5</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-23.5 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>40 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-23.5 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>40 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_STR1_PRBF_HPS9_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_71</p>	CCorrParValFlt	XH134993	-23.5 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-23.5 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	XCC4D993	
CCorrParValFlt	XH134993	-23.5 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-23.5 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
51		Ground FCCT Tank+Y_HPS9_HCS6 ChkId_72		Next Step: 52																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch
	ET= UT=	<p>FCCT_Tank+Y_HPS9_HCS6</p> <p>Command Parameter(s) :</p> <p>CCorrParValFlt XH134993 8 <dec> (Def) CCorrParValFlt XH134993 40 <dec> (Def) CCorrParValUInt XH133993 64800 <dec> (Def) CCorrParValFlt XH134993 8 <dec> (Def) CCorrParValFlt XH134993 8 <dec> (Def) CCorrParValFlt XH134993 40 <dec> (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_Tank+Y_HPS9_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_72</p>	XCC4E993	
52		Ground FCCT Ins_TM_Monitoring ChkId_73		Next Step: END
	ET= UT=	<p>FCCT_Ins_TM_Monitoring</p> <p>Command Parameter(s) :</p> <p>CCorrParValUInt XH133993 30 <dec> (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_Ins_TM_Monitoring CrCorrChkPar TC(8,4,116,17) Id=ChkId_73</p>	XCC0L993	
<p>TC Seq. Name :HFDFCCTL (FCCT edit flight def)</p> <p>TimeTag Type: N Sub Schedule ID: <input type="checkbox"/></p>				
53		XPND1_RX_Power ChkId_17		Next Step: 54

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p style="text-align: center;">FCCT_XPND1_RX_Power</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>0 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>72 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>25344 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>30848 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : FCCT_XPND1_RX_Power CrCorrChkPar TC(8,4,116,17) Id=ChkId_17</p>	CCorrParValUInt	XH133993	0 <dec> (Def)	CCorrParValUInt	XH133993	72 <dec> (Def)	CCorrParValUInt	XH133993	25344 <dec> (Def)	CCorrParValUInt	XH133993	30848 <dec> (Def)	XCL01993							
CCorrParValUInt	XH133993	0 <dec> (Def)																				
CCorrParValUInt	XH133993	72 <dec> (Def)																				
CCorrParValUInt	XH133993	25344 <dec> (Def)																				
CCorrParValUInt	XH133993	30848 <dec> (Def)																				
54		XPND2_RX_Power ChkId_18		Next Step: 55																		
	ET= UT=	<p style="text-align: center;">FCCT_XPND2_RX_Power</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>0 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>72 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>25344 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>30848 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : FCCT_XPND2_RX_Power CrCorrChkPar TC(8,4,116,17) Id=ChkId_18</p>	CCorrParValUInt	XH133993	0 <dec> (Def)	CCorrParValUInt	XH133993	72 <dec> (Def)	CCorrParValUInt	XH133993	25344 <dec> (Def)	CCorrParValUInt	XH133993	30848 <dec> (Def)	XCL02993							
CCorrParValUInt	XH133993	0 <dec> (Def)																				
CCorrParValUInt	XH133993	72 <dec> (Def)																				
CCorrParValUInt	XH133993	25344 <dec> (Def)																				
CCorrParValUInt	XH133993	30848 <dec> (Def)																				
55		XPND2_HPS1_HCS2 ChkId_20		Next Step: 56																		
	ET= UT=	<p style="text-align: center;">FCCT_XPND2_HPS1_HCS2</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-12 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-12 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-12 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_XPND2_HPS1_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_20</p>	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCL30993	
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
56		FCVA1B_HPS1_HCS3 ChkId_21		Next Step: 57																		
	ET= UT=	<p style="text-align: center;">FCCT_FCVA1B_HPS1_HCS3</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- --</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVA1B_HPS1_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_21</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCL31993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
57		FCVC2B_HPS1_HCS4 ChkId_22		Next Step: 58																		
	ET= UT=	<p style="text-align: center;">FCCT_FCVC2B_HPS1_HCS4</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- --</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVC2B_HPS1_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_22</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCL32993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
58		RCS pipe2_HPS1_HCS5 ChkId_23		Next Step: 59																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_FCVC1B_HPS2_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_26																				
61		FCVA2B_HPS2_HCS3 ChkId_27		Next Step: 62																		
	ET= UT=	<p style="text-align: center;">FCCT_FCVA2B_HPS2_HCS3</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVA2B_HPS2_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_27</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCL36993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
62		FCVC4B_HPS2_HCS4 ChkId_28		Next Step: 63																		
	ET= UT=	<p style="text-align: center;">FCCT_FCVC4B_HPS2_HCS4</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVC4B_HPS2_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_28</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCL37993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
63		DPU-SPU_HPS2_HCS5 ChkId_29		Next Step: 64																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_DPU-SPU_HPS2_HCS5</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-25 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>47 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-25 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-17 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>47 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_DPU-SPU_HPS2_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_29</p>	CCorrParValFlt	XH134993	-25 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-25 <dec> (Def)	CCorrParValFlt	XH134993	-17 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	XCL38993	
CCorrParValFlt	XH134993	-25 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-25 <dec> (Def)																				
CCorrParValFlt	XH134993	-17 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				
64		FPBOLC_HPS3_HCS1 ChkId_31		Next Step: 65																		
	ET= UT=	<p>FCCT_FPBOLC_HPS3_HCS1</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-21 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>47 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-21 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-17 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>47 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FPBOLC_HPS3_HCS1 CrCorrChkPar TC(8,4,116,17) Id=ChkId_31</p>	CCorrParValFlt	XH134993	-21 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-21 <dec> (Def)	CCorrParValFlt	XH134993	-17 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	XCL39993	
CCorrParValFlt	XH134993	-21 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-21 <dec> (Def)																				
CCorrParValFlt	XH134993	-17 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				
65		CRS_1_HPS3_HCS2 ChkId_32		Next Step: 66																		
	ET= UT=	<p>FCCT_CRS_1_HPS3_HCS2</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>43 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>43 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>43 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	43 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	43 <dec> (Def)	CCorrParValFlt	XH134993	43 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCL3A993	
CCorrParValFlt	XH134993	43 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	43 <dec> (Def)																				
CCorrParValFlt	XH134993	43 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_CRS_1_HPS3_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_32																				
66		FPDECMC_HPS3_HCS3 ChkId_33		Next Step: 67																		
	ET= UT=	<p style="text-align: center;">FCCT_FPDECMC_HPS3_HCS3</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">-22 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>47 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-22 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-17 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>47 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FPDECMC_HPS3_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_33</p>	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	-17 <dec> (Def)	CCorrParValFlt	XH134993	47 <dec> (Def)	XCL3B993	
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	-17 <dec> (Def)																				
CCorrParValFlt	XH134993	47 <dec> (Def)																				
67		RCS pipe1_HPS3_HCS4 ChkId_34		Next Step: 68																		
	ET= UT=	<p style="text-align: center;">FCCT_RCS pipe1_HPS3_HCS4</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">20 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>20 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>20 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RCS pipe1_HPS3_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_34</p>	CCorrParValFlt	XH134993	20 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	20 <dec> (Def)	CCorrParValFlt	XH134993	20 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCL3C993	
CCorrParValFlt	XH134993	20 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	20 <dec> (Def)																				
CCorrParValFlt	XH134993	20 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
68		CCU_HPS3_HCS5 ChkId_35		Next Step: 69																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p style="text-align: center;">FCCT_CCU_HPS3_HCS5</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>3 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>42 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>3 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>3 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>42 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_CCU_HPS3_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_35</p>	CCorrParValFlt	XH134993	3 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	3 <dec> (Def)	CCorrParValFlt	XH134993	3 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	XCL3D993	
CCorrParValFlt	XH134993	3 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	3 <dec> (Def)																				
CCorrParValFlt	XH134993	3 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				
69		GYRO_HPS3_HCS6 ChkId_36		Next Step: 70																		
	ET= UT=	<p style="text-align: center;">FCCT_GYRO_HPS3_HCS6</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>55 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>65 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>55 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>55 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>65 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_GYRO_HPS3_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_36</p>	CCorrParValFlt	XH134993	55 <dec> (Def)	CCorrParValFlt	XH134993	65 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	55 <dec> (Def)	CCorrParValFlt	XH134993	55 <dec> (Def)	CCorrParValFlt	XH134993	65 <dec> (Def)	XCL3E993	
CCorrParValFlt	XH134993	55 <dec> (Def)																				
CCorrParValFlt	XH134993	65 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	55 <dec> (Def)																				
CCorrParValFlt	XH134993	55 <dec> (Def)																				
CCorrParValFlt	XH134993	65 <dec> (Def)																				
70		FHWOV_HPS4_HCS2 ChkId_38		Next Step: 71																		
	ET= UT=	<p style="text-align: center;">FCCT_FHWOV_HPS4_HCS2</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-20 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>12 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-20 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>12 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	-20 <dec> (Def)	CCorrParValFlt	XH134993	12 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-20 <dec> (Def)	CCorrParValFlt	XH134993	2 <dec> (Def)	CCorrParValFlt	XH134993	12 <dec> (Def)	XCL3F993	
CCorrParValFlt	XH134993	-20 <dec> (Def)																				
CCorrParValFlt	XH134993	12 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-20 <dec> (Def)																				
CCorrParValFlt	XH134993	2 <dec> (Def)																				
CCorrParValFlt	XH134993	12 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_FHWOV_HPS4_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_38																				
71		RCS pipe6_HPS4_HCS3 ChkId_39		Next Step: 72																		
	ET= UT=	<p style="text-align: center;">FCCT_RCS pipe6_HPS4_HCS3</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">11 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>11 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>11 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RCS pipe6_HPS4_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_39</p>	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCL3G993	
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
72		FCVA1A_HPS4_HCS4 ChkId_40		Next Step: 73																		
	ET= UT=	<p style="text-align: center;">FCCT_FCVA1A_HPS4_HCS4</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVA1A_HPS4_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_40</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCL3H993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
73		FCV C2A_HPS4_HCS5 ChkId_41		Next Step: 74																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_FCV C2A_HPS4_HCS5</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCV C2A_HPS4_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_41</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCL3J993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
74		RCS pipe7_HPS4_HCS6 ChkId_42		Next Step: 75																		
	ET= UT=	<p>FCCT_RCS pipe7_HPS4_HCS6</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RCS pipe7_HPS4_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_42</p>	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCL3K993	
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
75		CRS_2_HPS5_HCS1 ChkId_43		Next Step: 76																		
	ET= UT=	<p>FCCT_CRS_2_HPS5_HCS1</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>43 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>43 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>43 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	43 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	43 <dec> (Def)	CCorrParValFlt	XH134993	43 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCL3L993	
CCorrParValFlt	XH134993	43 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	43 <dec> (Def)																				
CCorrParValFlt	XH134993	43 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_CRS_2_HPS5_HCS1 CrCorrChkPar TC(8,4,116,17) Id=ChkId_43																				
76		FHHRH_HPS5_HCS2 ChkId_44		Next Step: 77																		
	ET= UT=	<p style="text-align: center;">FCCT_FHHRH_HPS5_HCS2</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">-22 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>31 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-22 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>25 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>31 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHHRH_HPS5_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_44</p>	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	31 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	25 <dec> (Def)	CCorrParValFlt	XH134993	31 <dec> (Def)	XCL3M993	
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	31 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	25 <dec> (Def)																				
CCorrParValFlt	XH134993	31 <dec> (Def)																				
77		FHWEVICU_HPS5_HCS3 ChkId_45		Next Step: 78																		
	ET= UT=	<p style="text-align: center;">FCCT_FHWEVICU_HPS5_HCS3</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">-22 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>32 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-22 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-2 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>32 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHWEVICU_HPS5_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_45</p>	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	32 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-22 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	32 <dec> (Def)	XCL3N993	
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	32 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-22 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	32 <dec> (Def)																				
78		FCVC3B_HPS5_HCS4 ChkId_46		Next Step: 79																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_FCVC3B_HPS5_HCS4</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCVC3B_HPS5_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_46</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCL3P993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
79		RCS pipe8_HPS5_HCS5 ChkId_47		Next Step: 80																		
	ET= UT=	<p>FCCT_RCS pipe8_HPS5_HCS5</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>10 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>10 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>10 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RCS pipe8_HPS5_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_47</p>	CCorrParValFlt	XH134993	10 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	10 <dec> (Def)	CCorrParValFlt	XH134993	10 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCL3R993	
CCorrParValFlt	XH134993	10 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	10 <dec> (Def)																				
CCorrParValFlt	XH134993	10 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
80		PTLFLV12_HPS5_HCS6 ChkId_48		Next Step: 81																		
	ET= UT=	<p>FCCT_PTLFLV12_HPS5_HCS6</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCL3S993	
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_PTLFLV12_HPS5_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_48																				
81		RWL4_HPS6_HCS2 ChkId_50		Next Step: 82																		
	ET= UT=	<p style="text-align: center;">FCCT_RWL4_HPS6_HCS2</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RWL4_HPS6_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_50</p>	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	XCL3T993	
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
82		RWL1_HPS6_HCS3 ChkId_51		Next Step: 83																		
	ET= UT=	<p style="text-align: center;">FCCT_RWL1_HPS6_HCS3</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RWL1_HPS6_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_51</p>	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	XCL3U993	
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
83		RWL3_HPS6_HCS4 ChkId_52		Next Step: 84																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_RWL3_HPS6_HCS4</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RWL3_HPS6_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_52</p>	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	XCL3V993	
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
84		FHIFV_HPS6_HCS5 ChkId_53		Next Step: 85																		
	ET= UT=	<p>FCCT_FHIFV_HPS6_HCS5</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-12 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>42 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-12 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-12 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>42 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHIFV_HPS6_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_53</p>	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	-12 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	XCL3W993	
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	-12 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				
85		RWL2_HPS6_HCS6 ChkId_54		Next Step: 86																		
	ET= UT=	<p>FCCT_RWL2_HPS6_HCS6</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-6 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>57 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-6 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	57 <dec> (Def)	XCL3X993	
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-6 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	57 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_RWL2_HPS6_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_54																				
86		STRs_HPS7_HCS1 ChkId_55		Next Step: 87																		
	ET= UT=	<p style="text-align: center;">FCCT_STRs_HPS7_HCS1</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">-10 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>30 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-10 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-3 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>30 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_STRs_HPS7_HCS1 CrCorrChkPar TC(8,4,116,17) Id=ChkId_55</p>	CCorrParValFlt	XH134993	-10 <dec> (Def)	CCorrParValFlt	XH134993	30 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-10 <dec> (Def)	CCorrParValFlt	XH134993	-3 <dec> (Def)	CCorrParValFlt	XH134993	30 <dec> (Def)	XCL3Y993	
CCorrParValFlt	XH134993	-10 <dec> (Def)																				
CCorrParValFlt	XH134993	30 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-10 <dec> (Def)																				
CCorrParValFlt	XH134993	-3 <dec> (Def)																				
CCorrParValFlt	XH134993	30 <dec> (Def)																				
87		BATTERY_HPS7_HCS2 ChkId_56		Next Step: 88																		
	ET= UT=	<p style="text-align: center;">FCCT_BATTERY_HPS7_HCS2</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">-2 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>37 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-2 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-2 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>37 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_BATTERY_HPS7_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_56</p>	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	37 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	37 <dec> (Def)	XCL3Z993	
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	37 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	37 <dec> (Def)																				
88		FHWOH_HPS7_HCS3 ChkId_57		Next Step: 89																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_FHWOH_HPS7_HCS3</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-15 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-15 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>1 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHWOH_HPS7_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_57</p>	CCorrParValFlt	XH134993	-15 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-15 <dec> (Def)	CCorrParValFlt	XH134993	1 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	XCL40993	
CCorrParValFlt	XH134993	-15 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-15 <dec> (Def)																				
CCorrParValFlt	XH134993	1 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
89		FHWEH_HPS7_HCS4 ChkId_58		Next Step: 90																		
	ET= UT=	<p>FCCT_FHWEH_HPS7_HCS4</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-7 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>32 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-7 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-2 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>32 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHWEH_HPS7_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_58</p>	CCorrParValFlt	XH134993	-7 <dec> (Def)	CCorrParValFlt	XH134993	32 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-7 <dec> (Def)	CCorrParValFlt	XH134993	-2 <dec> (Def)	CCorrParValFlt	XH134993	32 <dec> (Def)	XCL41993	
CCorrParValFlt	XH134993	-7 <dec> (Def)																				
CCorrParValFlt	XH134993	32 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-7 <dec> (Def)																				
CCorrParValFlt	XH134993	-2 <dec> (Def)																				
CCorrParValFlt	XH134993	32 <dec> (Def)																				
90		FCV C1A_HPS7_HCS5 ChkId_59		Next Step: 91																		
	ET= UT=	<p>FCCT_FCV C1A_HPS7_HCS5</p> <p>Command Parameter(s) :</p> <table> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCL42993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_FCV C1A_HPS7_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_59																				
91		FCV A2A_HPS7_HCS6 ChkId_60		Next Step: 92																		
	ET= UT=	<p style="text-align: center;">FCCT_FCV A2A_HPS7_HCS6</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>90 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCV A2A_HPS7_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_60</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCL43993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
92		FHHRV_HPS8_HCS1 ChkId_61		Next Step: 93																		
	ET= UT=	<p style="text-align: center;">FCCT_FHHRV_HPS8_HCS1</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-25 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>25 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-25 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>19 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>25 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHHRV_HPS8_HCS1 CrCorrChkPar TC(8,4,116,17) Id=ChkId_61</p>	CCorrParValFlt	XH134993	-25 <dec> (Def)	CCorrParValFlt	XH134993	25 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-25 <dec> (Def)	CCorrParValFlt	XH134993	19 <dec> (Def)	CCorrParValFlt	XH134993	25 <dec> (Def)	XCL44993	
CCorrParValFlt	XH134993	-25 <dec> (Def)																				
CCorrParValFlt	XH134993	25 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-25 <dec> (Def)																				
CCorrParValFlt	XH134993	19 <dec> (Def)																				
CCorrParValFlt	XH134993	25 <dec> (Def)																				
93		FCV C3A_HPS8_HCS2 ChkId_62		Next Step: 94																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p>FCCT_FCV C3A_HPS8_HCS2</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCV C3A_HPS8_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_62</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCL45993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
94		RCS pipe3_HPS8_HCS3 ChkId_63		Next Step: 95																		
	ET= UT=	<p>FCCT_RCS pipe3_HPS8_HCS3</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>52 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RCS pipe3_HPS8_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_63</p>	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCL46993	
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
95		STR2_PRBF_HPS8_HCS4 ChkId_64		Next Step: 96																		
	ET= UT=	<p>FCCT_STR2_PRBF_HPS8_HCS4</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-23.5 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>30 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-23.5 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>11 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>30 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="padding-left: 100px;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	-23.5 <dec> (Def)	CCorrParValFlt	XH134993	30 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-23.5 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	30 <dec> (Def)	XCL47993	
CCorrParValFlt	XH134993	-23.5 <dec> (Def)																				
CCorrParValFlt	XH134993	30 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-23.5 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	30 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_STR2_PRBF_HPS8_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_64																				
96		RCS pipe5_HPS8_HCS5 ChkId_65		Next Step: 97																		
	ET= UT=	<p style="text-align: center;">FCCT_RCS pipe5_HPS8_HCS5</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">20 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>20 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>20 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>52 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_RCS pipe5_HPS8_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_65</p>	CCorrParValFlt	XH134993	20 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	20 <dec> (Def)	CCorrParValFlt	XH134993	20 <dec> (Def)	CCorrParValFlt	XH134993	52 <dec> (Def)	XCL48993	
CCorrParValFlt	XH134993	20 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	20 <dec> (Def)																				
CCorrParValFlt	XH134993	20 <dec> (Def)																				
CCorrParValFlt	XH134993	52 <dec> (Def)																				
97		FHLCU_HPS8_HCS6 ChkId_66		Next Step: 98																		
	ET= UT=	<p style="text-align: center;">FCCT_FHLCU_HPS8_HCS6</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CCorrParValFlt</td> <td style="width: 20%;">XH134993</td> <td style="width: 50%;">-20 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>42 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-20 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>42 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FHLCU_HPS8_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_66</p>	CCorrParValFlt	XH134993	-20 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-20 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	42 <dec> (Def)	XCL49993	
CCorrParValFlt	XH134993	-20 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-20 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	42 <dec> (Def)																				
98		Tank-Y_HPS9_HCS2 ChkId_68		Next Step: 99																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
	ET= UT=	<p style="text-align: center;">FCCT_Tank-Y_HPS9_HCS2</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>40 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>40 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_Tank-Y_HPS9_HCS2 CrCorrChkPar TC(8,4,116,17) Id=ChkId_68</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	XCL4A993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
99		FCV C4A_HPS9_HCS3 ChkId_69		Next Step: 100																		
	ET= UT=	<p style="text-align: center;">FCCT_FCV C4A_HPS9_HCS3</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>90 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_FCV C4A_HPS9_HCS3 CrCorrChkPar TC(8,4,116,17) Id=ChkId_69</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	90 <dec> (Def)	XCL4B993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	90 <dec> (Def)																				
100		FHLSU_HPS9_HCS4 ChkId_70		Next Step: 101																		
	ET= UT=	<p style="text-align: center;">FCCT_FHLSU_HPS9_HCS4</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-13 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>37 <dec> (Def)</td></tr> <tr><td>CCorrParValUInt</td><td>XH133993</td><td>64800 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>-13 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>8 <dec> (Def)</td></tr> <tr><td>CCorrParValFlt</td><td>XH134993</td><td>37 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p>	CCorrParValFlt	XH134993	-13 <dec> (Def)	CCorrParValFlt	XH134993	37 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-13 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	37 <dec> (Def)	XCL4C993	
CCorrParValFlt	XH134993	-13 <dec> (Def)																				
CCorrParValFlt	XH134993	37 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-13 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	37 <dec> (Def)																				

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch																		
		Det. descr. : FCCT_FHLSU_HPS9_HCS4 CrCorrChkPar TC(8,4,116,17) Id=ChkId_70																				
101		STR1_PRBF_HPS9_HCS5 ChkId_71		Next Step: 102																		
	ET= UT=	<p style="text-align: center;">FCCT_STR1_PRBF_HPS9_HCS5</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-23.5 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>30 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>-23.5 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>11 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>30 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_STR1_PRBF_HPS9_HCS5 CrCorrChkPar TC(8,4,116,17) Id=ChkId_71</p>	CCorrParValFlt	XH134993	-23.5 <dec> (Def)	CCorrParValFlt	XH134993	30 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	-23.5 <dec> (Def)	CCorrParValFlt	XH134993	11 <dec> (Def)	CCorrParValFlt	XH134993	30 <dec> (Def)	XCL4D993	
CCorrParValFlt	XH134993	-23.5 <dec> (Def)																				
CCorrParValFlt	XH134993	30 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	-23.5 <dec> (Def)																				
CCorrParValFlt	XH134993	11 <dec> (Def)																				
CCorrParValFlt	XH134993	30 <dec> (Def)																				
102		Tank+Y_HPS9_HCS6 ChkId_72		Next Step: 103																		
	ET= UT=	<p style="text-align: center;">FCCT_Tank+Y_HPS9_HCS6</p> <p>Command Parameter(s) :</p> <table border="0"> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>40 <dec> (Def)</td> </tr> <tr> <td>CCorrParValUInt</td> <td>XH133993</td> <td>64800 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>8 <dec> (Def)</td> </tr> <tr> <td>CCorrParValFlt</td> <td>XH134993</td> <td>40 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10</p> <p>Det. descr. : FCCT_Tank+Y_HPS9_HCS6 CrCorrChkPar TC(8,4,116,17) Id=ChkId_72</p>	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	CCorrParValUInt	XH133993	64800 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	8 <dec> (Def)	CCorrParValFlt	XH134993	40 <dec> (Def)	XCL4E993	
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
CCorrParValUInt	XH133993	64800 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	8 <dec> (Def)																				
CCorrParValFlt	XH134993	40 <dec> (Def)																				
103		Ins_TM_Monitoring ChkId_73		Next Step: END																		

Default FCCT uplink (editable)
 File: H_FCP_DHS_DEFFC.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch
	ET= UT=	<p style="text-align: center;">FCCT_Ins_TM_Monitoring</p> <p><i>Command Parameter(s) :</i> CCorrParValUInt XH133993</p> <p><i>TC Control Flags :</i> GBM IL DSE --Y -- ---</p> <p><i>Subsch. ID : 10</i> <i>Det. descr. : FCCT_Ins_TM_Monitoring CrCorrChkPar</i> <i>TC(8,4,116,17) Id=ChkId_73</i></p>	<p>XCL0L993</p> <p>30 <dec> (Def)</p>	
End of Procedure				