

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Procedure Summary

Objectives

This procedure is simply a container for the editable version of the uplink default MOT commands. It shall be used if some MOT parameter has to be edited, and becomes the running config control file for MOT.

Summary of Constraints

The MOT entry may have to be disabled to avoid immediate reaction. Up to the SOE to decide.

Spacecraft Configuration

Start of Procedure

Any

End of Procedure

Certain MOT parameters possibly modified

Reference File(s)

Input Command Sequences

Output Command Sequences

HFDDEFMO

Referenced Displays

ANDs GRDs SLDs


Configuration Control Information

DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
24/02/09		1	Created	S. Manganelli	
24/02/09		2		S. Manganelli	
25/02/09	2.1	3	Forced manual dispatch	S. Manganelli	
24/03/09	2.2	4	regenerated for OBSW 3_8_2	S. Manganelli	
05/05/09	2.4	5	OBSW 3_10	S. Manganelli	

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Procedure Flowchart Overview



Default MOT uplink (editable) File: H_FCP_DHS_DEFMO.xls Author: S. Manganelli	
---	--

Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
Beginning of Procedure					
TC Seq. Name :HFDDEFMO (Editable MOT uplink) HFDDEFMO TimeTag Type: N Sub Schedule ID: □					
1		Define Mon ID 0		Next Step: 2	
	ET= UT=	LoadMotEntryMonId_0 Command Parameter(s) : ParamMonStatus XH044993 1 <dec> MonitInterval XH045993 14400 <dec> (Def) RepNumber XH046993 5 <dec> (Def) CheckValue XH047993 3480 <dec> (Def) CheckMask XH048993 65535 <dec> (Def) CheckTypeId XH049993 2 <dec> Event1Id XH050993 34952 <dec> (Def) Event2Id XH051993 51336 <dec> (Def) TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : Load MOT entry MonId0 to the Default MOT	XCK0R993	TC	
	ET= UT=	LinkUnitMon_0 TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId0	ZCK8R999	TC	
2		Define Mon ID 9		Next Step: 3	
	ET= UT=	LoadMotEntryMonId_9 Command Parameter(s) : ParamMonStatus XH044993 0 <dec> MonitInterval XH045993 8 <dec> (Def) RepNumber XH046993 3 <dec> (Def) CheckValue XH047993 8 <dec> (Def) CheckMask XH048993 8 <dec> (Def) CheckTypeId XH049993 8 <dec> Event1Id XH050993 37376 <dec> (Def) Event2Id XH051993 53760 <dec> (Def) TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : Load MOT entry MonId9 to the Default MOT	XCK0R993	TC	

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																
	ET= UT=	<p style="text-align: right;">LinkUnitMon_9</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId9</p>	ZCK88999	TC																																	
3		Define Mon ID 10		Next Step: 4																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_10</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border: none;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 20%;">0 <dec></td><td style="width: 30%;"></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>8 <dec> (Def)</td><td></td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td><td></td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>128 <dec> (Def)</td><td></td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>128 <dec> (Def)</td><td></td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>8 <dec></td><td></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>37378 <dec> (Def)</td><td></td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>53762 <dec> (Def)</td><td></td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId10 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>		MonitInterval	XH045993	8 <dec> (Def)		RepNumber	XH046993	3 <dec> (Def)		CheckValue	XH047993	128 <dec> (Def)		CheckMask	XH048993	128 <dec> (Def)		CheckTypeId	XH049993	8 <dec>		Event1Id	XH050993	37378 <dec> (Def)		Event2Id	XH051993	53762 <dec> (Def)		XCK0A993	TC	
ParamMonStatus	XH044993	0 <dec>																																			
MonitInterval	XH045993	8 <dec> (Def)																																			
RepNumber	XH046993	3 <dec> (Def)																																			
CheckValue	XH047993	128 <dec> (Def)																																			
CheckMask	XH048993	128 <dec> (Def)																																			
CheckTypeId	XH049993	8 <dec>																																			
Event1Id	XH050993	37378 <dec> (Def)																																			
Event2Id	XH051993	53762 <dec> (Def)																																			
	ET= UT=	<p style="text-align: right;">LinkUnitMon_10</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId10</p>	ZCK8A999	TC																																	
4		Define Mon ID 11		Next Step: 5																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_11</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border: none;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 20%;">0 <dec></td><td style="width: 30%;"></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>8 <dec> (Def)</td><td></td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td><td></td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>2048 <dec> (Def)</td><td></td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>2048 <dec> (Def)</td><td></td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>8 <dec></td><td></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>37380 <dec> (Def)</td><td></td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>53764 <dec> (Def)</td><td></td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId11 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>		MonitInterval	XH045993	8 <dec> (Def)		RepNumber	XH046993	3 <dec> (Def)		CheckValue	XH047993	2048 <dec> (Def)		CheckMask	XH048993	2048 <dec> (Def)		CheckTypeId	XH049993	8 <dec>		Event1Id	XH050993	37380 <dec> (Def)		Event2Id	XH051993	53764 <dec> (Def)		XCK0C993	TC	
ParamMonStatus	XH044993	0 <dec>																																			
MonitInterval	XH045993	8 <dec> (Def)																																			
RepNumber	XH046993	3 <dec> (Def)																																			
CheckValue	XH047993	2048 <dec> (Def)																																			
CheckMask	XH048993	2048 <dec> (Def)																																			
CheckTypeId	XH049993	8 <dec>																																			
Event1Id	XH050993	37380 <dec> (Def)																																			
Event2Id	XH051993	53764 <dec> (Def)																																			

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																
	ET= UT=	<p style="text-align: right;">LinkUnitMon_11</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId11</p>	ZCK8C999	TC																																	
5		Define Mon ID 12		Next Step: 6																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_12</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">0 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>8 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>3 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>32768 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>32768 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>8 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>37382 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>53766 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId12 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>		MonitInterval	XH045993	8 <dec> (Def)		RepNumber	XH046993	3 <dec> (Def)		CheckValue	XH047993	32768 <dec> (Def)		CheckMask	XH048993	32768 <dec> (Def)		CheckTypeId	XH049993	8 <dec>		Event1Id	XH050993	37382 <dec> (Def)		Event2Id	XH051993	53766 <dec> (Def)		XCK0E993	TC	
ParamMonStatus	XH044993	0 <dec>																																			
MonitInterval	XH045993	8 <dec> (Def)																																			
RepNumber	XH046993	3 <dec> (Def)																																			
CheckValue	XH047993	32768 <dec> (Def)																																			
CheckMask	XH048993	32768 <dec> (Def)																																			
CheckTypeId	XH049993	8 <dec>																																			
Event1Id	XH050993	37382 <dec> (Def)																																			
Event2Id	XH051993	53766 <dec> (Def)																																			
	ET= UT=	<p style="text-align: right;">LinkUnitMon_12</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId12</p>	ZCK8E999	TC																																	
6		Define Mon ID 13		Next Step: 7																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_13</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">0 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>8 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>3 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>4 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>8 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>37377 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>53761 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId13 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>		MonitInterval	XH045993	8 <dec> (Def)		RepNumber	XH046993	3 <dec> (Def)		CheckValue	XH047993	4 <dec> (Def)		CheckMask	XH048993	4 <dec> (Def)		CheckTypeId	XH049993	8 <dec>		Event1Id	XH050993	37377 <dec> (Def)		Event2Id	XH051993	53761 <dec> (Def)		XCK09993	TC	
ParamMonStatus	XH044993	0 <dec>																																			
MonitInterval	XH045993	8 <dec> (Def)																																			
RepNumber	XH046993	3 <dec> (Def)																																			
CheckValue	XH047993	4 <dec> (Def)																																			
CheckMask	XH048993	4 <dec> (Def)																																			
CheckTypeId	XH049993	8 <dec>																																			
Event1Id	XH050993	37377 <dec> (Def)																																			
Event2Id	XH051993	53761 <dec> (Def)																																			

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																
	ET= UT=	<p style="text-align: right;">LinkUnitMon_13</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId13</p>	ZCK89999	TC																																	
7		Define Mon ID 14		Next Step: 8																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_14</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">0 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>8 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>3 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>64 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>64 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>8 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>37379 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>53763 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId14 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>		MonitInterval	XH045993	8 <dec> (Def)		RepNumber	XH046993	3 <dec> (Def)		CheckValue	XH047993	64 <dec> (Def)		CheckMask	XH048993	64 <dec> (Def)		CheckTypeId	XH049993	8 <dec>		Event1Id	XH050993	37379 <dec> (Def)		Event2Id	XH051993	53763 <dec> (Def)		XCK0B993	TC	
ParamMonStatus	XH044993	0 <dec>																																			
MonitInterval	XH045993	8 <dec> (Def)																																			
RepNumber	XH046993	3 <dec> (Def)																																			
CheckValue	XH047993	64 <dec> (Def)																																			
CheckMask	XH048993	64 <dec> (Def)																																			
CheckTypeId	XH049993	8 <dec>																																			
Event1Id	XH050993	37379 <dec> (Def)																																			
Event2Id	XH051993	53763 <dec> (Def)																																			
	ET= UT=	<p style="text-align: right;">LinkUnitMon_14</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId14</p>	ZCK8B999	TC																																	
8		Define Mon ID 15		Next Step: 9																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_15</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">0 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>8 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>3 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>1024 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>1024 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>8 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>37381 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>53765 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId15 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>		MonitInterval	XH045993	8 <dec> (Def)		RepNumber	XH046993	3 <dec> (Def)		CheckValue	XH047993	1024 <dec> (Def)		CheckMask	XH048993	1024 <dec> (Def)		CheckTypeId	XH049993	8 <dec>		Event1Id	XH050993	37381 <dec> (Def)		Event2Id	XH051993	53765 <dec> (Def)		XCK0D993	TC	
ParamMonStatus	XH044993	0 <dec>																																			
MonitInterval	XH045993	8 <dec> (Def)																																			
RepNumber	XH046993	3 <dec> (Def)																																			
CheckValue	XH047993	1024 <dec> (Def)																																			
CheckMask	XH048993	1024 <dec> (Def)																																			
CheckTypeId	XH049993	8 <dec>																																			
Event1Id	XH050993	37381 <dec> (Def)																																			
Event2Id	XH051993	53765 <dec> (Def)																																			

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																
	ET= UT=	<p style="text-align: right;">LinkUnitMon_15</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId15</p>	ZCK8D999	TC																																	
9		Define Mon ID 16		Next Step: 10																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_16</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">0 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>8 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>3 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>16384 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>16384 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>8 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>37383 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>53767 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId16 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>		MonitInterval	XH045993	8 <dec> (Def)		RepNumber	XH046993	3 <dec> (Def)		CheckValue	XH047993	16384 <dec> (Def)		CheckMask	XH048993	16384 <dec> (Def)		CheckTypeId	XH049993	8 <dec>		Event1Id	XH050993	37383 <dec> (Def)		Event2Id	XH051993	53767 <dec> (Def)		XCK0F993	TC	
ParamMonStatus	XH044993	0 <dec>																																			
MonitInterval	XH045993	8 <dec> (Def)																																			
RepNumber	XH046993	3 <dec> (Def)																																			
CheckValue	XH047993	16384 <dec> (Def)																																			
CheckMask	XH048993	16384 <dec> (Def)																																			
CheckTypeId	XH049993	8 <dec>																																			
Event1Id	XH050993	37383 <dec> (Def)																																			
Event2Id	XH051993	53767 <dec> (Def)																																			
	ET= UT=	<p style="text-align: right;">LinkUnitMon_16</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId16</p>	ZCK8F999	TC																																	
10		Define Mon ID 17		Next Step: 11																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_17</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">0 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>8 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>3 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>64 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>64 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>1 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>37402 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>53786 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId17 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>		MonitInterval	XH045993	8 <dec> (Def)		RepNumber	XH046993	3 <dec> (Def)		CheckValue	XH047993	64 <dec> (Def)		CheckMask	XH048993	64 <dec> (Def)		CheckTypeId	XH049993	1 <dec>		Event1Id	XH050993	37402 <dec> (Def)		Event2Id	XH051993	53786 <dec> (Def)		XCK06993	TC	
ParamMonStatus	XH044993	0 <dec>																																			
MonitInterval	XH045993	8 <dec> (Def)																																			
RepNumber	XH046993	3 <dec> (Def)																																			
CheckValue	XH047993	64 <dec> (Def)																																			
CheckMask	XH048993	64 <dec> (Def)																																			
CheckTypeId	XH049993	1 <dec>																																			
Event1Id	XH050993	37402 <dec> (Def)																																			
Event2Id	XH051993	53786 <dec> (Def)																																			

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																
	ET= UT=	<p style="text-align: right;">LinkUnitMon_17</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId17</p>	ZCK86999	TC																																	
11		Define Mon ID 18		Next Step: 12																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_18</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">0 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>8 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>3 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>128 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>128 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>1 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>37403 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>53787 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId18 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>		MonitInterval	XH045993	8 <dec> (Def)		RepNumber	XH046993	3 <dec> (Def)		CheckValue	XH047993	128 <dec> (Def)		CheckMask	XH048993	128 <dec> (Def)		CheckTypeId	XH049993	1 <dec>		Event1Id	XH050993	37403 <dec> (Def)		Event2Id	XH051993	53787 <dec> (Def)		XCK07993	TC	
ParamMonStatus	XH044993	0 <dec>																																			
MonitInterval	XH045993	8 <dec> (Def)																																			
RepNumber	XH046993	3 <dec> (Def)																																			
CheckValue	XH047993	128 <dec> (Def)																																			
CheckMask	XH048993	128 <dec> (Def)																																			
CheckTypeId	XH049993	1 <dec>																																			
Event1Id	XH050993	37403 <dec> (Def)																																			
Event2Id	XH051993	53787 <dec> (Def)																																			
	ET= UT=	<p style="text-align: right;">LinkUnitMon_18</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId18</p>	ZCK87999	TC																																	
12		Define Mon ID 21		Next Step: 13																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_21</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">1 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>1440 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>0 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>62 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>8 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>32787 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>49171 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId21 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>		MonitInterval	XH045993	1440 <dec> (Def)		RepNumber	XH046993	2 <dec> (Def)		CheckValue	XH047993	0 <dec> (Def)		CheckMask	XH048993	62 <dec> (Def)		CheckTypeId	XH049993	8 <dec>		Event1Id	XH050993	32787 <dec> (Def)		Event2Id	XH051993	49171 <dec> (Def)		XCK60993	TC	
ParamMonStatus	XH044993	1 <dec>																																			
MonitInterval	XH045993	1440 <dec> (Def)																																			
RepNumber	XH046993	2 <dec> (Def)																																			
CheckValue	XH047993	0 <dec> (Def)																																			
CheckMask	XH048993	62 <dec> (Def)																																			
CheckTypeId	XH049993	8 <dec>																																			
Event1Id	XH050993	32787 <dec> (Def)																																			
Event2Id	XH051993	49171 <dec> (Def)																																			

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: right;">LinkUnitMon_21</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId21</p>	ZCKD0999	TC																									
13		Define Mon ID 27		Next Step: 14																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_27</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border: none;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">1 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>1440 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>2 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>0 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>7680 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>8 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>32803 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>49187 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId27 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	1440 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	0 <dec> (Def)	CheckMask	XH048993	7680 <dec> (Def)	CheckTypeId	XH049993	8 <dec>	Event1Id	XH050993	32803 <dec> (Def)	Event2Id	XH051993	49187 <dec> (Def)	XCK61993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	1440 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	0 <dec> (Def)																											
CheckMask	XH048993	7680 <dec> (Def)																											
CheckTypeId	XH049993	8 <dec>																											
Event1Id	XH050993	32803 <dec> (Def)																											
Event2Id	XH051993	49187 <dec> (Def)																											
	ET= UT=	<p style="text-align: right;">LinkUnitMon_27</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId27</p>	ZCKD1999	TC																									
14		Define Mon ID 33		Next Step: 15																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_33</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border: none;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">1 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>1440 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>2 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>0 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>63 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>8 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>32819 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>49203 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId33 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	1440 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	0 <dec> (Def)	CheckMask	XH048993	63 <dec> (Def)	CheckTypeId	XH049993	8 <dec>	Event1Id	XH050993	32819 <dec> (Def)	Event2Id	XH051993	49203 <dec> (Def)	XCK62993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	1440 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	0 <dec> (Def)																											
CheckMask	XH048993	63 <dec> (Def)																											
CheckTypeId	XH049993	8 <dec>																											
Event1Id	XH050993	32819 <dec> (Def)																											
Event2Id	XH051993	49203 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: right;">LinkUnitMon_33</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId33</p>	ZCKD2999	TC																									
15		Define Mon ID 39		Next Step: 16																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_39</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 50%;">1 <dec></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>1440 <dec> (Def)</td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>0 <dec> (Def)</td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>15872 <dec> (Def)</td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>8 <dec></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>32835 <dec> (Def)</td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>49219 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId39 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	1440 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	0 <dec> (Def)	CheckMask	XH048993	15872 <dec> (Def)	CheckTypeId	XH049993	8 <dec>	Event1Id	XH050993	32835 <dec> (Def)	Event2Id	XH051993	49219 <dec> (Def)	XCK63993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	1440 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	0 <dec> (Def)																											
CheckMask	XH048993	15872 <dec> (Def)																											
CheckTypeId	XH049993	8 <dec>																											
Event1Id	XH050993	32835 <dec> (Def)																											
Event2Id	XH051993	49219 <dec> (Def)																											
	ET= UT=	<p style="text-align: right;">LinkUnitMon_39</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId39</p>	ZCKD3999	TC																									
16		Define Mon ID 45		Next Step: 17																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_45</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 50%;">1 <dec></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>1440 <dec> (Def)</td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>0 <dec> (Def)</td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>63 <dec> (Def)</td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>8 <dec></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>32851 <dec> (Def)</td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>49235 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId45 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	1440 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	0 <dec> (Def)	CheckMask	XH048993	63 <dec> (Def)	CheckTypeId	XH049993	8 <dec>	Event1Id	XH050993	32851 <dec> (Def)	Event2Id	XH051993	49235 <dec> (Def)	XCK64993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	1440 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	0 <dec> (Def)																											
CheckMask	XH048993	63 <dec> (Def)																											
CheckTypeId	XH049993	8 <dec>																											
Event1Id	XH050993	32851 <dec> (Def)																											
Event2Id	XH051993	49235 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: right;">LinkUnitMon_45</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId45</p>	ZCKD4999	TC																									
17		Define Mon ID 51		Next Step: 18																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_51</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border: none;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">1 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>1440 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>2 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>0 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>15872 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>8 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>32867 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>49251 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId51 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	1440 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	0 <dec> (Def)	CheckMask	XH048993	15872 <dec> (Def)	CheckTypeId	XH049993	8 <dec>	Event1Id	XH050993	32867 <dec> (Def)	Event2Id	XH051993	49251 <dec> (Def)	XCK65993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	1440 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	0 <dec> (Def)																											
CheckMask	XH048993	15872 <dec> (Def)																											
CheckTypeId	XH049993	8 <dec>																											
Event1Id	XH050993	32867 <dec> (Def)																											
Event2Id	XH051993	49251 <dec> (Def)																											
	ET= UT=	<p style="text-align: right;">LinkUnitMon_51</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId51</p>	ZCKD5999	TC																									
18		Define Mon ID 57		Next Step: 19																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_57</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border: none;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">1 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>1440 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>2 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>0 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>63 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>8 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>32883 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>49267 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId57 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	1440 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	0 <dec> (Def)	CheckMask	XH048993	63 <dec> (Def)	CheckTypeId	XH049993	8 <dec>	Event1Id	XH050993	32883 <dec> (Def)	Event2Id	XH051993	49267 <dec> (Def)	XCK66993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	1440 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	0 <dec> (Def)																											
CheckMask	XH048993	63 <dec> (Def)																											
CheckTypeId	XH049993	8 <dec>																											
Event1Id	XH050993	32883 <dec> (Def)																											
Event2Id	XH051993	49267 <dec> (Def)																											

Default MOT uplink (editable) File: H_FCP_DHS_DEFMO.xls Author: S. Manganelli	
---	--

Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	LinkUnitMon_57	ZCKD6999	TC	
		TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId57			
19		Define Mon ID 63		Next Step: 20	
	ET= UT=	LoadMotEntryMonId_63	XCK67993	TC	
		Command Parameter(s) : ParamMonStatus XH044993 MonitInterval XH045993 RepNumber XH046993 CheckValue XH047993 CheckMask XH048993 CheckTypeId XH049993 Event1Id XH050993 Event2Id XH051993 TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : Load MOT entry MonId63 to the Default MOT	1 <dec> 1440 <dec> (Def) 2 <dec> (Def) 0 <dec> (Def) 16128 <dec> (Def) 8 <dec> 32899 <dec> (Def) 49283 <dec> (Def)		
	ET= UT=	LinkUnitMon_63	ZCKD7999	TC	
		TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId63			
20		Define Mon ID 69		Next Step: 21	
	ET= UT=	LoadMotEntryMonId_69	XCK68993	TC	
		Command Parameter(s) : ParamMonStatus XH044993 MonitInterval XH045993 RepNumber XH046993 CheckValue XH047993 CheckMask XH048993 CheckTypeId XH049993 Event1Id XH050993 Event2Id XH051993 TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : Load MOT entry MonId69 to the Default MOT	1 <dec> 1440 <dec> (Def) 2 <dec> (Def) 0 <dec> (Def) 62 <dec> (Def) 8 <dec> 32915 <dec> (Def) 49299 <dec> (Def)		

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: right;">LinkUnitMon_69</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId69</p>	ZCKD8999	TC																									
21		Define Mon ID 73		Next Step: 22																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_73</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border: none;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>240 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>2 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>1 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>4 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>38144 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>54528 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId73 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	240 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	1 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	38144 <dec> (Def)	Event2Id	XH051993	54528 <dec> (Def)	XCK69993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	240 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	1 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	38144 <dec> (Def)																											
Event2Id	XH051993	54528 <dec> (Def)																											
	ET= UT=	<p style="text-align: right;">LinkUnitMon_73</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId73</p>	ZCKD9999	TC																									
22		Define Mon ID 74		Next Step: 23																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_74</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border: none;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">1 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>1 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>256 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>256 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>1 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>37888 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>54272 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId74 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	1 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	256 <dec> (Def)	CheckMask	XH048993	256 <dec> (Def)	CheckTypeId	XH049993	1 <dec>	Event1Id	XH050993	37888 <dec> (Def)	Event2Id	XH051993	54272 <dec> (Def)	XCK00993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	1 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	256 <dec> (Def)																											
CheckMask	XH048993	256 <dec> (Def)																											
CheckTypeId	XH049993	1 <dec>																											
Event1Id	XH050993	37888 <dec> (Def)																											
Event2Id	XH051993	54272 <dec> (Def)																											

Default MOT uplink (editable) File: H_FCP_DHS_DEFMO.xls Author: S. Manganelli	
---	--

Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	LinkUnitMon_74	ZCK80999	TC	
		TC Control Flags : <div style="text-align: right;">GBM IL DSE --Y -- ---</div> Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId74			
23		Define Mon ID 75		Next Step: 24	
	ET= UT=	LoadMotEntryMonId_75	XCK01993	TC	
		Command Parameter(s) : ParamMonStatus XH044993 1 <dec> MonitInterval XH045993 1 <dec> (Def) RepNumber XH046993 3 <dec> (Def) CheckValue XH047993 256 <dec> (Def) CheckMask XH048993 256 <dec> (Def) CheckTypeId XH049993 1 <dec> Event1Id XH050993 37889 <dec> (Def) Event2Id XH051993 54273 <dec> (Def)			
		TC Control Flags : <div style="text-align: right;">GBM IL DSE --Y -- ---</div> Subsch. ID : 10 Det. descr. : Load MOT entry MonId75 to the Default MOT			
	ET= UT=	LinkUnitMon_75	ZCK81999	TC	
		TC Control Flags : <div style="text-align: right;">GBM IL DSE --Y -- ---</div> Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId75			
24		Define Mon ID 76		Next Step: 25	
	ET= UT=	LoadMotEntryMonId_76	XCK02993	TC	
		Command Parameter(s) : ParamMonStatus XH044993 0 <dec> MonitInterval XH045993 480 <dec> (Def) RepNumber XH046993 5 <dec> (Def) CheckValue XH047993 47376 <dec> (Def) CheckMask XH048993 65520 <dec> (Def) CheckTypeId XH049993 16 <dec> Event1Id XH050993 37400 <dec> (Def) Event2Id XH051993 53784 <dec> (Def)			
		TC Control Flags : <div style="text-align: right;">GBM IL DSE --Y -- ---</div> Subsch. ID : 10 Det. descr. : Load MOT entry MonId76 to the Default MOT			

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: right;">LinkUnitMon_76</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId76</p>	ZCK82999	TC																									
25		Define Mon ID 77		Next Step: 26																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_77</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>480 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>5 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>7808 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65520 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>4 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>37416 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>53800 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId77 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	480 <dec> (Def)	RepNumber	XH046993	5 <dec> (Def)	CheckValue	XH047993	7808 <dec> (Def)	CheckMask	XH048993	65520 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	37416 <dec> (Def)	Event2Id	XH051993	53800 <dec> (Def)	XCK04993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	480 <dec> (Def)																											
RepNumber	XH046993	5 <dec> (Def)																											
CheckValue	XH047993	7808 <dec> (Def)																											
CheckMask	XH048993	65520 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	37416 <dec> (Def)																											
Event2Id	XH051993	53800 <dec> (Def)																											
	ET= UT=	<p style="text-align: right;">LinkUnitMon_77</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId77</p>	ZCK84999	TC																									
26		Define Mon ID 78		Next Step: 27																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_78</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>1 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>24 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>2 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>4096 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65280 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>4 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>33025 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>36609 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId78 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	24 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	4096 <dec> (Def)	CheckMask	XH048993	65280 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	33025 <dec> (Def)	Event2Id	XH051993	36609 <dec> (Def)	XCK08993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	24 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	4096 <dec> (Def)																											
CheckMask	XH048993	65280 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	33025 <dec> (Def)																											
Event2Id	XH051993	36609 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: right;">LinkUnitMon_78</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId78</p>	ZCK8S999	TC																									
27		Define Mon ID 79		Next Step: 28																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_79</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">1 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>24 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>2 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>4096 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65280 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>4 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>33026 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>36610 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId79 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	24 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	4096 <dec> (Def)	CheckMask	XH048993	65280 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	33026 <dec> (Def)	Event2Id	XH051993	36610 <dec> (Def)	XCK0T993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	24 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	4096 <dec> (Def)																											
CheckMask	XH048993	65280 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	33026 <dec> (Def)																											
Event2Id	XH051993	36610 <dec> (Def)																											
	ET= UT=	<p style="text-align: right;">LinkUnitMon_79</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId79</p>	ZCK8T999	TC																									
28		Define Mon ID 80		Next Step: 29																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_80</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">1 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>24 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>2 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>4096 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65280 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>4 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>33027 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>36611 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId80 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	24 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	4096 <dec> (Def)	CheckMask	XH048993	65280 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	33027 <dec> (Def)	Event2Id	XH051993	36611 <dec> (Def)	XCK0U993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	24 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	4096 <dec> (Def)																											
CheckMask	XH048993	65280 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	33027 <dec> (Def)																											
Event2Id	XH051993	36611 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: right;">LinkUnitMon_80</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId80</p>	ZCK8U999	TC																									
29		Define Mon ID 81		Next Step: 30																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_81</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 40%;">1 <dec></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33028 <dec> (Def)</td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36612 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId81 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	24 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	4096 <dec> (Def)	CheckMask	XH048993	65280 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	33028 <dec> (Def)	Event2Id	XH051993	36612 <dec> (Def)	XCK0V993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	24 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	4096 <dec> (Def)																											
CheckMask	XH048993	65280 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	33028 <dec> (Def)																											
Event2Id	XH051993	36612 <dec> (Def)																											
	ET= UT=	<p style="text-align: right;">LinkUnitMon_81</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId81</p>	ZCK8V999	TC																									
30		Define Mon ID 82		Next Step: 31																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_82</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 40%;">1 <dec></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33029 <dec> (Def)</td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36613 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId82 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	24 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	4096 <dec> (Def)	CheckMask	XH048993	65280 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	33029 <dec> (Def)	Event2Id	XH051993	36613 <dec> (Def)	XCK0W993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	24 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	4096 <dec> (Def)																											
CheckMask	XH048993	65280 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	33029 <dec> (Def)																											
Event2Id	XH051993	36613 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: right;">LinkUnitMon_82</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId82</p>	ZCK8W999	TC																									
31		Define Mon ID 83		Next Step: 32																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_83</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 50%;">1 <dec></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33030 <dec> (Def)</td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36614 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId83 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	24 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	4096 <dec> (Def)	CheckMask	XH048993	65280 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	33030 <dec> (Def)	Event2Id	XH051993	36614 <dec> (Def)	XCK0X993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	24 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	4096 <dec> (Def)																											
CheckMask	XH048993	65280 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	33030 <dec> (Def)																											
Event2Id	XH051993	36614 <dec> (Def)																											
	ET= UT=	<p style="text-align: right;">LinkUnitMon_83</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId83</p>	ZCK8X999	TC																									
32		Define Mon ID 84		Next Step: 33																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_84</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 50%;">1 <dec></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33031 <dec> (Def)</td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36615 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId84 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	24 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	4096 <dec> (Def)	CheckMask	XH048993	65280 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	33031 <dec> (Def)	Event2Id	XH051993	36615 <dec> (Def)	XCK0Y993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	24 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	4096 <dec> (Def)																											
CheckMask	XH048993	65280 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	33031 <dec> (Def)																											
Event2Id	XH051993	36615 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																
	ET= UT=	<p style="text-align: right;">LinkUnitMon_84</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId84</p>	ZCK8Y999	TC																																	
33		Define Mon ID 85		Next Step: 34																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_85</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">1 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33032 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36616 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId85 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>		MonitInterval	XH045993	24 <dec> (Def)		RepNumber	XH046993	2 <dec> (Def)		CheckValue	XH047993	4096 <dec> (Def)		CheckMask	XH048993	65280 <dec> (Def)		CheckTypeId	XH049993	4 <dec>		Event1Id	XH050993	33032 <dec> (Def)		Event2Id	XH051993	36616 <dec> (Def)		XCK0Z993	TC	
ParamMonStatus	XH044993	1 <dec>																																			
MonitInterval	XH045993	24 <dec> (Def)																																			
RepNumber	XH046993	2 <dec> (Def)																																			
CheckValue	XH047993	4096 <dec> (Def)																																			
CheckMask	XH048993	65280 <dec> (Def)																																			
CheckTypeId	XH049993	4 <dec>																																			
Event1Id	XH050993	33032 <dec> (Def)																																			
Event2Id	XH051993	36616 <dec> (Def)																																			
	ET= UT=	<p style="text-align: right;">LinkUnitMon_85</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId85</p>	ZCK8Z999	TC																																	
34		Define Mon ID 86		Next Step: 35																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_86</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">1 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33033 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36617 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId86 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>		MonitInterval	XH045993	24 <dec> (Def)		RepNumber	XH046993	2 <dec> (Def)		CheckValue	XH047993	4096 <dec> (Def)		CheckMask	XH048993	65280 <dec> (Def)		CheckTypeId	XH049993	4 <dec>		Event1Id	XH050993	33033 <dec> (Def)		Event2Id	XH051993	36617 <dec> (Def)		XCK10993	TC	
ParamMonStatus	XH044993	1 <dec>																																			
MonitInterval	XH045993	24 <dec> (Def)																																			
RepNumber	XH046993	2 <dec> (Def)																																			
CheckValue	XH047993	4096 <dec> (Def)																																			
CheckMask	XH048993	65280 <dec> (Def)																																			
CheckTypeId	XH049993	4 <dec>																																			
Event1Id	XH050993	33033 <dec> (Def)																																			
Event2Id	XH051993	36617 <dec> (Def)																																			

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: right;">LinkUnitMon_86</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId86</p>	ZCK90999	TC																									
35		Define Mon ID 87		Next Step: 36																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_87</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 50%;">1 <dec></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33040 <dec> (Def)</td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36624 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId87 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	24 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	4096 <dec> (Def)	CheckMask	XH048993	65280 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	33040 <dec> (Def)	Event2Id	XH051993	36624 <dec> (Def)	XCK11993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	24 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	4096 <dec> (Def)																											
CheckMask	XH048993	65280 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	33040 <dec> (Def)																											
Event2Id	XH051993	36624 <dec> (Def)																											
	ET= UT=	<p style="text-align: right;">LinkUnitMon_87</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId87</p>	ZCK91999	TC																									
36		Define Mon ID 88		Next Step: 37																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_88</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 50%;">1 <dec></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33041 <dec> (Def)</td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36625 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId88 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	24 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	4096 <dec> (Def)	CheckMask	XH048993	65280 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	33041 <dec> (Def)	Event2Id	XH051993	36625 <dec> (Def)	XCK12993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	24 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	4096 <dec> (Def)																											
CheckMask	XH048993	65280 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	33041 <dec> (Def)																											
Event2Id	XH051993	36625 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																
	ET= UT=	<p style="text-align: right;">LinkUnitMon_88</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId88</p>	ZCK92999	TC																																	
37		Define Mon ID 89		Next Step: 38																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_89</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">1 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33042 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36626 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId89 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>		MonitInterval	XH045993	24 <dec> (Def)		RepNumber	XH046993	2 <dec> (Def)		CheckValue	XH047993	4096 <dec> (Def)		CheckMask	XH048993	65280 <dec> (Def)		CheckTypeId	XH049993	4 <dec>		Event1Id	XH050993	33042 <dec> (Def)		Event2Id	XH051993	36626 <dec> (Def)		XCK13993	TC	
ParamMonStatus	XH044993	1 <dec>																																			
MonitInterval	XH045993	24 <dec> (Def)																																			
RepNumber	XH046993	2 <dec> (Def)																																			
CheckValue	XH047993	4096 <dec> (Def)																																			
CheckMask	XH048993	65280 <dec> (Def)																																			
CheckTypeId	XH049993	4 <dec>																																			
Event1Id	XH050993	33042 <dec> (Def)																																			
Event2Id	XH051993	36626 <dec> (Def)																																			
	ET= UT=	<p style="text-align: right;">LinkUnitMon_89</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId89</p>	ZCK93999	TC																																	
38		Define Mon ID 90		Next Step: 39																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_90</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">1 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33043 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36627 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId90 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>		MonitInterval	XH045993	24 <dec> (Def)		RepNumber	XH046993	2 <dec> (Def)		CheckValue	XH047993	4096 <dec> (Def)		CheckMask	XH048993	65280 <dec> (Def)		CheckTypeId	XH049993	4 <dec>		Event1Id	XH050993	33043 <dec> (Def)		Event2Id	XH051993	36627 <dec> (Def)		XCK14993	TC	
ParamMonStatus	XH044993	1 <dec>																																			
MonitInterval	XH045993	24 <dec> (Def)																																			
RepNumber	XH046993	2 <dec> (Def)																																			
CheckValue	XH047993	4096 <dec> (Def)																																			
CheckMask	XH048993	65280 <dec> (Def)																																			
CheckTypeId	XH049993	4 <dec>																																			
Event1Id	XH050993	33043 <dec> (Def)																																			
Event2Id	XH051993	36627 <dec> (Def)																																			

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																
	ET= UT=	<p style="text-align: right;">LinkUnitMon_90</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId90</p>	ZCK94999	TC																																	
39		Define Mon ID 91		Next Step: 40																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_91</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">1 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33044 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36628 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId91 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>		MonitInterval	XH045993	24 <dec> (Def)		RepNumber	XH046993	2 <dec> (Def)		CheckValue	XH047993	4096 <dec> (Def)		CheckMask	XH048993	65280 <dec> (Def)		CheckTypeId	XH049993	4 <dec>		Event1Id	XH050993	33044 <dec> (Def)		Event2Id	XH051993	36628 <dec> (Def)		XCK15993	TC	
ParamMonStatus	XH044993	1 <dec>																																			
MonitInterval	XH045993	24 <dec> (Def)																																			
RepNumber	XH046993	2 <dec> (Def)																																			
CheckValue	XH047993	4096 <dec> (Def)																																			
CheckMask	XH048993	65280 <dec> (Def)																																			
CheckTypeId	XH049993	4 <dec>																																			
Event1Id	XH050993	33044 <dec> (Def)																																			
Event2Id	XH051993	36628 <dec> (Def)																																			
	ET= UT=	<p style="text-align: right;">LinkUnitMon_91</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId91</p>	ZCK95999	TC																																	
40		Define Mon ID 92		Next Step: 41																																	
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_92</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 20%;">1 <dec></td> <td style="width: 30%;"></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> <td></td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> <td></td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> <td></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33045 <dec> (Def)</td> <td></td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36629 <dec> (Def)</td> <td></td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId92 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>		MonitInterval	XH045993	24 <dec> (Def)		RepNumber	XH046993	2 <dec> (Def)		CheckValue	XH047993	4096 <dec> (Def)		CheckMask	XH048993	65280 <dec> (Def)		CheckTypeId	XH049993	4 <dec>		Event1Id	XH050993	33045 <dec> (Def)		Event2Id	XH051993	36629 <dec> (Def)		XCK16993	TC	
ParamMonStatus	XH044993	1 <dec>																																			
MonitInterval	XH045993	24 <dec> (Def)																																			
RepNumber	XH046993	2 <dec> (Def)																																			
CheckValue	XH047993	4096 <dec> (Def)																																			
CheckMask	XH048993	65280 <dec> (Def)																																			
CheckTypeId	XH049993	4 <dec>																																			
Event1Id	XH050993	33045 <dec> (Def)																																			
Event2Id	XH051993	36629 <dec> (Def)																																			

Default MOT uplink (editable) File: H_FCP_DHS_DEFMO.xls Author: S. Manganelli	
---	--

Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	LinkUnitMon_92	ZCK96999	TC	
		TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId92			
41		Define Mon ID 93		Next Step: 42	
	ET= UT=	LoadMotEntryMonId_93	XCK17993	TC	
		Command Parameter(s) : ParamMonStatus XH044993 1 <dec> MonitInterval XH045993 24 <dec> (Def) RepNumber XH046993 2 <dec> (Def) CheckValue XH047993 4096 <dec> (Def) CheckMask XH048993 65280 <dec> (Def) CheckTypeId XH049993 4 <dec> Event1Id XH050993 33046 <dec> (Def) Event2Id XH051993 36630 <dec> (Def)			
		TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : Load MOT entry MonId93 to the Default MOT			
	ET= UT=	LinkUnitMon_93	ZCK97999	TC	
		TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId93			
42		Define Mon ID 94		Next Step: 43	
	ET= UT=	LoadMotEntryMonId_94	XCK18993	TC	
		Command Parameter(s) : ParamMonStatus XH044993 1 <dec> MonitInterval XH045993 24 <dec> (Def) RepNumber XH046993 2 <dec> (Def) CheckValue XH047993 4096 <dec> (Def) CheckMask XH048993 65280 <dec> (Def) CheckTypeId XH049993 4 <dec> Event1Id XH050993 33047 <dec> (Def) Event2Id XH051993 36631 <dec> (Def)			
		TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : Load MOT entry MonId94 to the Default MOT			

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: right;">LinkUnitMon_94</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId94</p>	ZCK98999	TC																									
43		Define Mon ID 95		Next Step: 44																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_95</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 50%;">1 <dec></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>24 <dec> (Def)</td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>2 <dec> (Def)</td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>4096 <dec> (Def)</td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65280 <dec> (Def)</td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>4 <dec></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>33048 <dec> (Def)</td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>36632 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId95 to the Default MOT</p>	ParamMonStatus	XH044993	1 <dec>	MonitInterval	XH045993	24 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	4096 <dec> (Def)	CheckMask	XH048993	65280 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	33048 <dec> (Def)	Event2Id	XH051993	36632 <dec> (Def)	XCK19993	TC	
ParamMonStatus	XH044993	1 <dec>																											
MonitInterval	XH045993	24 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	4096 <dec> (Def)																											
CheckMask	XH048993	65280 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	33048 <dec> (Def)																											
Event2Id	XH051993	36632 <dec> (Def)																											
	ET= UT=	<p style="text-align: right;">LinkUnitMon_95</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId95</p>	ZCK99999	TC																									
44		Define Mon ID 96		Next Step: 45																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_96</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 50%;">0 <dec></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>480 <dec> (Def)</td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>5 <dec> (Def)</td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>47376 <dec> (Def)</td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65520 <dec> (Def)</td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>16 <dec></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>37401 <dec> (Def)</td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>53785 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId96 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	480 <dec> (Def)	RepNumber	XH046993	5 <dec> (Def)	CheckValue	XH047993	47376 <dec> (Def)	CheckMask	XH048993	65520 <dec> (Def)	CheckTypeId	XH049993	16 <dec>	Event1Id	XH050993	37401 <dec> (Def)	Event2Id	XH051993	53785 <dec> (Def)	XCK03993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	480 <dec> (Def)																											
RepNumber	XH046993	5 <dec> (Def)																											
CheckValue	XH047993	47376 <dec> (Def)																											
CheckMask	XH048993	65520 <dec> (Def)																											
CheckTypeId	XH049993	16 <dec>																											
Event1Id	XH050993	37401 <dec> (Def)																											
Event2Id	XH051993	53785 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: right;">LinkUnitMon_96</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId96</p>	ZCK83999	TC																									
45		Define Mon ID 97		Next Step: 46																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_97</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>480 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>5 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>7808 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65520 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>4 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>37417 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>53801 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId97 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	480 <dec> (Def)	RepNumber	XH046993	5 <dec> (Def)	CheckValue	XH047993	7808 <dec> (Def)	CheckMask	XH048993	65520 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	37417 <dec> (Def)	Event2Id	XH051993	53801 <dec> (Def)	XCK05993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	480 <dec> (Def)																											
RepNumber	XH046993	5 <dec> (Def)																											
CheckValue	XH047993	7808 <dec> (Def)																											
CheckMask	XH048993	65520 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	37417 <dec> (Def)																											
Event2Id	XH051993	53801 <dec> (Def)																											
	ET= UT=	<p style="text-align: right;">LinkUnitMon_97</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId97</p>	ZCK85999	TC																									
46		Define Mon ID 100		Next Step: 47																									
	ET= UT=	<p style="text-align: right;">LoadMotEntryMonId_100</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>240 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>2 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>1 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>4 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>38145 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>54529 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId100 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	240 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	1 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	38145 <dec> (Def)	Event2Id	XH051993	54529 <dec> (Def)	XCK6A993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	240 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	1 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	38145 <dec> (Def)																											
Event2Id	XH051993	54529 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: center;">LinkUnitMon_100</p> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId100</p>	ZCKDA999	TC																									
47		Define Mon ID 101		Next Step: 48																									
	ET= UT=	<p style="text-align: center;">LoadMotEntryMonId_101</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>240 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>2 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>1 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>4 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>38146 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>54530 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId101 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	240 <dec> (Def)	RepNumber	XH046993	2 <dec> (Def)	CheckValue	XH047993	1 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	4 <dec>	Event1Id	XH050993	38146 <dec> (Def)	Event2Id	XH051993	54530 <dec> (Def)	XCK6B993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	240 <dec> (Def)																											
RepNumber	XH046993	2 <dec> (Def)																											
CheckValue	XH047993	1 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	4 <dec>																											
Event1Id	XH050993	38146 <dec> (Def)																											
Event2Id	XH051993	54530 <dec> (Def)																											
	ET= UT=	<p style="text-align: center;">LinkUnitMon_101</p> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId101</p>	ZCKDB999	TC																									
48		Define Mon ID 200		Next Step: 49																									
	ET= UT=	<p style="text-align: center;">LoadMotEntryMonId_200</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>64 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>43084 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>2 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>40960 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>57344 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId200 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	43084 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40960 <dec> (Def)	Event2Id	XH051993	57344 <dec> (Def)	XCKY0993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	43084 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40960 <dec> (Def)																											
Event2Id	XH051993	57344 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p>LinkMotEntryMonId_200</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId200</p>	ZCKZ0999	TC																									
49		Define Mon ID 201		Next Step: 50																									
	ET= UT=	<p>LoadMotEntryMonId_201</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>64 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>43084 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>2 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>40961 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>57345 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Load MOT entry MonId201 to the Default MOT</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	43084 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40961 <dec> (Def)	Event2Id	XH051993	57345 <dec> (Def)	XCKY1993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	43084 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40961 <dec> (Def)																											
Event2Id	XH051993	57345 <dec> (Def)																											
	ET= UT=	<p>LinkMotEntryMonId_201</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : Link Unit to MOT entry MonId201</p>	ZCKZ1999	TC																									
50		Define Mon ID 216		Next Step: 51																									
	ET= UT=	<p>LoadMotEntryMonId_216</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>64 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>25731 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>2 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>40976 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>57360 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Load MOT entry MonId216 for M1_MEDIAN_TEMP</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	25731 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40976 <dec> (Def)	Event2Id	XH051993	57360 <dec> (Def)	XCKY8993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	25731 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40976 <dec> (Def)																											
Event2Id	XH051993	57360 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p>LinkMotEntryMonId_216</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Link Unit to MOT entry MonId216</p>	ZCKZ8999	TC																									
51		Define Mon ID 217		Next Step: 52																									
	ET= UT=	<p>LoadMotEntryMonId_217</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>64 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>25731 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>2 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>40977 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>57361 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Load MOT entry MonId217 for M1_MEDIAN_TEMP</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	25731 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40977 <dec> (Def)	Event2Id	XH051993	57361 <dec> (Def)	XCKY9993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	25731 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40977 <dec> (Def)																											
Event2Id	XH051993	57361 <dec> (Def)																											
	ET= UT=	<p>LinkMotEntryMonId_217</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Link Unit to MOT entry MonId217</p>	ZCKZ9999	TC																									
52		Define Mon ID 218		Next Step: 53																									
	ET= UT=	<p>LoadMotEntryMonId_218</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>64 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>25731 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>2 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>40978 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>57362 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Load MOT entry MonId218 for M1_MEDIAN_TEMP</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	25731 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40978 <dec> (Def)	Event2Id	XH051993	57362 <dec> (Def)	XCKYA993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	25731 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40978 <dec> (Def)																											
Event2Id	XH051993	57362 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: center;">LinkMotEntryMonId_218</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Link Unit to MOT entry MonId218</p>	ZCKZA999	TC																									
53		Define Mon ID 219		Next Step: 54																									
	ET= UT=	<p style="text-align: center;">LoadMotEntryMonId_219</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>64 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>25731 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>2 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>40979 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>57363 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Load MOT entry MonId219 for M1_MEDIAN_TEMP</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	25731 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40979 <dec> (Def)	Event2Id	XH051993	57363 <dec> (Def)	XCKYB993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	25731 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40979 <dec> (Def)																											
Event2Id	XH051993	57363 <dec> (Def)																											
	ET= UT=	<p style="text-align: center;">LinkMotEntryMonId_219</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Link Unit to MOT entry MonId219</p>	ZCKZB999	TC																									
54		Define Mon ID 220		Next Step: 55																									
	ET= UT=	<p style="text-align: center;">LoadMotEntryMonId_220</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 30%;">ParamMonStatus</td><td style="width: 20%;">XH044993</td><td style="width: 50%;">0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>64 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>25731 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>2 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>40980 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>57364 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Load MOT entry MonId220 for M1_MEDIAN_TEMP</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	25731 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40980 <dec> (Def)	Event2Id	XH051993	57364 <dec> (Def)	XCKYC993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	25731 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40980 <dec> (Def)																											
Event2Id	XH051993	57364 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: center;">LinkMotEntryMonId_220</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Link Unit to MOT entry MonId220</p>	ZCKZC999	TC																									
55		Define Mon ID 224		Next Step: 56																									
	ET= UT=	<p style="text-align: center;">LoadMotEntryMonId_224</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>64 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>25791 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>2 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>40984 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>57368 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Load MOT entry MonId224 for M2_MEDIAN_TEMP</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	25791 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40984 <dec> (Def)	Event2Id	XH051993	57368 <dec> (Def)	XCKYD993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	25791 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40984 <dec> (Def)																											
Event2Id	XH051993	57368 <dec> (Def)																											
	ET= UT=	<p style="text-align: center;">LinkMotEntryMonId_224</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Link Unit to MOT entry MonId224</p>	ZCKZD999	TC																									
56		Define Mon ID 225		Next Step: 57																									
	ET= UT=	<p style="text-align: center;">LoadMotEntryMonId_225</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>64 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>25791 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>2 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>40985 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>57369 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Load MOT entry MonId225 for M2_MEDIAN_TEMP</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	25791 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40985 <dec> (Def)	Event2Id	XH051993	57369 <dec> (Def)	XCKYE993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	25791 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40985 <dec> (Def)																											
Event2Id	XH051993	57369 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p>LinkMotEntryMonId_225</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Link Unit to MOT entry MonId225</p>	ZCKZE999	TC																									
57		Define Mon ID 226		Next Step: 58																									
	ET= UT=	<p>LoadMotEntryMonId_226</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>64 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>25791 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>2 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>40986 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>57370 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Load MOT entry MonId226 for M2_MEDIAN_TEMP</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	25791 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40986 <dec> (Def)	Event2Id	XH051993	57370 <dec> (Def)	XCKYF993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	25791 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40986 <dec> (Def)																											
Event2Id	XH051993	57370 <dec> (Def)																											
	ET= UT=	<p>LinkMotEntryMonId_226</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Link Unit to MOT entry MonId226</p>	ZCKZF999	TC																									
58		Define Mon ID 227		Next Step: 59																									
	ET= UT=	<p>LoadMotEntryMonId_227</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ParamMonStatus</td><td>XH044993</td><td>0 <dec></td></tr> <tr><td>MonitInterval</td><td>XH045993</td><td>64 <dec> (Def)</td></tr> <tr><td>RepNumber</td><td>XH046993</td><td>3 <dec> (Def)</td></tr> <tr><td>CheckValue</td><td>XH047993</td><td>25791 <dec> (Def)</td></tr> <tr><td>CheckMask</td><td>XH048993</td><td>65535 <dec> (Def)</td></tr> <tr><td>CheckTypeId</td><td>XH049993</td><td>2 <dec></td></tr> <tr><td>Event1Id</td><td>XH050993</td><td>40987 <dec> (Def)</td></tr> <tr><td>Event2Id</td><td>XH051993</td><td>57371 <dec> (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Load MOT entry MonId227 for M2_MEDIAN_TEMP</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	25791 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40987 <dec> (Def)	Event2Id	XH051993	57371 <dec> (Def)	XCKYG993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	25791 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40987 <dec> (Def)																											
Event2Id	XH051993	57371 <dec> (Def)																											

Default MOT uplink (editable)
 File: H_FCP_DHS_DEFMO.xls
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																								
	ET= UT=	<p style="text-align: center;">LinkMotEntryMonId_227</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Link Unit to MOT entry MonId227</p>	ZCKZG999	TC																									
59		Define Mon ID 228		Next Step: END																									
	ET= UT=	<p style="text-align: center;">LoadMotEntryMonId_228</p> <p>Command Parameter(s) :</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">ParamMonStatus</td> <td style="width: 20%;">XH044993</td> <td style="width: 50%;">0 <dec></td> </tr> <tr> <td>MonitInterval</td> <td>XH045993</td> <td>64 <dec> (Def)</td> </tr> <tr> <td>RepNumber</td> <td>XH046993</td> <td>3 <dec> (Def)</td> </tr> <tr> <td>CheckValue</td> <td>XH047993</td> <td>25791 <dec> (Def)</td> </tr> <tr> <td>CheckMask</td> <td>XH048993</td> <td>65535 <dec> (Def)</td> </tr> <tr> <td>CheckTypeId</td> <td>XH049993</td> <td>2 <dec></td> </tr> <tr> <td>Event1Id</td> <td>XH050993</td> <td>40988 <dec> (Def)</td> </tr> <tr> <td>Event2Id</td> <td>XH051993</td> <td>57372 <dec> (Def)</td> </tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Load MOT entry MonId228 for M2_MEDIAN_TEMP</p>	ParamMonStatus	XH044993	0 <dec>	MonitInterval	XH045993	64 <dec> (Def)	RepNumber	XH046993	3 <dec> (Def)	CheckValue	XH047993	25791 <dec> (Def)	CheckMask	XH048993	65535 <dec> (Def)	CheckTypeId	XH049993	2 <dec>	Event1Id	XH050993	40988 <dec> (Def)	Event2Id	XH051993	57372 <dec> (Def)	XCKYH993	TC	
ParamMonStatus	XH044993	0 <dec>																											
MonitInterval	XH045993	64 <dec> (Def)																											
RepNumber	XH046993	3 <dec> (Def)																											
CheckValue	XH047993	25791 <dec> (Def)																											
CheckMask	XH048993	65535 <dec> (Def)																											
CheckTypeId	XH049993	2 <dec>																											
Event1Id	XH050993	40988 <dec> (Def)																											
Event2Id	XH051993	57372 <dec> (Def)																											
	ET= UT=	<p style="text-align: center;">LinkMotEntryMonId_228</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 30 Det. descr. : Link Unit to MOT entry MonId228</p>	ZCKZH999	TC																									
End of Sequence																													
End of Procedure																													