

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



## Procedure Summary

### Objectives

This procedure is simply a container for the editable version of the uplink default TCT commands. It shall be used if some TCT parameter has to be edited, and becomes the running config control file for TCT.  
 There are two TCs for each step: they relate to the same unit, one with 16 bit TC and one with 32 bit TC.

### Summary of Constraints

The effects of the TCT modifications shall have to be assessed by the SOE

### Spacecraft Configuration

**Start of Procedure**

Any

**End of Procedure**

Certain TCT parameters possibly modified

### Reference File(s)

**Input Command Sequences**

**Output Command Sequences**

HFDDEFTC

### Referenced Displays

ANDs      GRDs      SLDs


### Configuration Control Information


DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
26/02/09	2.1	1	Created	S. Manganelli	
24/03/09	2.2	2	regenerated for OBSW 3_8_2	S. Manganelli	
05/05/09	2.4	3	OBSW 3_10 DB	S. Manganelli	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



## Procedure Flowchart Overview



Default TCT uplink (editable) File: H_FCP_DHS_DEFTC.xls Author: S. Manganelli	
---	--

Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
<b>Beginning of Procedure</b>					
HFDDEFTC <span style="float: right;">TC Seq. Name :HFDDEFTC ( TCT uplink(editable) )</span>  TimeTag Type: N Sub Schedule ID:  <div style="text-align: center;">□</div>					
1		SPARE TCT loop index 1		Next Step: 2	
	ET= UT=	DecontHeat1-16-Lp1  <i>Command Parameter(s) :</i> LoopStatus XH097992 0 <dec> CntrLoopClass XH091992 0 <dec> CntrLoopThmId XH092992 0 <dec> CntrLoopThmId XH092992 0 <dec> CntrLoopThmId XH092992 0 <dec> CntrLoopMonFreq XH093992 0 <dec> CntrLoopUnitId XH094992 0 <dec> ThCtrlParVal16 XH098992 0 <dec> ThCtrlParVal16 XH098992 0 <dec>  <i>TC Control Flags :</i>  <div style="text-align: center;">GBM IL DSE --Y -- ---</div> <i>Subsch. ID : 10</i> <i>Det. descr. : SPARE TCT loop index 1 TC(8,4,114,16)</i>	XCM01994	TC	
	ET= UT=	DecontHeat1-32-Lp1  <i>Command Parameter(s) :</i> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec> ThCtrlParVal32 XH079994 0 <dec>  ThCtrlParVal32 XH079994 0 <dec>  <i>TC Control Flags :</i>  <div style="text-align: center;">GBM IL DSE --Y -- ---</div> <i>Subsch. ID : 10</i> <i>Det. descr. : SPARE TCT loop index 1 TC(8,4,114,18)</i>	XCN01994	TC	
2		close to XPND2_2 TCT loop index 2		Next Step: 3	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																				
	ET= UT=	<p>closeXPND2-16-Lp2</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>LoopStatus</td><td>XH097992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopClass</td><td>XH091992</td><td>0 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1598 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1646 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1694 &lt;dec&gt;</td></tr> <tr><td>CntrLoopMonFreq</td><td>XH093992</td><td>6 &lt;dec&gt;</td></tr> <tr><td>CntrLoopUnitId</td><td>XH094992</td><td>1025 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>258 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>4610 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to XPND2_2 TCT loop index 2            TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	0 <dec>	CntrLoopThmId	XH092992	1598 <dec>	CntrLoopThmId	XH092992	1646 <dec>	CntrLoopThmId	XH092992	1694 <dec>	CntrLoopMonFreq	XH093992	6 <dec>	CntrLoopUnitId	XH094992	1025 <dec>	ThCtrlParVal16	XH098992	258 <dec>	ThCtrlParVal16	XH098992	4610 <dec>	XCM02994	TC										
LoopStatus	XH097992	1 <dec>																																							
CntrLoopClass	XH091992	0 <dec>																																							
CntrLoopThmId	XH092992	1598 <dec>																																							
CntrLoopThmId	XH092992	1646 <dec>																																							
CntrLoopThmId	XH092992	1694 <dec>																																							
CntrLoopMonFreq	XH093992	6 <dec>																																							
CntrLoopUnitId	XH094992	1025 <dec>																																							
ThCtrlParVal16	XH098992	258 <dec>																																							
ThCtrlParVal16	XH098992	4610 <dec>																																							
	ET= UT=	<p>closeXPND2-32-Lp2</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-9 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-6 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-9 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-6 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>11.39 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.7 &lt;dec&gt; (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to XPND2_2 TCT loop index 2            TC(8,4,114,18)</p>	ThCtrlParVal32	XH079994	-9 <dec> (Def)	ThCtrlParVal32	XH079994	-6 <dec> (Def)	ThCtrlParVal32	XH079994	-9 <dec> (Def)	ThCtrlParVal32	XH079994	-6 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	11.39 <dec> (Def)	ThCtrlParVal32	XH079994	0.7 <dec> (Def)	XCN02994	TC	
ThCtrlParVal32	XH079994	-9 <dec> (Def)																																							
ThCtrlParVal32	XH079994	-6 <dec> (Def)																																							
ThCtrlParVal32	XH079994	-9 <dec> (Def)																																							
ThCtrlParVal32	XH079994	-6 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	11.39 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0.7 <dec> (Def)																																							
3		on FCV A1B_3 TCT loop index 3		Next Step: 4																																					
	ET= UT=	<p>FCV-A1B-16-Lp3</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>LoopStatus</td><td>XH097992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopClass</td><td>XH091992</td><td>0 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1635 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1683 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1731 &lt;dec&gt;</td></tr> <tr><td>CntrLoopMonFreq</td><td>XH093992</td><td>6 &lt;dec&gt;</td></tr> <tr><td>CntrLoopUnitId</td><td>XH094992</td><td>791 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>259 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>4611 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV A1B_3 TCT loop index 3            TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	0 <dec>	CntrLoopThmId	XH092992	1635 <dec>	CntrLoopThmId	XH092992	1683 <dec>	CntrLoopThmId	XH092992	1731 <dec>	CntrLoopMonFreq	XH093992	6 <dec>	CntrLoopUnitId	XH094992	791 <dec>	ThCtrlParVal16	XH098992	259 <dec>	ThCtrlParVal16	XH098992	4611 <dec>	XCM03994	TC										
LoopStatus	XH097992	1 <dec>																																							
CntrLoopClass	XH091992	0 <dec>																																							
CntrLoopThmId	XH092992	1635 <dec>																																							
CntrLoopThmId	XH092992	1683 <dec>																																							
CntrLoopThmId	XH092992	1731 <dec>																																							
CntrLoopMonFreq	XH093992	6 <dec>																																							
CntrLoopUnitId	XH094992	791 <dec>																																							
ThCtrlParVal16	XH098992	259 <dec>																																							
ThCtrlParVal16	XH098992	4611 <dec>																																							

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	<p>FCV-A1B-32-Lp3</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 17 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 17 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 1.43 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 2.5 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV A1B_3 TCT loop index 3            TC(8,4,114,18)</p>	XCN03994	TC	
4		on FCV C2B_4 TCT loop index 4		Next Step: 5	
	ET= UT=	<p>FCV-C2B-16-Lp4</p> <p>Command Parameter(s) :</p> <p>LoopStatus XH097992 1 &lt;dec&gt;</p> <p>CntrLoopClass XH091992 0 &lt;dec&gt;</p> <p>CntrLoopThmId XH092992 1636 &lt;dec&gt;</p> <p>CntrLoopThmId XH092992 1684 &lt;dec&gt;</p> <p>CntrLoopThmId XH092992 1732 &lt;dec&gt;</p> <p>CntrLoopMonFreq XH093992 6 &lt;dec&gt;</p> <p>CntrLoopUnitId XH094992 791 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 260 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 4612 &lt;dec&gt;</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV C2B_4 TCT loop index 4            TC(8,4,114,16)</p>	XCM04994	TC	
	ET= UT=	<p>FCV-C2B-32-Lp4</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 17 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 17 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 1.43 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 2.5 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV C2B_4 TCT loop index 4            TC(8,4,114,18)</p>	XCN04994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
5		RCS PIPES_5 TCT loop index 5		Next Step: 6	
	ET= UT=	<p>RCS-PIPES-16-Lp5</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrLoopClass       XH091992    0 &lt;dec&gt; CntrLoopThmId       XH092992   1607 &lt;dec&gt; CntrLoopThmId       XH092992   1655 &lt;dec&gt; CntrLoopThmId       XH092992   1703 &lt;dec&gt; CntrLoopMonFreq     XH093992    6 &lt;dec&gt; CntrLoopUnitId      XH094992   791 &lt;dec&gt; ThCtrlParVal16      XH098992   261 &lt;dec&gt; ThCtrlParVal16      XH098992   4613 &lt;dec&gt;           </pre> <p>TC Control Flags :</p> <pre>           GBM IL DSE           --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : RCS PIPES_5 TCT loop index 5            TC(8,4,114,16)</p>	XCM05994	TC	
	ET= UT=	<p>RCS-PIPES-32-Lp5</p> <p>Command Parameter(s) :</p> <pre> ThCtrlParVal32      XH079994   23 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994   24 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994   23 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994   24 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    5.84 &lt;dec&gt; (Def)            ThCtrlParVal32      XH079994    0.7 &lt;dec&gt; (Def)           </pre> <p>TC Control Flags :</p> <pre>           GBM IL DSE           --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : RCS PIPES_5 TCT loop index 5            TC(8,4,114,18)</p>	XCN05994	TC	
6		close to XPND1_6 TCT loop index 6		Next Step: 7	
	ET= UT=	<p>closeXPND1-16-Lp6</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrLoopClass       XH091992    0 &lt;dec&gt; CntrLoopThmId       XH092992   1597 &lt;dec&gt; CntrLoopThmId       XH092992   1645 &lt;dec&gt; CntrLoopThmId       XH092992   1693 &lt;dec&gt; CntrLoopMonFreq     XH093992    6 &lt;dec&gt; CntrLoopUnitId      XH094992   513 &lt;dec&gt; ThCtrlParVal16      XH098992   262 &lt;dec&gt; ThCtrlParVal16      XH098992   4614 &lt;dec&gt;           </pre> <p>TC Control Flags :</p>	XCM06994	TC	







Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																				
	ET= UT=	<p>FCV-A2B-16-Lp9</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>LoopStatus</td><td>XH097992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopClass</td><td>XH091992</td><td>0 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1638 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1686 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1734 &lt;dec&gt;</td></tr> <tr><td>CntrLoopMonFreq</td><td>XH093992</td><td>6 &lt;dec&gt;</td></tr> <tr><td>CntrLoopUnitId</td><td>XH094992</td><td>791 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>515 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>4355 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV A2B_9 TCT loop index 9            TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	0 <dec>	CntrLoopThmId	XH092992	1638 <dec>	CntrLoopThmId	XH092992	1686 <dec>	CntrLoopThmId	XH092992	1734 <dec>	CntrLoopMonFreq	XH093992	6 <dec>	CntrLoopUnitId	XH094992	791 <dec>	ThCtrlParVal16	XH098992	515 <dec>	ThCtrlParVal16	XH098992	4355 <dec>	XCM09994	TC										
LoopStatus	XH097992	1 <dec>																																							
CntrLoopClass	XH091992	0 <dec>																																							
CntrLoopThmId	XH092992	1638 <dec>																																							
CntrLoopThmId	XH092992	1686 <dec>																																							
CntrLoopThmId	XH092992	1734 <dec>																																							
CntrLoopMonFreq	XH093992	6 <dec>																																							
CntrLoopUnitId	XH094992	791 <dec>																																							
ThCtrlParVal16	XH098992	515 <dec>																																							
ThCtrlParVal16	XH098992	4355 <dec>																																							
	ET= UT=	<p>FCV-A2B-32-Lp9</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>11 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>17 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>11 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>17 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>1.43 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>2.5 &lt;dec&gt; (Def)</td></tr> </table> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV A2B_9 TCT loop index 9            TC(8,4,114,18)</p>	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	17 <dec> (Def)	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	17 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	1.43 <dec> (Def)	ThCtrlParVal32	XH079994	2.5 <dec> (Def)	XCN09994	TC	
ThCtrlParVal32	XH079994	11 <dec> (Def)																																							
ThCtrlParVal32	XH079994	17 <dec> (Def)																																							
ThCtrlParVal32	XH079994	11 <dec> (Def)																																							
ThCtrlParVal32	XH079994	17 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	1.43 <dec> (Def)																																							
ThCtrlParVal32	XH079994	2.5 <dec> (Def)																																							
10		on FCV C4B_10 TCT loop index 10		Next Step: 11																																					
	ET= UT=	<p>FCV-C4B-16-Lp10</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>LoopStatus</td><td>XH097992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopClass</td><td>XH091992</td><td>0 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1639 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1687 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1735 &lt;dec&gt;</td></tr> <tr><td>CntrLoopMonFreq</td><td>XH093992</td><td>6 &lt;dec&gt;</td></tr> <tr><td>CntrLoopUnitId</td><td>XH094992</td><td>791 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>516 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>4356 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV C4B_10 TCT loop index 10            TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	0 <dec>	CntrLoopThmId	XH092992	1639 <dec>	CntrLoopThmId	XH092992	1687 <dec>	CntrLoopThmId	XH092992	1735 <dec>	CntrLoopMonFreq	XH093992	6 <dec>	CntrLoopUnitId	XH094992	791 <dec>	ThCtrlParVal16	XH098992	516 <dec>	ThCtrlParVal16	XH098992	4356 <dec>	XCM10994	TC										
LoopStatus	XH097992	1 <dec>																																							
CntrLoopClass	XH091992	0 <dec>																																							
CntrLoopThmId	XH092992	1639 <dec>																																							
CntrLoopThmId	XH092992	1687 <dec>																																							
CntrLoopThmId	XH092992	1735 <dec>																																							
CntrLoopMonFreq	XH093992	6 <dec>																																							
CntrLoopUnitId	XH094992	791 <dec>																																							
ThCtrlParVal16	XH098992	516 <dec>																																							
ThCtrlParVal16	XH098992	4356 <dec>																																							

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	<p>FCV-C4B-32-Lp10</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 17 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 17 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 1.43 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 2.5 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV C4B_10 TCT loop index 10            TC(8,4,114,18)</p>	XCN10994	TC	
11		close to FPSPU-FPDP11 TCT loop index 11		Next Step: 12	
	ET= UT=	<p>closeFPSPU-FPDP11-Lp11</p> <p>Command Parameter(s) :</p> <p>LoopStatus XH097992 1 &lt;dec&gt;</p> <p>CntrlLoopClass XH091992 0 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1601 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1649 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1697 &lt;dec&gt;</p> <p>CntrlLoopMonFreq XH093992 6 &lt;dec&gt;</p> <p>CntrlLoopUnitId XH094992 779 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 517 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 4357 &lt;dec&gt;</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to FPSPU-FPDP11 TCT loop index 11 TC(8,4,114,16)</p>	XCM11994	TC	
	ET= UT=	<p>closeFPSPU-FPDP11-32-Lp11</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 -14 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 -11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 -14 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 -11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 31.02 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to FPSPU-FPDP11 TCT loop index 11 TC(8,4,114,18)</p>	XCN11994	TC	



Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
		GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : close to FPBOLC_13 TCT loop index 13 TC(8,4,114,16)			
	ET= UT=	closeFPBOLC-32-Lp13 Command Parameter(s) : ThCtrlParVal32      XH079994      -14 <dec> (Def) ThCtrlParVal32      XH079994      -11 <dec> (Def) ThCtrlParVal32      XH079994      -14 <dec> (Def) ThCtrlParVal32      XH079994      -11 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      9.41 <dec> (Def) ThCtrlParVal32      XH079994      0.7 <dec> (Def)	XCN13994	TC	
		TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : close to FPBOLC_13 TCT loop index 13 TC(8,4,114,18)			
14		CRS-1_14 TCT loop index 14		Next Step: 15	
	ET= UT=	CRS-1-16-Lp14 Command Parameter(s) : LoopStatus            XH097992      1 <dec> CntrLoopClass        XH091992      0 <dec> CntrLoopThmId        XH092992      1603 <dec> CntrLoopThmId        XH092992      1651 <dec> CntrLoopThmId        XH092992      1699 <dec> CntrLoopMonFreq      XH093992      1 <dec> CntrLoopUnitId        XH094992      776 <dec> ThCtrlParVal16        XH098992      770 <dec> ThCtrlParVal16        XH098992      4098 <dec>	XCM14994	TC	
		TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : CRS-1_14 TCT loop index 14 TC(8,4,114,16)			
	ET= UT=	CRS-1-32-Lp14 Command Parameter(s) : ThCtrlParVal32      XH079994      46 <dec> (Def) ThCtrlParVal32      XH079994      46.5 <dec> (Def) ThCtrlParVal32      XH079994      46 <dec> (Def) ThCtrlParVal32      XH079994      46.5 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      24.3 <dec> (Def)	XCN14994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
		ThCtrlParVal32 XH079994 TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : CRS-1_14 TCT loop index 14 TC(8,4,114,18)	0.7 <dec> (Def)		
15		close to FPDEC MEC_15 TCT loop index 15		Next Step: 16	
	ET= UT=	closeFPDEC-MEC-16-Lp15 Command Parameter(s) : LoopStatus XH097992 1 <dec> CntrLoopClass XH091992 0 <dec> CntrLoopThmId XH092992 1604 <dec> CntrLoopThmId XH092992 1652 <dec> CntrLoopThmId XH092992 1700 <dec> CntrLoopMonFreq XH093992 6 <dec> CntrLoopUnitId XH094992 778 <dec> ThCtrlParVal16 XH098992 771 <dec> ThCtrlParVal16 XH098992 4099 <dec> TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : close to FPDEC MEC_15 TCT loop index 15 TC(8,4,114,16)	XCM15994	TC	
	ET= UT=	closeFPDEC-MEC-32-Lp15 Command Parameter(s) : ThCtrlParVal32 XH079994 -14 <dec> (Def) ThCtrlParVal32 XH079994 -11 <dec> (Def) ThCtrlParVal32 XH079994 -14 <dec> (Def) ThCtrlParVal32 XH079994 -11 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 27.48 <dec> (Def) ThCtrlParVal32 XH079994 0.7 <dec> (Def) TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : close to FPDEC MEC_15 TCT loop index 15 TC(8,4,114,18)	XCN15994	TC	
16		RCS PIPES_16 TCT loop index 16		Next Step: 17	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	<p>RCS-PIPES-16-Lp16</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrLoopClass       XH091992    0 &lt;dec&gt; CntrLoopThmId       XH092992   1605 &lt;dec&gt; CntrLoopThmId       XH092992   1653 &lt;dec&gt; CntrLoopThmId       XH092992   1701 &lt;dec&gt; CntrLoopMonFreq     XH093992    6 &lt;dec&gt; CntrLoopUnitId      XH094992   791 &lt;dec&gt; ThCtrlParVal16      XH098992   772 &lt;dec&gt; ThCtrlParVal16      XH098992  4100 &lt;dec&gt;           </pre> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : RCS PIPES_16 TCT loop index 16            TC(8,4,114,16)</p>	XCM16994	TC	
	ET= UT=	<p>RCS-PIPES-32-Lp16</p> <p>Command Parameter(s) :</p> <pre> ThCtrlParVal32      XH079994   23 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994   24 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994   23 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994   24 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    5.46 &lt;dec&gt; (Def)           </pre> <p>ThCtrlParVal32      XH079994    0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : RCS PIPES_16 TCT loop index 16            TC(8,4,114,18)</p>	XCN16994	TC	
17		close to CCU-HSDCU-HSFCU_17 TCT loop index 17		Next Step: 18	
	ET= UT=	<p>CcuHsdcuHsfcu-16-Lp17</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrLoopClass       XH091992    0 &lt;dec&gt; CntrLoopThmId       XH092992   1606 &lt;dec&gt; CntrLoopThmId       XH092992   1654 &lt;dec&gt; CntrLoopThmId       XH092992   1702 &lt;dec&gt; CntrLoopMonFreq     XH093992    6 &lt;dec&gt; CntrLoopUnitId      XH094992   1302 &lt;dec&gt; ThCtrlParVal16      XH098992   773 &lt;dec&gt; ThCtrlParVal16      XH098992  4101 &lt;dec&gt;           </pre> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : close to CCU-HSDCU-HSFCU_17 TCT loop index 17 TC(8,4,114,16)</p>	XCM17994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	<p>CcuHsdcuHsfcu-32-Lp17</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 6 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 9 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 6 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 9 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 44.51 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to CCU-HSDCU-HSFCU_17 TCT loop index 17 TC(8,4,114,18)</p>	XCN17994	TC	
18		close to GYRO_18 TCT loop index 18		Next Step: 19	
	ET= UT=	<p>closeGYRO-16-Lp18</p> <p>Command Parameter(s) :</p> <p>LoopStatus XH097992 1 &lt;dec&gt;</p> <p>CntrlLoopClass XH091992 0 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1634 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1682 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1730 &lt;dec&gt;</p> <p>CntrlLoopMonFreq XH093992 1 &lt;dec&gt;</p> <p>CntrlLoopUnitId XH094992 771 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 774 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 4102 &lt;dec&gt;</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to GYRO_18 TCT loop index 18 TC(8,4,114,16)</p>	XCM18994	TC	
	ET= UT=	<p>closeGYRO-32-Lp18</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 62.5 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 63 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 62.5 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 63 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 45.22 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to GYRO_18 TCT loop index 18 TC(8,4,114,18)</p>	XCN18994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
19		SPARE TCT loop index 19		Next Step: 20	
	ET= UT=	<p style="text-align: center;"><b>DecontHeating5-16-Lp19</b></p> <p style="text-align: center;">XCM19994</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    0 &lt;dec&gt; CntrlLoopClass      XH091992    0 &lt;dec&gt; CntrlLoopThmId      XH092992    0 &lt;dec&gt; CntrlLoopThmId      XH092992    0 &lt;dec&gt; CntrlLoopThmId      XH092992    0 &lt;dec&gt; CntrlLoopThmId      XH092992    0 &lt;dec&gt; CntrlLoopMonFreq    XH093992    0 &lt;dec&gt; CntrlLoopUnitId     XH094992    0 &lt;dec&gt; ThCtrlParVal16      XH098992    0 &lt;dec&gt; ThCtrlParVal16      XH098992    0 &lt;dec&gt;                     </pre> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10                      Det. descr. : SPARE TCT loop index 19 TC(8,4,114,16)</p>		TC	
	ET= UT=	<p style="text-align: center;"><b>DecontHeating5-32-Lp19</b></p> <p style="text-align: center;">XCN19994</p> <p>Command Parameter(s) :</p> <pre> ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt; ThCtrlParVal32      XH079994    0 &lt;dec&gt;                     </pre> <p style="text-align: center;">ThCtrlParVal32      XH079994    0 &lt;dec&gt;</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10                      Det. descr. : SPARE TCT loop index 19 TC(8,4,114,18)</p>		TC	
20		close to FHWOV_20 TCT loop index 20		Next Step: 21	
	ET= UT=	<p style="text-align: center;"><b>closeFHWOV-16-Lp20</b></p> <p style="text-align: center;">XCM20994</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrlLoopClass      XH091992    1 &lt;dec&gt; CntrlLoopThmId      XH092992    1608 &lt;dec&gt; CntrlLoopThmId      XH092992    1656 &lt;dec&gt; CntrlLoopThmId      XH092992    1704 &lt;dec&gt; CntrlLoopThmId      XH092992    1704 &lt;dec&gt; CntrlLoopMonFreq    XH093992    1 &lt;dec&gt; CntrlLoopUnitId     XH094992    780 &lt;dec&gt; ThCtrlParVal16      XH098992    1026 &lt;dec&gt; ThCtrlParVal16      XH098992    3842 &lt;dec&gt;                     </pre> <p>TC Control Flags :</p>		TC	



Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																				
		<p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to FHWOV_20 TCT loop index 20            TC(8,4,114,16)</p>																																							
	ET= UT=	<p style="text-align: center;">closeFHWOV-32-Lp20</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>2.5 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>6.5 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-2.5 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.5 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.75631 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.000453786 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-0.755856214 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.9045 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-1.9045 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>4.5 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>23.84 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>2 &lt;dec&gt; (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to FHWOV_20 TCT loop index 20            TC(8,4,114,18)</p>	ThCtrlParVal32	XH079994	2.5 <dec> (Def)	ThCtrlParVal32	XH079994	6.5 <dec> (Def)	ThCtrlParVal32	XH079994	-2.5 <dec> (Def)	ThCtrlParVal32	XH079994	0.5 <dec> (Def)	ThCtrlParVal32	XH079994	0.75631 <dec> (Def)	ThCtrlParVal32	XH079994	0.000453786 <dec> (Def)	ThCtrlParVal32	XH079994	-0.755856214 <dec> (Def)	ThCtrlParVal32	XH079994	0.9045 <dec> (Def)	ThCtrlParVal32	XH079994	-1.9045 <dec> (Def)	ThCtrlParVal32	XH079994	4.5 <dec> (Def)	ThCtrlParVal32	XH079994	23.84 <dec> (Def)	ThCtrlParVal32	XH079994	2 <dec> (Def)	XCN20994	TC	
ThCtrlParVal32	XH079994	2.5 <dec> (Def)																																							
ThCtrlParVal32	XH079994	6.5 <dec> (Def)																																							
ThCtrlParVal32	XH079994	-2.5 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0.5 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0.75631 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0.000453786 <dec> (Def)																																							
ThCtrlParVal32	XH079994	-0.755856214 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0.9045 <dec> (Def)																																							
ThCtrlParVal32	XH079994	-1.9045 <dec> (Def)																																							
ThCtrlParVal32	XH079994	4.5 <dec> (Def)																																							
ThCtrlParVal32	XH079994	23.84 <dec> (Def)																																							
ThCtrlParVal32	XH079994	2 <dec> (Def)																																							
21		on RCS PIPES_21 TCT loop index 21		Next Step: 22																																					
	ET= UT=	<p style="text-align: center;">RCS-PIPES-16-Lp21</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>LoopStatus</td><td>XH097992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopClass</td><td>XH091992</td><td>0 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1641 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1689 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1737 &lt;dec&gt;</td></tr> <tr><td>CntrLoopMonFreq</td><td>XH093992</td><td>6 &lt;dec&gt;</td></tr> <tr><td>CntrLoopUnitId</td><td>XH094992</td><td>791 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>1027 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>3843 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on RCS PIPES_21 TCT loop index 21            TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	0 <dec>	CntrLoopThmId	XH092992	1641 <dec>	CntrLoopThmId	XH092992	1689 <dec>	CntrLoopThmId	XH092992	1737 <dec>	CntrLoopMonFreq	XH093992	6 <dec>	CntrLoopUnitId	XH094992	791 <dec>	ThCtrlParVal16	XH098992	1027 <dec>	ThCtrlParVal16	XH098992	3843 <dec>	XCM21994	TC										
LoopStatus	XH097992	1 <dec>																																							
CntrLoopClass	XH091992	0 <dec>																																							
CntrLoopThmId	XH092992	1641 <dec>																																							
CntrLoopThmId	XH092992	1689 <dec>																																							
CntrLoopThmId	XH092992	1737 <dec>																																							
CntrLoopMonFreq	XH093992	6 <dec>																																							
CntrLoopUnitId	XH094992	791 <dec>																																							
ThCtrlParVal16	XH098992	1027 <dec>																																							
ThCtrlParVal16	XH098992	3843 <dec>																																							

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																	
	ET= UT=	<p>RCS-PIPES-32-Lp21</p> <p>XCN21994</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>23 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>24 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>23 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>24 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>5.7 &lt;dec&gt;</td></tr> </table> <p>ThCtrlParVal32      XH079994      0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10        Det. descr. : on RCS PIPES_21 TCT loop index 21        TC(8,4,114,18)</p>	ThCtrlParVal32	XH079994	23 <dec> (Def)	ThCtrlParVal32	XH079994	24 <dec> (Def)	ThCtrlParVal32	XH079994	23 <dec> (Def)	ThCtrlParVal32	XH079994	24 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	5.7 <dec>		TC	
ThCtrlParVal32	XH079994	23 <dec> (Def)																																				
ThCtrlParVal32	XH079994	24 <dec> (Def)																																				
ThCtrlParVal32	XH079994	23 <dec> (Def)																																				
ThCtrlParVal32	XH079994	24 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	5.7 <dec>																																				
22		on FCV A1A_22 TCT loop index 22		Next Step: 23																																		
	ET= UT=	<p>FCV-A1A-16-Lp22</p> <p>XCM22994</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>LoopStatus</td><td>XH097992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopClass</td><td>XH091992</td><td>0 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1625 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1673 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1721 &lt;dec&gt;</td></tr> <tr><td>CntrLoopMonFreq</td><td>XH093992</td><td>6 &lt;dec&gt;</td></tr> <tr><td>CntrLoopUnitId</td><td>XH094992</td><td>791 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>1028 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>3844 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10        Det. descr. : on FCV A1A_22 TCT loop index 22        TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	0 <dec>	CntrLoopThmId	XH092992	1625 <dec>	CntrLoopThmId	XH092992	1673 <dec>	CntrLoopThmId	XH092992	1721 <dec>	CntrLoopMonFreq	XH093992	6 <dec>	CntrLoopUnitId	XH094992	791 <dec>	ThCtrlParVal16	XH098992	1028 <dec>	ThCtrlParVal16	XH098992	3844 <dec>		TC							
LoopStatus	XH097992	1 <dec>																																				
CntrLoopClass	XH091992	0 <dec>																																				
CntrLoopThmId	XH092992	1625 <dec>																																				
CntrLoopThmId	XH092992	1673 <dec>																																				
CntrLoopThmId	XH092992	1721 <dec>																																				
CntrLoopMonFreq	XH093992	6 <dec>																																				
CntrLoopUnitId	XH094992	791 <dec>																																				
ThCtrlParVal16	XH098992	1028 <dec>																																				
ThCtrlParVal16	XH098992	3844 <dec>																																				
	ET= UT=	<p>FCV-A1A-32-Lp22</p> <p>XCN22994</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>11 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>17 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>11 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>17 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>1.43 &lt;dec&gt; (Def)</td></tr> </table> <p>ThCtrlParVal32      XH079994      2.5 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10        Det. descr. : on FCV A1A_22 TCT loop index 22        TC(8,4,114,18)</p>	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	17 <dec> (Def)	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	17 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	1.43 <dec> (Def)		TC	
ThCtrlParVal32	XH079994	11 <dec> (Def)																																				
ThCtrlParVal32	XH079994	17 <dec> (Def)																																				
ThCtrlParVal32	XH079994	11 <dec> (Def)																																				
ThCtrlParVal32	XH079994	17 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	0 <dec> (Def)																																				
ThCtrlParVal32	XH079994	1.43 <dec> (Def)																																				

Default TCT uplink (editable) File: H_FCP_DHS_DEFTC.xls Author: S. Manganelli	
---	--

Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																				
23		on FCV C2A_23 TCT loop index 23		Next Step: 24																																					
	ET= UT=	<p style="text-align: center;">FCV-C2A-16-Lp23</p> <p style="text-align: center;">XCM23994</p> <p>Command Parameter(s) :</p> <table style="width:100%; border-collapse: collapse;"> <tr><td style="padding-left: 20px;">LoopStatus</td><td style="padding-left: 20px;">XH097992</td><td style="padding-left: 20px;">1 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopClass</td><td style="padding-left: 20px;">XH091992</td><td style="padding-left: 20px;">0 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopThmId</td><td style="padding-left: 20px;">XH092992</td><td style="padding-left: 20px;">1626 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopThmId</td><td style="padding-left: 20px;">XH092992</td><td style="padding-left: 20px;">1674 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopThmId</td><td style="padding-left: 20px;">XH092992</td><td style="padding-left: 20px;">1722 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopMonFreq</td><td style="padding-left: 20px;">XH093992</td><td style="padding-left: 20px;">6 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopUnitId</td><td style="padding-left: 20px;">XH094992</td><td style="padding-left: 20px;">791 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal16</td><td style="padding-left: 20px;">XH098992</td><td style="padding-left: 20px;">1029 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal16</td><td style="padding-left: 20px;">XH098992</td><td style="padding-left: 20px;">3845 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV C2A_23 TCT loop index 23            TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	0 <dec>	CntrLoopThmId	XH092992	1626 <dec>	CntrLoopThmId	XH092992	1674 <dec>	CntrLoopThmId	XH092992	1722 <dec>	CntrLoopMonFreq	XH093992	6 <dec>	CntrLoopUnitId	XH094992	791 <dec>	ThCtrlParVal16	XH098992	1029 <dec>	ThCtrlParVal16	XH098992	3845 <dec>		TC										
LoopStatus	XH097992	1 <dec>																																							
CntrLoopClass	XH091992	0 <dec>																																							
CntrLoopThmId	XH092992	1626 <dec>																																							
CntrLoopThmId	XH092992	1674 <dec>																																							
CntrLoopThmId	XH092992	1722 <dec>																																							
CntrLoopMonFreq	XH093992	6 <dec>																																							
CntrLoopUnitId	XH094992	791 <dec>																																							
ThCtrlParVal16	XH098992	1029 <dec>																																							
ThCtrlParVal16	XH098992	3845 <dec>																																							
	ET= UT=	<p style="text-align: center;">FCV-C2A-32-Lp23</p> <p style="text-align: center;">XCN23994</p> <p>Command Parameter(s) :</p> <table style="width:100%; border-collapse: collapse;"> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">11 &lt;dec&gt; (Def)</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">17 &lt;dec&gt; (Def)</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">11 &lt;dec&gt; (Def)</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">17 &lt;dec&gt; (Def)</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">0 &lt;dec&gt; (Def)</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">0 &lt;dec&gt; (Def)</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">0 &lt;dec&gt; (Def)</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">0 &lt;dec&gt; (Def)</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">0 &lt;dec&gt; (Def)</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">0 &lt;dec&gt; (Def)</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">1.43 &lt;dec&gt; (Def)</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal32</td><td style="padding-left: 20px;">XH079994</td><td style="padding-left: 20px;">2.5 &lt;dec&gt; (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV C2A_23 TCT loop index 23            TC(8,4,114,18)</p>	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	17 <dec> (Def)	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	17 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	1.43 <dec> (Def)	ThCtrlParVal32	XH079994	2.5 <dec> (Def)		TC	
ThCtrlParVal32	XH079994	11 <dec> (Def)																																							
ThCtrlParVal32	XH079994	17 <dec> (Def)																																							
ThCtrlParVal32	XH079994	11 <dec> (Def)																																							
ThCtrlParVal32	XH079994	17 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	1.43 <dec> (Def)																																							
ThCtrlParVal32	XH079994	2.5 <dec> (Def)																																							
24		on RCS PIPES_24 TCT loop index 24		Next Step: 25																																					
	ET= UT=	<p style="text-align: center;">RCS-PIPES-16-Lp24</p> <p style="text-align: center;">XCM24994</p> <p>Command Parameter(s) :</p> <table style="width:100%; border-collapse: collapse;"> <tr><td style="padding-left: 20px;">LoopStatus</td><td style="padding-left: 20px;">XH097992</td><td style="padding-left: 20px;">1 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopClass</td><td style="padding-left: 20px;">XH091992</td><td style="padding-left: 20px;">0 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopThmId</td><td style="padding-left: 20px;">XH092992</td><td style="padding-left: 20px;">1642 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopThmId</td><td style="padding-left: 20px;">XH092992</td><td style="padding-left: 20px;">1690 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopThmId</td><td style="padding-left: 20px;">XH092992</td><td style="padding-left: 20px;">1738 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopMonFreq</td><td style="padding-left: 20px;">XH093992</td><td style="padding-left: 20px;">6 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">CntrLoopUnitId</td><td style="padding-left: 20px;">XH094992</td><td style="padding-left: 20px;">791 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal16</td><td style="padding-left: 20px;">XH098992</td><td style="padding-left: 20px;">1030 &lt;dec&gt;</td></tr> <tr><td style="padding-left: 20px;">ThCtrlParVal16</td><td style="padding-left: 20px;">XH098992</td><td style="padding-left: 20px;">3846 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	0 <dec>	CntrLoopThmId	XH092992	1642 <dec>	CntrLoopThmId	XH092992	1690 <dec>	CntrLoopThmId	XH092992	1738 <dec>	CntrLoopMonFreq	XH093992	6 <dec>	CntrLoopUnitId	XH094992	791 <dec>	ThCtrlParVal16	XH098992	1030 <dec>	ThCtrlParVal16	XH098992	3846 <dec>		TC										
LoopStatus	XH097992	1 <dec>																																							
CntrLoopClass	XH091992	0 <dec>																																							
CntrLoopThmId	XH092992	1642 <dec>																																							
CntrLoopThmId	XH092992	1690 <dec>																																							
CntrLoopThmId	XH092992	1738 <dec>																																							
CntrLoopMonFreq	XH093992	6 <dec>																																							
CntrLoopUnitId	XH094992	791 <dec>																																							
ThCtrlParVal16	XH098992	1030 <dec>																																							
ThCtrlParVal16	XH098992	3846 <dec>																																							

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
		GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : on RCS PIPES_24 TCT loop index 24 TC(8,4,114,16)			
	ET= UT=	RCS-PIPES-32-Lp24 Command Parameter(s) : ThCtrlParVal32      XH079994      23 <dec> (Def) ThCtrlParVal32      XH079994      24 <dec> (Def) ThCtrlParVal32      XH079994      23 <dec> (Def) ThCtrlParVal32      XH079994      24 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      4.68 <dec> (Def) ThCtrlParVal32      XH079994      0.7 <dec> (Def)	XCN24994	TC	
		TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : on RCS PIPES_24 TCT loop index 24 TC(8,4,114,18)			
25		CRS-2_25 TCT loop index 25		Next Step: 26	
	ET= UT=	CRS-2-16-Lp25 Command Parameter(s) : LoopStatus            XH097992      1 <dec> CntrLoopClass        XH091992      0 <dec> CntrLoopThmId        XH092992      1781 <dec> CntrLoopThmId        XH092992      1782 <dec> CntrLoopThmId        XH092992      1783 <dec> CntrLoopMonFreq      XH093992      1 <dec> CntrLoopUnitId        XH094992      789 <dec> ThCtrlParVal16        XH098992      1281 <dec> ThCtrlParVal16        XH098992      3585 <dec>	XCM25994	TC	
		TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : CRS-2_25 TCT loop index 25 TC(8,4,114,16)			
	ET= UT=	CRS-2-32-Lp25 Command Parameter(s) : ThCtrlParVal32      XH079994      46 <dec> (Def) ThCtrlParVal32      XH079994      46.5 <dec> (Def) ThCtrlParVal32      XH079994      46 <dec> (Def) ThCtrlParVal32      XH079994      46.5 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      24.3 <dec> (Def)	XCN25994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
		ThCtrlParVal32 XH079994 TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : CRS-2_25 TCT loop index 25 TC(8,4,114,18)	0.7 <dec> (Def)		
26		close to FHHRH_26 TCT loop index 26		Next Step: 27	
	ET= UT=	closeFHHRH-16-Lp26 Command Parameter(s) : LoopStatus XH097992 1 <dec> CntrLoopClass XH091992 1 <dec> CntrLoopThmId XH092992 1614 <dec> CntrLoopThmId XH092992 1662 <dec> CntrLoopThmId XH092992 1710 <dec> CntrLoopMonFreq XH093992 1 <dec> CntrLoopUnitId XH094992 785 <dec> ThCtrlParVal16 XH098992 1282 <dec> ThCtrlParVal16 XH098992 3586 <dec> TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : close to FHHRH_26 TCT loop index 26 TC(8,4,114,16)	XCM26994	TC	
	ET= UT=	closeFHHRH-32-Lp26 Command Parameter(s) : ThCtrlParVal32 XH079994 26 <dec> (Def) ThCtrlParVal32 XH079994 30 <dec> (Def) ThCtrlParVal32 XH079994 -9 <dec> (Def) ThCtrlParVal32 XH079994 -6 <dec> (Def) ThCtrlParVal32 XH079994 1.237765 <dec> ThCtrlParVal32 XH079994 (Def) ThCtrlParVal32 XH079994 0.001290824 <dec> ThCtrlParVal32 XH079994 (Def) ThCtrlParVal32 XH079994 -1.236474 <dec> ThCtrlParVal32 XH079994 (Def) ThCtrlParVal32 XH079994 0.90454 <dec> ThCtrlParVal32 XH079994 -1.90454 <dec> ThCtrlParVal32 XH079994 28 <dec> (Def) ThCtrlParVal32 XH079994 38.98 <dec> (Def) ThCtrlParVal32 XH079994 0.7 <dec> (Def) TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : close to FHHRH_26 TCT loop index 26 TC(8,4,114,18)	XCN26994	TC	
27		close FHWEV-FHICU_27 TCT loop index 27		Next Step: 28	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																				
	ET= UT=	<p style="text-align: center;"><b>FHWEV-FHICU-16-Lp27</b></p> <p style="text-align: center;"><b>XCM27994</b></p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>LoopStatus</td><td>XH097992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopClass</td><td>XH091992</td><td>0 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1611 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1659 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1707 &lt;dec&gt;</td></tr> <tr><td>CntrLoopMonFreq</td><td>XH093992</td><td>6 &lt;dec&gt;</td></tr> <tr><td>CntrLoopUnitId</td><td>XH094992</td><td>782 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>1283 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>3587 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10          Det. descr. : close FHWEV-FHICU_27 TCT loop index 27          TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	0 <dec>	CntrLoopThmId	XH092992	1611 <dec>	CntrLoopThmId	XH092992	1659 <dec>	CntrLoopThmId	XH092992	1707 <dec>	CntrLoopMonFreq	XH093992	6 <dec>	CntrLoopUnitId	XH094992	782 <dec>	ThCtrlParVal16	XH098992	1283 <dec>	ThCtrlParVal16	XH098992	3587 <dec>		TC										
LoopStatus	XH097992	1 <dec>																																							
CntrLoopClass	XH091992	0 <dec>																																							
CntrLoopThmId	XH092992	1611 <dec>																																							
CntrLoopThmId	XH092992	1659 <dec>																																							
CntrLoopThmId	XH092992	1707 <dec>																																							
CntrLoopMonFreq	XH093992	6 <dec>																																							
CntrLoopUnitId	XH094992	782 <dec>																																							
ThCtrlParVal16	XH098992	1283 <dec>																																							
ThCtrlParVal16	XH098992	3587 <dec>																																							
	ET= UT=	<p style="text-align: center;"><b>FHWEV-FHICU-32-Lp27</b></p> <p style="text-align: center;"><b>XCN27994</b></p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>1 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>4 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>1 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>4 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>35.7 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.7 &lt;dec&gt; (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10          Det. descr. : close FHWEV-FHICU_27 TCT loop index 27          TC(8,4,114,18)</p>	ThCtrlParVal32	XH079994	1 <dec> (Def)	ThCtrlParVal32	XH079994	4 <dec> (Def)	ThCtrlParVal32	XH079994	1 <dec> (Def)	ThCtrlParVal32	XH079994	4 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	35.7 <dec> (Def)	ThCtrlParVal32	XH079994	0.7 <dec> (Def)		TC	
ThCtrlParVal32	XH079994	1 <dec> (Def)																																							
ThCtrlParVal32	XH079994	4 <dec> (Def)																																							
ThCtrlParVal32	XH079994	1 <dec> (Def)																																							
ThCtrlParVal32	XH079994	4 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	35.7 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0.7 <dec> (Def)																																							
28		on FCV C3B_28 TCT loop index 28		Next Step: 29																																					
	ET= UT=	<p style="text-align: center;"><b>FCV-C3B-16-Lp28</b></p> <p style="text-align: center;"><b>XCM28994</b></p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>LoopStatus</td><td>XH097992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopClass</td><td>XH091992</td><td>0 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1640 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1688 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1736 &lt;dec&gt;</td></tr> <tr><td>CntrLoopMonFreq</td><td>XH093992</td><td>6 &lt;dec&gt;</td></tr> <tr><td>CntrLoopUnitId</td><td>XH094992</td><td>791 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>1284 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>3588 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10          Det. descr. : on FCV C3B_28 TCT loop index 28          TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	0 <dec>	CntrLoopThmId	XH092992	1640 <dec>	CntrLoopThmId	XH092992	1688 <dec>	CntrLoopThmId	XH092992	1736 <dec>	CntrLoopMonFreq	XH093992	6 <dec>	CntrLoopUnitId	XH094992	791 <dec>	ThCtrlParVal16	XH098992	1284 <dec>	ThCtrlParVal16	XH098992	3588 <dec>		TC										
LoopStatus	XH097992	1 <dec>																																							
CntrLoopClass	XH091992	0 <dec>																																							
CntrLoopThmId	XH092992	1640 <dec>																																							
CntrLoopThmId	XH092992	1688 <dec>																																							
CntrLoopThmId	XH092992	1736 <dec>																																							
CntrLoopMonFreq	XH093992	6 <dec>																																							
CntrLoopUnitId	XH094992	791 <dec>																																							
ThCtrlParVal16	XH098992	1284 <dec>																																							
ThCtrlParVal16	XH098992	3588 <dec>																																							

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	<p>FCV-C3B-32-Lp28</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 17 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 17 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 1.43 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 2.5 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV C3B_28 TCT loop index 28            TC(8,4,114,18)</p>	XCN28994	TC	
29		on RCS PIPES_29 TCT loop index 29		Next Step: 30	
	ET= UT=	<p>RCS-PIPES-16-Lp29</p> <p>Command Parameter(s) :</p> <p>LoopStatus XH097992 1 &lt;dec&gt;</p> <p>CntrlLoopClass XH091992 0 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1643 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1691 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1739 &lt;dec&gt;</p> <p>CntrlLoopMonFreq XH093992 6 &lt;dec&gt;</p> <p>CntrlLoopUnitId XH094992 791 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 1285 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 3589 &lt;dec&gt;</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on RCS PIPES_29 TCT loop index 29            TC(8,4,114,16)</p>	XCM29994	TC	
	ET= UT=	<p>RCS-PIPES-32-Lp29</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 23 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 24 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 23 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 24 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 4.54 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on RCS PIPES_29 TCT loop index 29            TC(8,4,114,18)</p>	XCN29994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
30		on PT-LF-LV1-LV2_30 TCT loop index 30		Next Step: 31	
	ET= UT=	<p style="text-align: center;">PT-LF-LV1-LV2-16-Lp30</p> <p style="text-align: center;">XCM30994</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrLoopClass       XH091992    0 &lt;dec&gt; CntrLoopThmId      XH092992   1644 &lt;dec&gt; CntrLoopThmId      XH092992   1692 &lt;dec&gt; CntrLoopThmId      XH092992   1740 &lt;dec&gt; CntrLoopMonFreq     XH093992    6 &lt;dec&gt; CntrLoopUnitId     XH094992   791 &lt;dec&gt; ThCtrlParVal16     XH098992  1286 &lt;dec&gt; ThCtrlParVal16     XH098992  3590 &lt;dec&gt;           </pre> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on PT-LF-LV1-LV2_30 TCT loop index 30            TC(8,4,114,16)</p>		TC	
	ET= UT=	<p style="text-align: center;">PT-LF-LV1-LV2-32-Lp30</p> <p style="text-align: center;">XCN30994</p> <p>Command Parameter(s) :</p> <pre> ThCtrlParVal32     XH079994   23 &lt;dec&gt; (Def) ThCtrlParVal32     XH079994   24 &lt;dec&gt; (Def) ThCtrlParVal32     XH079994   23 &lt;dec&gt; (Def) ThCtrlParVal32     XH079994   24 &lt;dec&gt; (Def) ThCtrlParVal32     XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32     XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32     XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32     XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32     XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32     XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32     XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32     XH079994    4.9 &lt;dec&gt; (Def)  ThCtrlParVal32     XH079994    0.7 &lt;dec&gt; (Def)           </pre> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on PT-LF-LV1-LV2_30 TCT loop index 30            TC(8,4,114,18)</p>		TC	
31		SPARE TCT loop index 31		Next Step: 32	
	ET= UT=	<p style="text-align: center;">DecontHeating7-16-Lp31</p> <p style="text-align: center;">XCM31994</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    0 &lt;dec&gt; CntrLoopClass       XH091992    0 &lt;dec&gt; CntrLoopThmId      XH092992    0 &lt;dec&gt; CntrLoopThmId      XH092992    0 &lt;dec&gt; CntrLoopThmId      XH092992    0 &lt;dec&gt; CntrLoopThmId      XH092992    0 &lt;dec&gt; CntrLoopMonFreq     XH093992    0 &lt;dec&gt; CntrLoopUnitId     XH094992    0 &lt;dec&gt; ThCtrlParVal16     XH098992    0 &lt;dec&gt; ThCtrlParVal16     XH098992    0 &lt;dec&gt;           </pre> <p>TC Control Flags :</p>		TC	





Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
		ThCtrlParVal32 XH079994 TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : on RWL4_32 TCT loop index 32 TC(8,4,114,18)	0.7 <dec> (Def)		
33		on RWL1_33 TCT loop index 33		Next Step: 34	
	ET= UT=	RWL1-16-Lp33 Command Parameter(s) : LoopStatus XH097992 1 <dec> CntrLoopClass XH091992 0 <dec> CntrLoopThmId XH092992 1619 <dec> CntrLoopThmId XH092992 1667 <dec> CntrLoopThmId XH092992 1715 <dec> CntrLoopMonFreq XH093992 6 <dec> CntrLoopUnitId XH094992 772 <dec> ThCtrlParVal16 XH098992 1539 <dec> ThCtrlParVal16 XH098992 3331 <dec> TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : on RWL1_33 TCT loop index 33 TC(8,4,114,16)	XCM33994	TC	
	ET= UT=	RWL1-32-Lp33 Command Parameter(s) : ThCtrlParVal32 XH079994 1 <dec> (Def) ThCtrlParVal32 XH079994 4 <dec> (Def) ThCtrlParVal32 XH079994 1 <dec> (Def) ThCtrlParVal32 XH079994 4 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 11.39 <dec> (Def) ThCtrlParVal32 XH079994 0.7 <dec> (Def) TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : on RWL1_33 TCT loop index 33 TC(8,4,114,18)	XCN33994	TC	
34		on RWL3_34 TCT loop index 34		Next Step: 35	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	RWL3-16-Lp34  Command Parameter(s) : LoopStatus          XH097992    1 <dec> CntrLoopClass      XH091992    0 <dec> CntrLoopThmId      XH092992    1620 <dec> CntrLoopThmId      XH092992    1668 <dec> CntrLoopThmId      XH092992    1716 <dec> CntrLoopMonFreq     XH093992    6 <dec> CntrLoopUnitId      XH094992    774 <dec> ThCtrlParVal16      XH098992    1540 <dec> ThCtrlParVal16      XH098992    3332 <dec>  TC Control Flags :  GBM IL DSE --Y -- ---  Subsch. ID : 10 Det. descr. : on RWL3_34 TCT loop index 34 TC(8,4,114,16)	XCM34994	TC	
	ET= UT=	RWL3-32-Lp34  Command Parameter(s) : ThCtrlParVal32      XH079994    1 <dec> (Def) ThCtrlParVal32      XH079994    4 <dec> (Def) ThCtrlParVal32      XH079994    1 <dec> (Def) ThCtrlParVal32      XH079994    4 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    11.39 <dec> (Def)  ThCtrlParVal32      XH079994    0.7 <dec> (Def)  TC Control Flags :  GBM IL DSE --Y -- ---  Subsch. ID : 10 Det. descr. : on RWL3_34 TCT loop index 34 TC(8,4,114,18)	XCN34994	TC	
35		close to FHIFV_35 TCT loop index 35		Next Step: 36	
	ET= UT=	closeFHIFV-16-Lp35  Command Parameter(s) : LoopStatus          XH097992    1 <dec> CntrLoopClass      XH091992    0 <dec> CntrLoopThmId      XH092992    1624 <dec> CntrLoopThmId      XH092992    1672 <dec> CntrLoopThmId      XH092992    1720 <dec> CntrLoopMonFreq     XH093992    6 <dec> CntrLoopUnitId      XH094992    787 <dec> ThCtrlParVal16      XH098992    1541 <dec> ThCtrlParVal16      XH098992    3333 <dec>  TC Control Flags :  GBM IL DSE --Y -- ---  Subsch. ID : 10 Det. descr. : close to FHIFV_35 TCT loop index 35 TC(8,4,114,16)	XCM35994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	<p>closeFHIFV-32-Lp35</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 -9 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 -6 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 -9 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 -6 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 11.4 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : close to FHIFV_35 TCT loop index 35 TC(8,4,114,18)</p>	XCN35994	TC	
36		on RWL2_36 TCT loop index 36		Next Step: 37	
	ET= UT=	<p>RWL2-16-Lp36</p> <p>Command Parameter(s) :</p> <p>LoopStatus XH097992 1 &lt;dec&gt;</p> <p>CntrlLoopClass XH091992 0 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1617 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1665 &lt;dec&gt;</p> <p>CntrlLoopThmId XH092992 1713 &lt;dec&gt;</p> <p>CntrlLoopMonFreq XH093992 6 &lt;dec&gt;</p> <p>CntrlLoopUnitId XH094992 773 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 1542 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 3334 &lt;dec&gt;</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : on RWL2_36 TCT loop index 36 TC(8,4,114,16)</p>	XCM36994	TC	
	ET= UT=	<p>RWL2-32-Lp36</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 1 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 4 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 1 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 4 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 11.39 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10 Det. descr. : on RWL2_36 TCT loop index 36 TC(8,4,114,18)</p>	XCN36994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																													
37		close to STRs_37 TCT loop index 37		Next Step: 38																																														
	ET= UT=	<p>closeSTRs-16-Lp37</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>LoopStatus</td><td>XH097992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopClass</td><td>XH091992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1623 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1671 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1719 &lt;dec&gt;</td></tr> <tr><td>CntrLoopMonFreq</td><td>XH093992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopUnitId</td><td>XH094992</td><td>1282 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>1793 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>3073 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to STRs_37 TCT loop index 37            TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	1 <dec>	CntrLoopThmId	XH092992	1623 <dec>	CntrLoopThmId	XH092992	1671 <dec>	CntrLoopThmId	XH092992	1719 <dec>	CntrLoopMonFreq	XH093992	1 <dec>	CntrLoopUnitId	XH094992	1282 <dec>	ThCtrlParVal16	XH098992	1793 <dec>	ThCtrlParVal16	XH098992	3073 <dec>	XCM37994	TC																			
LoopStatus	XH097992	1 <dec>																																																
CntrLoopClass	XH091992	1 <dec>																																																
CntrLoopThmId	XH092992	1623 <dec>																																																
CntrLoopThmId	XH092992	1671 <dec>																																																
CntrLoopThmId	XH092992	1719 <dec>																																																
CntrLoopMonFreq	XH093992	1 <dec>																																																
CntrLoopUnitId	XH094992	1282 <dec>																																																
ThCtrlParVal16	XH098992	1793 <dec>																																																
ThCtrlParVal16	XH098992	3073 <dec>																																																
	ET= UT=	<p>closeSTRs-32-Lp37</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-2 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>2 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-7 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-4 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.59518 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>(Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.000357108 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>(Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-0.594822892 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>(Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.9048 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-1.9048 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>(Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>21.98 &lt;dec&gt; (Def)</td></tr> </table> <p style="text-align: right;">ThCtrlParVal32      XH079994      0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to STRs_37 TCT loop index 37            TC(8,4,114,18)</p>	ThCtrlParVal32	XH079994	-2 <dec>	ThCtrlParVal32	XH079994	2 <dec>	ThCtrlParVal32	XH079994	-7 <dec> (Def)	ThCtrlParVal32	XH079994	-4 <dec> (Def)	ThCtrlParVal32	XH079994	0.59518 <dec>	ThCtrlParVal32	XH079994	(Def)	ThCtrlParVal32	XH079994	0.000357108 <dec>	ThCtrlParVal32	XH079994	(Def)	ThCtrlParVal32	XH079994	-0.594822892 <dec>	ThCtrlParVal32	XH079994	(Def)	ThCtrlParVal32	XH079994	0.9048 <dec> (Def)	ThCtrlParVal32	XH079994	-1.9048 <dec>	ThCtrlParVal32	XH079994	(Def)	ThCtrlParVal32	XH079994	0 <dec>	ThCtrlParVal32	XH079994	21.98 <dec> (Def)	XCN37994	TC	
ThCtrlParVal32	XH079994	-2 <dec>																																																
ThCtrlParVal32	XH079994	2 <dec>																																																
ThCtrlParVal32	XH079994	-7 <dec> (Def)																																																
ThCtrlParVal32	XH079994	-4 <dec> (Def)																																																
ThCtrlParVal32	XH079994	0.59518 <dec>																																																
ThCtrlParVal32	XH079994	(Def)																																																
ThCtrlParVal32	XH079994	0.000357108 <dec>																																																
ThCtrlParVal32	XH079994	(Def)																																																
ThCtrlParVal32	XH079994	-0.594822892 <dec>																																																
ThCtrlParVal32	XH079994	(Def)																																																
ThCtrlParVal32	XH079994	0.9048 <dec> (Def)																																																
ThCtrlParVal32	XH079994	-1.9048 <dec>																																																
ThCtrlParVal32	XH079994	(Def)																																																
ThCtrlParVal32	XH079994	0 <dec>																																																
ThCtrlParVal32	XH079994	21.98 <dec> (Def)																																																
38		inside BATTERY_38 TCT loop index 38		Next Step: 39																																														

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	<p>inside-BATTERY-16-Lp38</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrLoopClass       XH091992    0 &lt;dec&gt; CntrLoopThmId       XH092992   1599 &lt;dec&gt; CntrLoopThmId       XH092992   1647 &lt;dec&gt; CntrLoopThmId       XH092992   1695 &lt;dec&gt; CntrLoopMonFreq     XH093992    6 &lt;dec&gt; CntrLoopUnitId      XH094992   791 &lt;dec&gt; ThCtrlParVal16      XH098992   1794 &lt;dec&gt; ThCtrlParVal16      XH098992   3074 &lt;dec&gt;           </pre> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : inside BATTERY_38 TCT loop index 38            TC(8,4,114,16)</p>	XCM38994	TC	
	ET= UT=	<p>inside-BATTERY-32-Lp38</p> <p>Command Parameter(s) :</p> <pre> ThCtrlParVal32      XH079994    1 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    4 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    1 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    4 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994   14.9 &lt;dec&gt; (Def)           </pre> <p>ThCtrlParVal32 XH079994 0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : inside BATTERY_38 TCT loop index 38            TC(8,4,114,18)</p>	XCN38994	TC	
39		close to FHWOH_39 TCT loop index 39		Next Step: 40	
	ET= UT=	<p>closeFHWOH-16-Lp39</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrLoopClass       XH091992    1 &lt;dec&gt; CntrLoopThmId       XH092992   1612 &lt;dec&gt; CntrLoopThmId       XH092992   1660 &lt;dec&gt; CntrLoopThmId       XH092992   1708 &lt;dec&gt; CntrLoopMonFreq     XH093992    1 &lt;dec&gt; CntrLoopUnitId      XH094992   783 &lt;dec&gt; ThCtrlParVal16      XH098992   1795 &lt;dec&gt; ThCtrlParVal16      XH098992   3075 &lt;dec&gt;           </pre> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : close to FHWOH_39 TCT loop index 39            TC(8,4,114,16)</p>	XCM39994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	<p>closeFHOWH-32-Lp39</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 1.5 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 5.5 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 -3.5 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 -0.5 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0.4285 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0.00029995 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 -0.42820005 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 (Def)</p> <p>ThCtrlParVal32 XH079994 0.9048 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 -1.9048 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 3.5 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 33.15 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 4 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to FHOWH_39 TCT loop index 39            TC(8,4,114,18)</p>	XCN39994	TC	
40		close to FHWEH_40 TCT loop index 40		Next Step: 41	
	ET= UT=	<p>closeFHWEH-16-Lp40</p> <p>Command Parameter(s) :</p> <p>LoopStatus XH097992 1 &lt;dec&gt;</p> <p>CntrLoopClass XH091992 0 &lt;dec&gt;</p> <p>CntrLoopThmId XH092992 1613 &lt;dec&gt;</p> <p>CntrLoopThmId XH092992 1661 &lt;dec&gt;</p> <p>CntrLoopThmId XH092992 1709 &lt;dec&gt;</p> <p>CntrLoopMonFreq XH093992 6 &lt;dec&gt;</p> <p>CntrLoopUnitId XH094992 784 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 1796 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 3076 &lt;dec&gt;</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to FHWEH_40 TCT loop index 40            TC(8,4,114,16)</p>	XCM40994	TC	
	ET= UT=	<p>closeFHWEH-32-Lp40</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 1 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 4 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 1 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 4 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 32.4 &lt;dec&gt; (Def)</p>	XCN40994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
		ThCtrlParVal32 XH079994 TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : close to FHWEH_40 TCT loop index 40 TC(8,4,114,18)	0.7 <dec> (Def)		
41		on FCV C1A_41 TCT loop index 41		Next Step: 42	
	ET= UT=	FCV-C1A-16-Lp41 Command Parameter(s) : LoopStatus XH097992 1 <dec> CntrLoopClass XH091992 0 <dec> CntrLoopThmId XH092992 1627 <dec> CntrLoopThmId XH092992 1675 <dec> CntrLoopThmId XH092992 1723 <dec> CntrLoopMonFreq XH093992 6 <dec> CntrLoopUnitId XH094992 791 <dec> ThCtrlParVal16 XH098992 1797 <dec> ThCtrlParVal16 XH098992 3077 <dec> TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : on FCV C1A_41 TCT loop index 41 TC(8,4,114,16)	XCM41994	TC	
	ET= UT=	FCV-C1A-32-Lp41 Command Parameter(s) : ThCtrlParVal32 XH079994 11 <dec> (Def) ThCtrlParVal32 XH079994 17 <dec> (Def) ThCtrlParVal32 XH079994 11 <dec> (Def) ThCtrlParVal32 XH079994 17 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 1.43 <dec> (Def) ThCtrlParVal32 XH079994 2.5 <dec> (Def) TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : on FCV C1A_41 TCT loop index 41 TC(8,4,114,18)	XCN41994	TC	
42		on FCV A2A_42 TCT loop index 42		Next Step: 43	



Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	<p>FCV-A2A-16-Lp42</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrLoopClass       XH091992    0 &lt;dec&gt; CntrLoopThmId       XH092992   1628 &lt;dec&gt; CntrLoopThmId       XH092992   1676 &lt;dec&gt; CntrLoopThmId       XH092992   1724 &lt;dec&gt; CntrLoopMonFreq     XH093992    6 &lt;dec&gt; CntrLoopUnitId      XH094992   791 &lt;dec&gt; ThCtrlParVal16      XH098992   1798 &lt;dec&gt; ThCtrlParVal16      XH098992   3078 &lt;dec&gt;           </pre> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : on FCV A2A_42 TCT loop index 42            TC(8,4,114,16)</p>	XCM42994	TC	
	ET= UT=	<p>FCV-A2A-32-Lp42</p> <p>Command Parameter(s) :</p> <pre> ThCtrlParVal32      XH079994   11 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994   17 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994   11 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994   17 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    1.43 &lt;dec&gt; (Def)           </pre> <p>ThCtrlParVal32 XH079994 2.5 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : on FCV A2A_42 TCT loop index 42            TC(8,4,114,18)</p>	XCN42994	TC	
43		close to FHHRV_43 TCT loop index 43		Next Step: 44	
	ET= UT=	<p>closeFHHRV-16-Lp43</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrLoopClass       XH091992    1 &lt;dec&gt; CntrLoopThmId       XH092992   1609 &lt;dec&gt; CntrLoopThmId       XH092992   1657 &lt;dec&gt; CntrLoopThmId       XH092992   1705 &lt;dec&gt; CntrLoopMonFreq     XH093992    1 &lt;dec&gt; CntrLoopUnitId      XH094992   781 &lt;dec&gt; ThCtrlParVal16      XH098992   2049 &lt;dec&gt; ThCtrlParVal16      XH098992   2817 &lt;dec&gt;           </pre> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : close to FHHRV_43 TCT loop index 43            TC(8,4,114,16)</p>	XCM43994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																				
	ET= UT=	<p>closeFHHRV-32-Lp43</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>20 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>24 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-9 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-6 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.80337 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.000723033 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-0.802646967 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>-1.9028 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>22 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>38.98 &lt;dec&gt; (Def)</td></tr> </table> <p>ThCtrlParVal32      XH079994      1 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close to FHHRV_43 TCT loop index 43            TC(8,4,114,18)</p>	ThCtrlParVal32	XH079994	20 <dec> (Def)	ThCtrlParVal32	XH079994	24 <dec> (Def)	ThCtrlParVal32	XH079994	-9 <dec> (Def)	ThCtrlParVal32	XH079994	-6 <dec> (Def)	ThCtrlParVal32	XH079994	0.80337 <dec> (Def)	ThCtrlParVal32	XH079994	0.000723033 <dec> (Def)	ThCtrlParVal32	XH079994	-0.802646967 <dec> (Def)	ThCtrlParVal32	XH079994	-1.9028 <dec> (Def)	ThCtrlParVal32	XH079994	22 <dec> (Def)	ThCtrlParVal32	XH079994	38.98 <dec> (Def)	XCN43994	TC							
ThCtrlParVal32	XH079994	20 <dec> (Def)																																							
ThCtrlParVal32	XH079994	24 <dec> (Def)																																							
ThCtrlParVal32	XH079994	-9 <dec> (Def)																																							
ThCtrlParVal32	XH079994	-6 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0.80337 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0.000723033 <dec> (Def)																																							
ThCtrlParVal32	XH079994	-0.802646967 <dec> (Def)																																							
ThCtrlParVal32	XH079994	-1.9028 <dec> (Def)																																							
ThCtrlParVal32	XH079994	22 <dec> (Def)																																							
ThCtrlParVal32	XH079994	38.98 <dec> (Def)																																							
44		on FCV C3A_44 TCT loop index 44		Next Step: 45																																					
	ET= UT=	<p>FCV-C3A-16-Lp44</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>LoopStatus</td><td>XH097992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrLoopClass</td><td>XH091992</td><td>0 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1630 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1678 &lt;dec&gt;</td></tr> <tr><td>CntrLoopThmId</td><td>XH092992</td><td>1726 &lt;dec&gt;</td></tr> <tr><td>CntrLoopMonFreq</td><td>XH093992</td><td>6 &lt;dec&gt;</td></tr> <tr><td>CntrLoopUnitId</td><td>XH094992</td><td>791 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>2050 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>2818 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: center;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV C3A_44 TCT loop index 44            TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrLoopClass	XH091992	0 <dec>	CntrLoopThmId	XH092992	1630 <dec>	CntrLoopThmId	XH092992	1678 <dec>	CntrLoopThmId	XH092992	1726 <dec>	CntrLoopMonFreq	XH093992	6 <dec>	CntrLoopUnitId	XH094992	791 <dec>	ThCtrlParVal16	XH098992	2050 <dec>	ThCtrlParVal16	XH098992	2818 <dec>	XCM44994	TC										
LoopStatus	XH097992	1 <dec>																																							
CntrLoopClass	XH091992	0 <dec>																																							
CntrLoopThmId	XH092992	1630 <dec>																																							
CntrLoopThmId	XH092992	1678 <dec>																																							
CntrLoopThmId	XH092992	1726 <dec>																																							
CntrLoopMonFreq	XH093992	6 <dec>																																							
CntrLoopUnitId	XH094992	791 <dec>																																							
ThCtrlParVal16	XH098992	2050 <dec>																																							
ThCtrlParVal16	XH098992	2818 <dec>																																							
	ET= UT=	<p>FCV-C3A-32-Lp44</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>11 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>17 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>11 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>17 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>1.43 &lt;dec&gt; (Def)</td></tr> </table>	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	17 <dec> (Def)	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	17 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	1.43 <dec> (Def)	XCN44994	TC	
ThCtrlParVal32	XH079994	11 <dec> (Def)																																							
ThCtrlParVal32	XH079994	17 <dec> (Def)																																							
ThCtrlParVal32	XH079994	11 <dec> (Def)																																							
ThCtrlParVal32	XH079994	17 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	0 <dec> (Def)																																							
ThCtrlParVal32	XH079994	1.43 <dec> (Def)																																							

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
		ThCtrlParVal32 XH079994 TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : on FCV C3A_44 TCT loop index 44 TC(8,4,114,18)	2.5 <dec> (Def)		
45		on RCS PIPES_45 TCT loop index 45		Next Step: 46	
	ET= UT=	RCS-PIPES-16-Lp45 Command Parameter(s) : LoopStatus XH097992 1 <dec> CntrLoopClass XH091992 0 <dec> CntrLoopThmId XH092992 1631 <dec> CntrLoopThmId XH092992 1679 <dec> CntrLoopThmId XH092992 1727 <dec> CntrLoopMonFreq XH093992 6 <dec> CntrLoopUnitId XH094992 791 <dec> ThCtrlParVal16 XH098992 2051 <dec> ThCtrlParVal16 XH098992 2819 <dec> TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : on RCS PIPES_45 TCT loop index 45 TC(8,4,114,16)	XCM45994	TC	
	ET= UT=	RCS-PIPES-32-Lp45 Command Parameter(s) : ThCtrlParVal32 XH079994 23 <dec> (Def) ThCtrlParVal32 XH079994 24 <dec> (Def) ThCtrlParVal32 XH079994 23 <dec> (Def) ThCtrlParVal32 XH079994 24 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 5.21 <dec> (Def) ThCtrlParVal32 XH079994 0.7 <dec> (Def) TC Control Flags : GBM IL DSE --Y -- --- Subsch. ID : 10 Det. descr. : on RCS PIPES_45 TCT loop index 45 TC(8,4,114,18)	XCN45994	TC	
46		STR2 Primary Baffle_46 TCT loop index 46		Next Step: 47	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	<p>STR2-PrimBaf-16-Lp46</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrLoopClass       XH091992    0 &lt;dec&gt; CntrLoopThmId       XH092992   1632 &lt;dec&gt; CntrLoopThmId       XH092992   1680 &lt;dec&gt; CntrLoopThmId       XH092992   1728 &lt;dec&gt; CntrLoopMonFreq     XH093992    1 &lt;dec&gt; CntrLoopUnitId      XH094992   1324 &lt;dec&gt; ThCtrlParVal16      XH098992   2052 &lt;dec&gt; ThCtrlParVal16      XH098992   2820 &lt;dec&gt;           </pre> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : STR2 Primary Baffle_46 TCT loop index 46            TC(8,4,114,16)</p>	XCM46994	TC	
	ET= UT=	<p>STR2-PrimBaf-32-Lp46</p> <p>Command Parameter(s) :</p> <pre> ThCtrlParVal32      XH079994   14 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994   14.5 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994  -20.5 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994  -20 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    0 &lt;dec&gt; (Def) ThCtrlParVal32      XH079994    7.05 &lt;dec&gt; (Def)           </pre> <p>ThCtrlParVal32      XH079994    0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : STR2 Primary Baffle_46 TCT loop index 46            TC(8,4,114,18)</p>	XCN46994	TC	
47		on RCS PIPES_47 TCT loop index 47		Next Step: 48	
	ET= UT=	<p>RCS-PIPES-16-Lp47</p> <p>Command Parameter(s) :</p> <pre> LoopStatus          XH097992    1 &lt;dec&gt; CntrLoopClass       XH091992    0 &lt;dec&gt; CntrLoopThmId       XH092992   1633 &lt;dec&gt; CntrLoopThmId       XH092992   1681 &lt;dec&gt; CntrLoopThmId       XH092992   1729 &lt;dec&gt; CntrLoopMonFreq     XH093992    6 &lt;dec&gt; CntrLoopUnitId      XH094992   791 &lt;dec&gt; ThCtrlParVal16      XH098992   2053 &lt;dec&gt; ThCtrlParVal16      XH098992   2821 &lt;dec&gt;           </pre> <p>TC Control Flags :</p> <pre> GBM IL DSE --Y -- ---           </pre> <p>Subsch. ID : 10            Det. descr. : on RCS PIPES_47 TCT loop index 47            TC(8,4,114,16)</p>	XCM47994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	<p>RCS-PIPES-32-Lp47</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 23 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 24 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 23 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 24 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 9.68 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on RCS PIPES_47 TCT loop index 47            TC(8,4,114,18)</p>	XCN47994	TC	
48		close FHLCU-FHIFH_48 TCT loop index 48		Next Step: 49	
	ET= UT=	<p>FHLCU-FHIFH-16-Lp48</p> <p>Command Parameter(s) :</p> <p>LoopStatus XH097992 1 &lt;dec&gt;</p> <p>CntrLoopClass XH091992 0 &lt;dec&gt;</p> <p>CntrLoopThmId XH092992 1615 &lt;dec&gt;</p> <p>CntrLoopThmId XH092992 1663 &lt;dec&gt;</p> <p>CntrLoopThmId XH092992 1711 &lt;dec&gt;</p> <p>CntrLoopMonFreq XH093992 6 &lt;dec&gt;</p> <p>CntrLoopUnitId XH094992 786 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 2054 &lt;dec&gt;</p> <p>ThCtrlParVal16 XH098992 2822 &lt;dec&gt;</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close FHLCU-FHIFH_48 TCT loop index 48            TC(8,4,114,16)</p>	XCM48994	TC	
	ET= UT=	<p>FHLCU-FHIFH-32-Lp48</p> <p>Command Parameter(s) :</p> <p>ThCtrlParVal32 XH079994 11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 14 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 11 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 14 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 20.9 &lt;dec&gt; (Def)</p> <p>ThCtrlParVal32 XH079994 0.7 &lt;dec&gt; (Def)</p> <p>TC Control Flags :</p> <p>GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : close FHLCU-FHIFH_48 TCT loop index 48            TC(8,4,114,18)</p>	XCN48994	TC	



Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment																																							
		<p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on TANK-Y_50 TCT loop index 50            TC(8,4,114,16)</p>																																										
	ET= UT=	<p style="text-align: right;">TANK-Y-32-Lp50</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>11 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>14 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>11 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>14 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>5.4 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0.7 &lt;dec&gt; (Def)</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on TANK-Y_50 TCT loop index 50            TC(8,4,114,18)</p>	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	14 <dec> (Def)	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	14 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	5.4 <dec> (Def)	ThCtrlParVal32	XH079994	0.7 <dec> (Def)	XCN50994	TC	
ThCtrlParVal32	XH079994	11 <dec> (Def)																																										
ThCtrlParVal32	XH079994	14 <dec> (Def)																																										
ThCtrlParVal32	XH079994	11 <dec> (Def)																																										
ThCtrlParVal32	XH079994	14 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	5.4 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0.7 <dec> (Def)																																										
51		on FCV C4A_51 TCT loop index 51		Next Step: 52																																								
	ET= UT=	<p style="text-align: right;">FCV-C4A-16-Lp51</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>LoopStatus</td><td>XH097992</td><td>1 &lt;dec&gt;</td></tr> <tr><td>CntrlLoopClass</td><td>XH091992</td><td>0 &lt;dec&gt;</td></tr> <tr><td>CntrlLoopThmId</td><td>XH092992</td><td>1629 &lt;dec&gt;</td></tr> <tr><td>CntrlLoopThmId</td><td>XH092992</td><td>1677 &lt;dec&gt;</td></tr> <tr><td>CntrlLoopThmId</td><td>XH092992</td><td>1725 &lt;dec&gt;</td></tr> <tr><td>CntrlLoopMonFreq</td><td>XH093992</td><td>6 &lt;dec&gt;</td></tr> <tr><td>CntrlLoopUnitId</td><td>XH094992</td><td>791 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>2307 &lt;dec&gt;</td></tr> <tr><td>ThCtrlParVal16</td><td>XH098992</td><td>2563 &lt;dec&gt;</td></tr> </table> <p>TC Control Flags :</p> <p style="text-align: right;">GBM IL DSE --Y -- ---</p> <p>Subsch. ID : 10            Det. descr. : on FCV C4A_51 TCT loop index 51            TC(8,4,114,16)</p>	LoopStatus	XH097992	1 <dec>	CntrlLoopClass	XH091992	0 <dec>	CntrlLoopThmId	XH092992	1629 <dec>	CntrlLoopThmId	XH092992	1677 <dec>	CntrlLoopThmId	XH092992	1725 <dec>	CntrlLoopMonFreq	XH093992	6 <dec>	CntrlLoopUnitId	XH094992	791 <dec>	ThCtrlParVal16	XH098992	2307 <dec>	ThCtrlParVal16	XH098992	2563 <dec>	XCM51994	TC													
LoopStatus	XH097992	1 <dec>																																										
CntrlLoopClass	XH091992	0 <dec>																																										
CntrlLoopThmId	XH092992	1629 <dec>																																										
CntrlLoopThmId	XH092992	1677 <dec>																																										
CntrlLoopThmId	XH092992	1725 <dec>																																										
CntrlLoopMonFreq	XH093992	6 <dec>																																										
CntrlLoopUnitId	XH094992	791 <dec>																																										
ThCtrlParVal16	XH098992	2307 <dec>																																										
ThCtrlParVal16	XH098992	2563 <dec>																																										
	ET= UT=	<p style="text-align: right;">FCV-C4A-32-Lp51</p> <p>Command Parameter(s) :</p> <table border="0"> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>11 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>17 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>11 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>17 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>0 &lt;dec&gt; (Def)</td></tr> <tr><td>ThCtrlParVal32</td><td>XH079994</td><td>1.43 &lt;dec&gt; (Def)</td></tr> </table>	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	17 <dec> (Def)	ThCtrlParVal32	XH079994	11 <dec> (Def)	ThCtrlParVal32	XH079994	17 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	0 <dec> (Def)	ThCtrlParVal32	XH079994	1.43 <dec> (Def)	XCN51994	TC	
ThCtrlParVal32	XH079994	11 <dec> (Def)																																										
ThCtrlParVal32	XH079994	17 <dec> (Def)																																										
ThCtrlParVal32	XH079994	11 <dec> (Def)																																										
ThCtrlParVal32	XH079994	17 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	0 <dec> (Def)																																										
ThCtrlParVal32	XH079994	1.43 <dec> (Def)																																										

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
		ThCtrlParVal32 XH079994  TC Control Flags :  GBM IL DSE --Y -- ---  Subsch. ID : 10 Det. descr. : on FCV C4A_51 TCT loop index 51 TC(8,4,114,18)	2.5 <dec> (Def)		
52		close to FHLSU_52 TCT loop index 52		Next Step: 53	
	ET= UT=	closeHLSU-16-Lp52  Command Parameter(s) : LoopStatus XH097992 1 <dec> CntrLoopClass XH091992 0 <dec> CntrLoopThmId XH092992 1616 <dec> CntrLoopThmId XH092992 1664 <dec> CntrLoopThmId XH092992 1712 <dec> CntrLoopMonFreq XH093992 6 <dec> CntrLoopUnitId XH094992 788 <dec> ThCtrlParVal16 XH098992 2308 <dec> ThCtrlParVal16 XH098992 2564 <dec>  TC Control Flags :  GBM IL DSE --Y -- ---  Subsch. ID : 10 Det. descr. : close to FHLSU_52 TCT loop index 52 TC(8,4,114,16)	XCM52994	TC	
	ET= UT=	closeHLSU-32-Lp52  Command Parameter(s) : ThCtrlParVal32 XH079994 11 <dec> (Def) ThCtrlParVal32 XH079994 14 <dec> (Def) ThCtrlParVal32 XH079994 11 <dec> (Def) ThCtrlParVal32 XH079994 14 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 0 <dec> (Def) ThCtrlParVal32 XH079994 29 <dec> (Def)  ThCtrlParVal32 XH079994 0.7 <dec> (Def)  TC Control Flags :  GBM IL DSE --Y -- ---  Subsch. ID : 10 Det. descr. : close to FHLSU_52 TCT loop index 52 TC(8,4,114,18)	XCN52994	TC	
53		STR1 Primary Baffle_53 TCT loop index 53		Next Step: 54	



Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	STR1-PrimBaf-16-Lp53  Command Parameter(s) : LoopStatus          XH097992    1 <dec> CntrLoopClass      XH091992    0 <dec> CntrLoopThmId      XH092992    1610 <dec> CntrLoopThmId      XH092992    1658 <dec> CntrLoopThmId      XH092992    1706 <dec> CntrLoopMonFreq     XH093992    1 <dec> CntrLoopUnitId      XH094992    812 <dec> ThCtrlParVal16      XH098992    2309 <dec> ThCtrlParVal16      XH098992    2565 <dec>  TC Control Flags :  GBM IL DSE --Y -- ---  Subsch. ID : 10 Det. descr. : STR1 Primary Baffle_53 TCT loop index 53 TC(8,4,114,16)	XCM53994	TC	
	ET= UT=	STR1-PrimBaf-32-Lp53  Command Parameter(s) : ThCtrlParVal32      XH079994    14 <dec> (Def) ThCtrlParVal32      XH079994    14.5 <dec> (Def) ThCtrlParVal32      XH079994    -20.5 <dec> (Def) ThCtrlParVal32      XH079994    -20 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    0 <dec> (Def) ThCtrlParVal32      XH079994    7.05 <dec> (Def)  ThCtrlParVal32      XH079994    0.7 <dec> (Def)  TC Control Flags :  GBM IL DSE --Y -- ---  Subsch. ID : 10 Det. descr. : STR1 Primary Baffle_53 TCT loop index 53 TC(8,4,114,18)	XCN53994	TC	
54		on TANK+Y_54 TCT loop index 54		Next Step: END	
	ET= UT=	TANK+Y-16-Lp54  Command Parameter(s) : LoopStatus          XH097992    1 <dec> CntrLoopClass      XH091992    0 <dec> CntrLoopThmId      XH092992    1621 <dec> CntrLoopThmId      XH092992    1669 <dec> CntrLoopThmId      XH092992    1717 <dec> CntrLoopMonFreq     XH093992    6 <dec> CntrLoopUnitId      XH094992    791 <dec> ThCtrlParVal16      XH098992    2310 <dec> ThCtrlParVal16      XH098992    2566 <dec>  TC Control Flags :  GBM IL DSE --Y -- ---  Subsch. ID : 10 Det. descr. : on TANK+Y_54 TCT loop index 54 TC(8,4,114,16)	XCM54994	TC	

Default TCT uplink (editable)  
 File: H\_FCP\_DHS\_DEFTC.xls  
 Author: S. Manganelli




Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch	AIT Comment
	ET= UT=	TANK+Y-32-Lp54	XCN54994	TC	
		Command Parameter(s) : ThCtrlParVal32      XH079994      11 <dec> (Def) ThCtrlParVal32      XH079994      14 <dec> (Def) ThCtrlParVal32      XH079994      11 <dec> (Def) ThCtrlParVal32      XH079994      14 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      0 <dec> (Def) ThCtrlParVal32      XH079994      5.4 <dec> (Def)  ThCtrlParVal32      XH079994      0.7 <dec> (Def)			
		TC Control Flags :  GBM IL DSE --Y -- ---  Subsch. ID : 10 Det. descr. : on TANK+Y_54 TCT loop index 54 TC(8,4,114,18)			
End of Sequence					
<b>End of Procedure</b>					