

Upload LCU safety table: 5851-6300  
 File: H\_FCP\_HIF\_RUTD.xls  
 Author: R. Biggins



## Procedure Summary

### Objectives

This procedure is part of the look up table (LUT) load procedure.  
 The objective of this procedure is to upload the LCU safety table  
 from line 5851 to line 6300

### Summary of Constraints

This procedure is called by the procedure H\_FCP\_HIF\_RLUT only.

### Spacecraft Configuration

**Start of Procedure**

HIFI is in Standby mode

**End of Procedure**

No change to HIFI mode

### Reference File(s)

**Input Command Sequences**

**Output Command Sequences**

HFHRUTD

### Referenced Displays

ANDs      GRDs      SLDs

### Configuration Control Information

DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
08/11/07		1	Created	R. Biggins	
16/11/07		2	Update due to discussions between D. Teysier and R. Biggins - Set HK rate command removed - Editorial updates	R. Biggins	
26/11/07		3	- OBSID removed as Formal Parameter - BBID parameter in table upload commands added as Formal Parameters	R. Biggins	
11/01/08		4	Update due to initial testing against the simulator: - BBID/OBSID TM checks added - TCs updated due to new DB - Execution times removed	R. Biggins	
27/02/08		5	Update due to testing against MOC Simulator: - Telecommand flags updated - Editorial updates	R. Biggins	
04/06/08	1	6	Updates due to SVT-1 testing: - All TM checks removed due to use of H_FCP_HIF_RLUT procedure - First LUT load TC updated to have automatic release - First LUT load TC time tag updated to 1 second - Comments added - Flags updated	R. Biggins	

Upload LCU safety table: 5851-6300  
File: H\_FCP\_HIF\_RUTD.xls  
Author: R. Biggins




10/12/09	3	6.01	Validation : Configuration updated	R. Biggins	
----------	---	------	------------------------------------	------------	--

Upload LCU safety table: 5851-6300  
File: H\_FCP\_HIF\_RUTD.xls  
Author: R. Biggins



## Procedure Flowchart Overview



Upload LCU safety table: 5851-6300  
 File: H\_FCP\_HIF\_RUTD.xls  
 Author: R. Biggins



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch
<b>Beginning of Procedure</b>				
TC Seq. Name : HFHRUTD (Upload LCU 5851-6300)				
TimeTag Type: N				
Sub Schedule ID:				
□				
1		Prerequisite check		Next Step: 2
		This procedure is part of the look up table (LUT) load procedure.		
		This sequence is accessed by loading the IPF (TPF) file which is required to load the table parameters.		
		It is called by the procedure H_FCP_HIF_RLUT only, and all Telemetry checks are in this overview procedure		
2		Perform safety table upload		Next Step: END
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	

Upload LCU safety table: 5851-6300  
 File: H\_FCP\_HIF\_RUTD.xls  
 Author: R. Biggins



Step No.	Time	Activity/Remarks	TC/TLM	Display/ Branch
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
	ET=+ UT=+00.00.01	HIFI_Configure_LCU_table HIFI_Configure_LCU_table SSID : 70	HC075289	
<b>End of Procedure</b>				